Index to Volume 73

Author index*

A

ACKERMAN, G. ADOLPH. (*See* Greenberger, Balcerzak, and Ackerman), 711

AGUILLÓN, ARTURO. (*See* Téllez-Girón et al.), 495

ALFORD, DOROTHY A. (*See* Lewis et al.), 154

ALFREY, CLARENCE P., JR., LYNCH, EDWARD C., AND HETTIG, ROBERT A. Studies of iron kinetics using a linear scanner. I. Distribution of sites of uptake of plasma iron in hematological disorders, 405

ALKJAERSIG, NORMA. (*See* Coopland, Alkjaersig, and Fletcher), 144

ALPERIN, JACK B. (*See* Schneider et al.), 616

ALTMAN, MICHAEL. (*See* Tushan et al.), 649

APORTI, F. (*See* Frangipane and Aporti), 872

ASCH, MORRIS J., DELL, RALPH B., WILLIAMS, GAIL S., COHEN, MELVIN, AND WINTERS, ROBERT W. Time course for development of respiratory compensation in metabolic acidosis, 610

AUCHINCLOSS, J. HOWLAND, JR. (*See* Gilbert and Auchincloss), 439

AWAI, MICHIYASU, AND BROWN, ELMER B. Examination of the role of xanthine oxidase in iron adsorption by the rat, 366

AXELROD, D. ROBERT. (*See* Sass, Caruso, and Axelrod), 744

AYVAZIAN, JOHN H. (*See* Skupp and Ayvazian), 909

B

BACANER, MARVIN B. (*See* Weber et al.), 753

BACON, GEORGE E. With the technical assistance of KOKENAKES, SHARON. Measurement of plasma prednisolone by gas chromatography, 1030

BADEN, HOWARD P. Prealbumin protein in skin, 229

BAKER, R. J. (*See* Taube et al.), 425

BALCERZAK, STANLEY P. (*See* Baum, Mengel, and Balcerzak), 277

—. (*See* Graff, Mengel, and Balcerzak), 399

—. (*See* Greenberger, Balcerzak, and Ackerman), 711

BALL, DENNIS L. (*See* Goodfriend and Ball), 501

BALTCH, ALDONA L., FULLER, THOMAS, AND OSBORNE, WINIFRED. Immunologic studies of cerebrospinal fluid proteins in experimental aseptic meningitis in dogs, 893

BALUDA, MARYELLEN C. (*See* Sparkes, Baluda, and Townsend), 531

BAUM, NEIL H., MENGEL, CHARLES E., AND BALCERZAK, STANLEY P. Effect of reduced glutathione on rat erythrocytes: Production of PNH-like features, 277

BEALL, GILDON, DONIACH, DEBORAH, ROITT, IVAN, AND EL KABIR, DAVID. Inhibition of the long-acting thyroid stimulator (LATS) by soluble thyroid fractions, 988

BEATY, HARRY N. (*See* Oppenheimer, Beaty, and Petersdorf), 535

BENNETT, JOHN M., BLUME, RALPH S., AND WOLFF, SHELDON M. Characterization and significance of abnormal leukocyte granules in the beige mouse: A possible homologue for Chediak-Higashi Aleutian trait, 235

BENSON, ELLIS S. (*See* Zieve et al.), 1

BERTANI, L. M. (*See* Gitlow et al.), 129

BEST, MAURICE, AND DUNCAN, CHARLES H. With the technical assistance of BEST, MICHAEL M. Accelerated maturation and persistent growth impairment in the rat resulting from thyroxine administration in the neonatal period, 135

BEST, MICHAEL M. (*See* Best and Duncan), 135

BEUTLER, ERNEST. (*See* Tanaka and Beutler), 657

BICK, MIRIAM. (*See* Popovtzer et al.), 763

BIENENSTOCK, JOHN, GOLDSTEIN, GERRY, AND TOMASI, THOMAS B., JR. Urinary γA rheumatoid factor, 389

BIERMAN, EDWIN L. (*See* Porte and Bierman), 631

BILLEWICZ, W. Z. (*See* Robertson et al.), 594

BLUM, STUART F., SHOHET, STEPHEN B., NATHAN, DAVID G., AND GARDNER, FRANK H. The effect of amphotericin B on erythrocyte membrane cation permeability: Its relation to in vivo erythrocyte survival, 980

BLUME, RALPH S. (*See* Bennett, Blume, and Wolff), 235

BRASHEAR, RICHARD E., AND ROSS, JOSEPH C. Disappearance of adenosine diphosphate in vivo, 54

BREWER, GEORGE J. (*See* Eaton, Brewer, and Grover), 603

BRIDGES, ROBERT A. (*See* Sharp, Bridges, Krivit, and Freier), 934

*January, pp. 1-180; February, pp. 181-358; March, pp. 359-534; April, pp. 535-710; May, pp. 711-882; June, pp. 883-1072.

BRIMHALL, BERNADINE. (*See* Schneider et al.), 616

BRINKHOUS, K. M., READ, M. S., RODMAN, N. F., AND MASON, R. G. Need for fibrinogen for thrombin-induced aggregation of porcine platelets, 1000

BROWN, ELMER B. (*See* Awai and Brown), 366

—. (*See* Kornfield, Chipman, and Brown), 181

BRUBAKER, LEONARD H., AND EVANS, WARREN H. Separation of granulocytes, monocytes, lymphocytes, erythrocytes, and platelets from human blood and relative tagging with diisopropylfluorophosphate (DFP), 1036

BUMPUS, F. MERLIN. (*See* Osmond, Smeby, and Bumpus), 795

—. (*See* Osmond, Lewis, Smeby, and Bumpus), 809

BUSH, STEPHEN T., SWEDLUND, HARRY A., AND GLEICH, GERALD J. Low molecular weight Igm in human sera, 194

C

CARUSO, CARMINE J. (*See* Sass, Caruso, and Axelrod), 744

CATHEY, MARY H. (*See* Zucker and Cathey), 320

CHARACHE, S., AND MARGOLIS, S. Effect of plasma from patients with liver disease on resistance of red blood cells to lysis by saponin, 779

CHIPMAN, BARBARA. (*See* Kornfield, Chipman, and Brown), 181

CIVIDALLI, GABRIEL, AND LOKER, HILDA. Micromethod for determination of sodium and potassium in red blood cells, 706

CLARKE, EUGENE J. (*See* Fresh et al.), 451

COBURN, JACK W. (*See* Popovtzer et al.), 763

COHEN, LOUIS, DJORDJEVICH, JULIANA, AND SECKLER, JERROLD. Compounds which stabilize and organize the tetrameric isozymes of lactate dehydrogenase, 835

COHEN, MELVIN. (*See* Asch et al.), 610

COLLINS, RAY. (*See* Prasad et al.), 486

COLWELL, JOHN A. (*See* Rabkin and Colwell), 893

COONROD, DONALD, AND PATERSON, PHILIP Y. Urine beta-glucuronidase in renal injury. I. Enzyme assay conditions and response to mercuric chloride in rats, 6

— AND —. Urine beta-glucuronidase in renal injury. II. Excretion patterns in experimental staphylococcal pyelonephritis in rats, 17

COOPLAND, ASHLEY, ALKJAERSIG, NORMA, AND FLETCHER, ANTHONY P. Reduction in plasma factor XIII (fibrin stabilizing factor) concentration during pregnancy, 144

CORDER, C. N., AND KALKHOFF, R. K. Hepatic lipid metabolism in alloxan diabetic rats, 551

CROKER, BYRON P. (*See* Shapiro, Scheib, and Croker), 970

D

DALOZE, PIERRE M. (*See* Pechet, Groth, and Daloze), 91

DAUGHARTY, HARRY D., MARTIN, R. RUSSELL, AND WHITE, ARTHUR. Reactions of sera and nasal secretions with staphylococcal antigens, 1011

DAVIDSON, CHARLES S. (*See* Trey et al.), 784

DAVIDSON, WARREN D., AND TANAKA, KOUICHI R. Continuous measurement of pentose phosphate pathway activity in erythrocytes. An ionization chamber method, 173

DE AVILA, RAFAEL. (*See* Téllez-Girón et al.), 495

DEGRAZIA, JOSEPH A., FISH, MATHEWS B., POLLYCOVE, MYRON, WALLERSTEIN, RALPH O., AND HOLLANDER, LESTER. The role of propionic acid as a precursor of methylmalonic acid in normal and vitamin B_{12}-deficient man, 917

DEKLERK, J. N. (*See* Mirand et al.), 121

DELL, RALPH B. (*See* Asch et al.), 610

DEL ROSARIO ALONSO, MA. (*See* Téllez-Girón et al.), 495

DERN, RAYMOND J., MCCURDY, PAUL R., AND YOSHIDA, AKIRA. A new structural variant of glucose-6-phosphate dehydrogenase with a high production rate (G6PD Hektoen), 283

—, AND WIORKOWSKI, JOHN J. Studies on the preservation of human blood. IV. The hereditary component of pre- and poststorage erythrocyte adenosine triphosphate levels, 1019

—. (*See* Taube et al.), 425

DEVALD, BONITA. (*See* Newcomb and DeVald), 734

DIENST, ROBERT B. (*See* Sammons, Gardner, and Dienst), 338

DJORDJEVICH, JULIANA. (*See* Cohen, Djordjevich, and Seckler), 835

DONIACH, DEBORAH. (*See* Beall et al.), 988

DUKE, MARYANN. (*See* Tobian, Ishii, and Duke), 309

DUNCAN, CHARLES H. (*See* Best and Duncan), 135

E

EATON, JOHN W., BREWER, GEORGE J., AND GROVER, ROBERT F. Role of red cell 2,3-diphosphoglycerate in the adaptation of man to altitude, 603

EL KABIR, DAVID. (*See* Beall et al.), 988

ELVEBACK, LILA R. (*See* Keating et al.), 825

ELWYN, D. H. (*See* Taube et al.). 425

EPSTEIN, MICHAEL. (*See* Muehreke et al.) 309

EVANS, G. (*See* Packham et al.), 686

EVANS, WARREN H. (*See* Brubaker and Evans), 1036

F

FARQUHAR, JOHN. (*See* Hsia, Monteleone, and Farquhar), 111

FINKLER, ALEX E. (*See* Hall and Finkler), 60

FISH, MATHEWS B. (*See* DeGrazia et al.), 917

FLETCHER, ANTHONY P. (*See* Coopland, Alkjaersig, and Fletcher), 144

—. (*See* Sherman, Fletcher, and Sherry), 574

FOÁ P. P. (*See* Sodoyez, Sodoyez-Goffaux, and Foá), 432

FOGGETT, I. N. (*See* Robertson et al.), 594

FRANGIPANE, G., AND APORTI, F. Improved indirect method for the measurement of systolic blood pressure in the rat, 872

FREIER, ESTHER F. (*See* Sharp et al.), 934

FRENCH, MELODY. (*See* Valeri and Hirsch), 722

FRESH, JAMES W., REYES, VINCENTE, CLARKE, EUGENE J., AND UYLANGCO, CAESAR V. Philippine hemorrhagic fever: A clinical, laboratory, and necropsy study, 451

FRIED, WALTER, KILBRIDGE, TOM, KRANTZ, SANDFORD, MCDONALD, T. P., AND LANGE, ROBERT D. Studies on extrarenal erythropoietin, 244

FUDENBERG, H. (*See* Goldberg and Fudenberg), 469

—. (*See* Goldberg, Shuster, and Fudenberg), 249

FULLER, THOMAS. (*See* Baltch, Fuller, and Osborne), 883

G

GARCIA, FELIX G. (*See* Trey et al.), 784

GARDNER, BERNARD. Studies of the zeta potential of cells and a silica particle in varying concentrations of albumin, calcium, sodium, plasma, and bile, 202

GARDNER, EDWARD, JR. (*See* Lewis et al.), 154

—. (*See* Sammons, Gardner, and Dienst), 338

GARDNER, FRANK H. (*See* Blum et al.), 980

GERSHBERG, HERBERT. (*See* Hernandez, Zorrilla, and Gershberg), 25

GIBBS, DOROTHY A., AND WATTS, R. W. E. The variation of urinary oxalate excretion with age, 901

GILBERT, ROBERT, AND AUCHINCLOSS, J. HOWLAND, JR. Mechanics of breathing in normal subjects during brief, severe exercise, 439

GILDEA, SALLY. (*See* Valeri and Hirsch), 722

GITLOW, S. E., MENDLOWITZ, M., BERTANI, L. M., WILK, E. K., AND GLABMAN, S. Tritium excretion of normotensive and hypertensive subjects after administration of tritiated norepinephrine, 129

GLABMAN, S. (*See* Gitlow et al.), 129

GLEICH, GERALD J. (*See* Bush, Swedlund, and Gleich), 194

GLYNN, M. F. (See Packham et al.), 686

GOLDBERG, LEONARD S., AND FUDENBERG, H. HUGH. Effect of pH on the vitamin B_{12}-binding capacity of intrinsic factor, 469

—, SHUSTER, JOSEPH, AND FUDENBERG, H. HUGH. Gastric autoimmunity in pernicious anemia, 249

GOLDBERG, M. (*See* Puschett and Goldberg), 956

GOLDSMITH, CARL. (*See* Moreno, Murphy, and Goldsmith), 291

GOLDSTEIN, GERRY. (*See* Bienenstock, Goldstein, and Tomasi), 389

GOODFRIEND, THEODORE L., AND BALL, DENNIS L. Radioimmunoassay of bradykinin: Chemical modification to enable use of radioactive iodine, 501

GOYER, R. A., MITCHELL, B. J., AND LEONARD, D. L. Dietary reduction of hyperprolinemia, 819

GRAFF, KENNETH S., MENGEL, CHARLES E., AND BALCERZAK, STANLEY P. Inhibition of in vitro PNH erythrocyte lysis by tryptophan metabolites, 399

GREENBERGER, NORTON J., BALCERZAK, STANLEY P., AND ACKERMAN, G. ADOLPH. Iron uptake by isolated intestinal brush borders: Changes induced by alterations in iron stores, 711

GROENEWALD, J. M. (*See* Mirand et al.), 121

GROTH, CARL G. (*See* Pechet, Groth, and Daloze), 91

GROVER, ROBERT F. (*See* Eaton, Brewer, and Grover), 603

GUARINO, ANTHONY M. (*See* Hart, Guarino, and Schanker), 853

H

HALAC, ELIAS, JR., AND SICIGNANO, CATHERINE. Re-evaluation of the influence of sex, age, pregnancy, and phenobarbital on the activity of UDP-glucuronyl transferase in rat liver, 677

HALL, CHARLES A., AND FINKLER, ALEXANDER E. Vitamin B_{12}-binding protein in polycythemia vera plasma, 60

HAMILTON, H. E. (*See* Vodopick et al.), 266

HAMMAN, BETTE L., AND MARTIN, MALCOLM M. Direct fluorescence quantitation on thin-layer chromatograms, 1042

HANSTEIN, A. (*See* Muller-Eberhard et al.), 210

HARDISON, WILLIAM G. M., AND NORMAN, J. C. Effect of secretin on bile osmolality, 34

HART, JACQULINE S. (*See* Ritzmann et al.), 698

HART, LARRY G., GUARINO, ANTHONY M., AND SCHANKER, LEWIS S. Gastric dialysis as a possible antidotal procedure for removal of absorbed drugs, 853

HENDERSON, EDWARD S. (See Skeel et al.), 327

HENDLEY, J. OWEN, AND PORTER, F. STANLEY. Experience with measurement of erythrocyte osmotic fragility by a dialysis technique in congenital hereditary spherocytosis, 219

HERDEGEN, CHARLES. (*See* Valeri and Hirsch), 722
HERNANDEZ, ALFREDO, ZORRILLA, EDUARDO, AND GERSHBERG, HERBERT. Decreased insulin production, elevated growth hormone levels, and glucose intolerance in liver disease, 25
HESS, DON R. (*See* Thompson et al.), 512
HETTIG, ROBERT A. (*See* Alfrey, Lynch, and Hettig), 399
HILL, JOSEPH M. (*See* Khan and Hill), 846
HINES, JOHN D., AND LOVE, DAVID S. With the technical assistance of Peart, Mary B. Determination of serum and blood pyridoxal phosphate concentrations with purified rabbit skeletal muscle apophosphorylase *b*, 343
HIRSCH, NATHAN M. (*See* Valeri and Hirsch), 722
HOLLANDER, LESTER. (*See* DeGrazia et al.), 917
HORWITZ, JEROME P. (*See* Prasad et al.), 486
HOWLAND, WILLIAM S. (*See* Leeming, Ryan, and Howland), 163
HSIA, DAVID YI-YUNG, MONTELEONE, JAMES, AND FARQUHAR, JOHN. The nature of disaccharidases in human leukocytes, 111
HYMAN, ALBERT L., AND SANCHEZ, GILBERTO. Active response of pulmonary veins to distention of a single pulmonary vein in intact dogs, 476

I

ISHII, MASAO. (*See* Tobian, Ishii, and Duke), 309

J

JACKSON, H. L. (*See* Vodopick et al.), 266
JAENIKE, JOHN R. Micropuncture study of methemoglobin-induced acute renal failure in the rat, 459
JONES, JAMES D. (*See* Keating et al.), 825
JONES, RICHARD T. (*See* Schneider et al.), 616
JORDAN, TOMMYE. (*See* Lange, McDonald, and Jordan), 78

K

KALKHOFF, R. K. (*See* Corder and Kalkhoff), 551
KEATING, F. RAYMOND, JR., JONES, JAMES D., ELVEBACK, LILA R., AND RANDALL, RAYMOND V. The relation of age and sex to distribution of values in healthy adults of serum calcium, inorganic phosphorus, magnesium, alkaline phosphatase, total proteins, albumin, and blood urea, 825
KEHATY, TEHILA. (*See* Valenti and Kehaty), 355
KELLY, PATRICK J. Oxygen saturation, P_{O_2}, P_{CO_2}, and pH in tibial bone blood distal to femoral arteriovenous fistula in puppies, 418
KHAN, AMANULLAH, AND HILL, JOSEPH M. Neutralizing precipitin in the serum of a patient treated with L-asparaginase, 846
KILBRIDGE, TOM. (*See* Fried et al.), 244
KING, NORVAL W. (*See* Trey et al.), 784
KLEEMAN, CHARLES R. (*See* Popovtzer et al.), 763
KOKENAKES, SHARON. (*See* Bacon), 858
KORNFIELD, STUART, CHIPMAN, BARBARA, AND BROWN, ELMER B. Intracellular catabolism of hemoglobin and iron dextran by the rat liver, 181
KRANTZ, SANFORD. (*See* Fried et al.), 244
KRAYTMAN, M. A simple method for induction of acute thrombocytopenia, 350
KRIVIT, WILLIAM. (*See* Sharp et al.), 934

L

LANGE, ROBERT D., MCDONALD, T. P., AND JORDAN, TOMMYE. Antisera to erythropoietin: Partial characterization of two different antibodies, 78
—. (*See* Fried et al.), 244
LANGLEY, ROBERT L. (*See* Thompson et al.), 512
LAWRENCE, JOHN H. (*See* Weber et al.), 753
LAWRENCE, MONICA C. (*See* Ritzmann et al.), 698
LEEMING, MICHAEL N., RYAN, GAIL M., AND HOWLAND, WILLIAM S. Rapid readout device for thrombelastography, 163
LEONARD, D. L. (*See* Goyer, Mitchell, and Leonard), 819
LEVIN, WILLIAM C. (*See* Ritzmann et al.), 698
LEWIS, H. E. (*See* Robertson et al.), 594
LEWIS, JASPER P., ALFORD, DOROTHY A., MOORES, RUSSELL R., GARDNER, EDWARD, JR., WRIGHT, CLAUDE-STARR, SMITH, LINDA L., SCHARNITZKY, W. ARNOLD, AND NEAL, WILLIE A. Dialysis as a tool in the study of erythropoietin, 154
LEWIS, LENA A. (*See* Osmond et al.), 809
LIEM, H. H. (*See* Muller-Eberhard et al.), 210
LOEHR, ELLEN. (*See* Pollock, Loehr, and Roberts), 166
LOKER, HILDA. (*See* Cividalli and Loker), 706
LOVE, DAVID S. (*See* Hines and Love), 343
LOWENSTEIN, LEAH M. (*See* Trey et al.), 784
LYNCH, EDWARD C. (*See* Alfrey, Lynch, and Hettig), 399

M

MCCURDY, PAUL R. (*See* Dern, McCurdy, and Yoshida), 283
MCDONALD, T. P. (*See* Fried et al.), 244
—. (*See* Lange, McDonald, and Jordan), 78
MANDAL, ANIL K. (*See* Muehreke et al.), 309
MARGOLIS, S. (*See* Charache and Margolis), 951
MARTIN, MALCOLM M. (*See* Hamman and Martin), 1042

MARTIN, R. RUSSELL. (*See* Daugharty, Martin, and White), 1011
MASON, R. G. (*See* Brinkhous et al.), 1000
MASSRY, SHAUL G. (*See* Popovtzer et al.), 763
MATSUDA, T. (*See* Taube et al.), 425
MENDLOWITZ, M. (*See* Gitlow et al.), 129
MENGEL, CHARLES E. (*See* Baum, Mengel, and Balcerzak), 277
—. (*See* Graff, Mengel, and Balcerzak), 399
MIRAND, E. A., MURPHY, G. P., STEEVES, R. A., GROENWEWALD, J. M., AND DE-KLERK, J. N. Erythropoietin activity in anephric, allotransplanted, unilaterally nephrectomized, and intact man, 121
MITCHELL, B. J. (*See* Goyer, Mitchell, and Leonard), 819
MONTELEONE, JAMES. (*See* Hsia, Monteleone, and Farquhar), 111
MOORE, MARGARET Z. (*See* Whitcomb, Moore, and Rhoads), 584
MOORES, RUSSELL R. (*See* Lewis et al.), 154
MORENO, MODESTO, MURPHY, CHARLES, AND GOLDSMITH, CARL. Increase in serum potassium resulting from the administration of hypertonic mannitol and other solutions, 291
MUEHREKE, ROBERT C., MANDAL, ANIL K., EPSTEIN, MICHAEL, AND VOLINI, FREDERICK I. Cytoplasmic granularity of the renal medullary interstitial cells in experimental hypertension, 309
MULLER-EBERHARD, U., LIEM, H. H., HANSTEIN, A., AND SAARINEN, P. A. Studies on the disposal of intravascular heme in the rabbit, 210
MURPHY, CHARLES. (*See* Moreno, Murphy, and Goldsmith), 291
MURPHY, G. P. (*See* Mirand et al.), 121
MUSTARD, J. F. (*See* Packham et al.), 686

N

NAKAYAMA, FUMIO. Composition of gallstone and bile: Species difference, 623
NATHAN, DAVID G. (*See* Blum et al.), 980
NEAL, WILLIE A. (*See* Lewis et al.), 154
NEMERSON, YALE. (*See* Rock and Nemerson), 42
NEWCOMB, RICHARD W., AND DEVALD, BONITA. Protein concentrations in sputa from asthmatic children, 734
NORMAN, J. C. (*See* Hardison and Norman), 34
NOVIKOVS, LIGITA. (*See* Skeel et al.), 327

O

OBERLEAS, DONALD. (*See* Prasad et al.), 486
O'CONNELL, CORNELIUS J., AND PLAUT, MARTIN E. Fibrin penetration by penicillin: In vitro simulation of intravenous therapy, 258
OGSTON, C. MARIE. (*See* Ogston, Ogston, and Ratnoff), 70
OGSTON, DEREK, OGSTON, C. MARIE, AND RATNOFF, OSCAR D. Studies on the clot-promoting effect of skin, 70
OPPENHEIMER, STEVEN, BEATY, HARRY N., AND PETERSDORF, ROBERT G. Pathogenesis of meningitis. VIII. Cerebrospinal fluid and blood concentrations of methicillin, cephalothin, and cephaloridine in experimental pneumococcal meningitis, 535
OSBORNE, WINIFRED. (*See* Baltch, Fuller, and Osborne), 883
OSMOND, DANIEL H., SMEBY, ROBERT R., AND BUMPUS, F. MERLIN. Quantitative studies of renin preinhibitor and total phospholipids in organs and in plasma and erythrocytes of control, nephrectomized, and very old rats, 795
—, Lewis, Lena A., —, and —, Renin "preinhibitor" in blood of anephric patients, in a case of hypobetalipoproteinemia, and evidence of its major association with plasma alpha lipoproteins, 809

P

PACKHAM, M. A., EVANS, G., GLYNN, M. F., AND MUSTARD, J. F. The effect of plasma proteins on the interaction of platelets with glass surfaces, 686
PARRY, DAVID J. (*See* Snodgrass and Parry), 940
PATERSON, PHILIP Y. (*See* Coonrod and Paterson), 6, 17
PATTERSON, ROY, AND TALBOT, CATHARINE H. Respiratory responses in subhuman primates with immediate type hypersensitivity, 924
PATTI, KENNETH. (*See* Valeri and Hirsch), 722
PEART, MARY B. (*See* Hines and Love), 343
PECHET, LIBERTO, GROTH, CARL G., AND DALOZE, PIERRE M. Changes in coagulation and fibrinolysis after orthotopic canine liver homotransplantation, 91
PENG, C. T. (*See* Vodopick et al.), 266
PETERSDORF, ROBERT G. (*See* Oppenheimer, Beaty, and Petersdorf), 535
PHILLIPS, SIDNEY F. (*See* Schmid, Phillips, and Summerskill), 772
PIVACEK, LINDA. (*See* Valeri and Hirsch), 722
PLAUT, MARTIN E. (*See* O'Connell and Plaut), 258
POLLOCK, ALLEN L., LOEHR, ELLEN, AND ROBERTS, DEWAYNE. An isotopic assay for alanine transaminase, 166
POLLYCOVE, MYRON. (*See* DeGrazia et al.), 917
—. (*See* Weber et al.), 753
POPOVTZER, MORDECAI M., MASSRY, SHAUL G., COBURN, JACK W., AND KLEEMAN, CHARLES R. With the technical assistance of BICK, MIRIAM. The interrelationship between sodium, calcium, and magnesium excretion in advanced renal failure, 763

PORTE, DANIEL, JR., AND BIERMAN, EDWIN L. The effect of heparin infusion of plasma triglyceride in vivo and in vitro with a method for calculating triglyceride turnover, 631

PORTER, F. STANLEY. (*See* Hendley and Porter), 219

PRASAD, ANANDA S., OBERLEAS, DONALD, WOLF, PAUL, AND HORWITZ, JEROME P. With the technical assistance of COLLINS, RAY, AND VON DER MUEHLL, ELIZABETH. Effect of growth hormone on nonhypophysectomized zinc-deficient rats and zinc on hypophysectomized rats, 486

PUSCHETT, J. B., AND GOLDBERG, M. The relationship between the renal handling of phosphate and bicarbonate in man, 956

R

RABKIN, RALPH, AND COLWELL, JOHN A. The renal uptake and excretion of insulin in the dog, 893

RAMOS, MARTHA CELIA. (*See* Téllez-Girón et al.), 495

RANDALL, RAYMOND V. (*See* Keating et al.), 825

RATNOFF, OSCAR D. (*See* Ogston, Ogston, and Ratnoff), 70

READ, M. S. (*See* Brinkhous et al.), 1000

REISSMANN, KURT R., AND SAMORAPOOMPICHIT, SOMMART. Effect of erythropoietin on regeneration of hematopoietic stem cells after 5-fluorouracil administration, 544

REYES, VINCENTE. (*See* Fresh et al.), 451

RHOADS, JAMES P. (*See* Whitcomb, Moore, and Rhoads), 584

RINGROSE, ROBERT E. (*See* Thompson et al.), 521

RITZMANN, STEPHAN E., WOLF, ROBERT E., LAWRENCE, MONICA C., HART, JACQUELINE S., AND LEVIN, WILLIAM C. The Sia euglobulin test: A re-evaluation, 698

ROBERTS, DEWAYNE. (*See* Pollock, Loehr, and Roberts), 166

ROBERTSON, E. G., LEWIS, H. E., BILLEWICZ, W. Z., AND FOGGETT, I. N. Two devices for quantifying the rate of deformation of skin and subcutaneous tissue, 594

ROBIN, EUGENE D. (*See* Tushan et al.), 649

ROBINSON, STEPHEN H. Increased bilirubin formation from nonhemoglobin sources in rats with disorders of the liver, 668

ROCK, ROBERT C., AND NEMERSON, YALE. Energetics of human blood platelets: Uncoupling of oxidative phosphorylation in intact cells, 42

RODMAN, N. F. (*See* Brinkhous et al.), 1000

RODNAN, GERALD P. (*See* Tushan et al.), 649

ROITT, IVAN. (*See* Beall et al.), 988

ROSENBLUM, WILLIAM I. Vasoconstriction, blood viscosity, and erythrocyte aggregation in macroglobulinemic and polycythemic mice, 359

ROSS, JOSEPH C. (*See* Brashear and Ross), 54

RYAN, GAIL M. (*See* Leeming, Ryan, and Howland), 163

S

SAARINEN, P. A. (*See* Muller-Eberhard et al.), 210

SAMMONS, S. SUSAN, GARDNER, EDWARD, JR., AND DIENST, ROBERT B. A medium for growth and immunologic studies of Mycoplasma, 338

SAMORAPOOMPICHIT, SOMMART. (*See* Reissmann and Samorapoompichit), 544

SANCHEZ, GILBERTO. (*See* Hyman and Sanchez), 476

SASS, MARTIN D., CARUSO, CARMINE J., AND AXELROD, D. ROBERT. Evaluation of stored blood viability by methylene blue reduction, 744

SCHANKER, LEWIS S. (*See* Hart, Guarino, and Schanker), 853

SCHARNITZKY, W. ARNOLD. (*See* Lewis et al.), 154

SCHEIB, EILEEN T. (*See* Shapiro, Scheib, and Croker), 970

SCHMID, WALTER C., PHILLIPS, SIDNEY F., AND SUMMERSKILL, W. H. J. Jejunal secretion of electrolytes and water in nontropical sprue, 772

SCHNEIDER, ROSE G., ALPERIN, JACK B., BRIMHALL, BERNADINE, AND JONES, RICHARD T. Hemoglobin P ($\alpha_2\beta_2^{137\,Arg}$): Structure and properties, 616

SCHULTZ, ALVIN L. (*See* Zieve et al.), 1

SECKLER, JERROLD. (*See* Cohen, Djordjevich, and Seckler), 835

SHAPIRO, ALVIN P., SCHEIB, EILEEN T., AND CROKER, BYRON P. The effect of water diuresis on blood pressure and renal damage in male and female rats with chronic pyelonephritis due to Proteus, 970

SHARP, HARVEY L., BRIDGES, ROBERT A., KRIVIT, WILLIAM, AND FREIER, ESTHER F. Cirrhosis associated with alpha-1-antitrypsin deficiency: A previously unrecognized inherited disorder, 934

SHEETS, R. F. (*See* Vodopick et al.), 266

SHERMAN, LAURENCE A., FLETCHER, ANTHONY P., AND SHERRY, SOL. In vivo transformation between fibrinogens of varying ethanol solubilities: A pathway of fibrinogen catabolism, 574

SHERRARD, DONALD J., AND SIMPSON, DAVID P. An improved method for the microdetermination of glutamine in plasma and urine, 877

SHERRY, SOL. (*See* Sherman, Fletcher, and Sherry), 574

SHOEMAKER, W. C. (*See* Taube et al.), 425

SHOHET, STEPHEN B. (*See* Blum et al.), 980

SHUSTER, JOSEPH. (*See* Goldberg, Shuster, and Fudenberg), 249

SICIGNANO, CATHERINE. (*See* Halac and Sicignano), 677

SIMPSON, DAVID P. (*See* Sherrard and Simpson), 877
SKEEL, ROLAND T., YANKEE, RONALD A., SPIVAK, WENDY A., NOVIKOVS, LIGITA, AND HENDERSON, EDWARD S. Leukocyte preservation. I. Phagocytic stimulation of the hexose monophosphate shunt as a measure of cell viability, 327
SKUPP, SOLOMON, AND AYVAZIAN, JOHN H. Oxidation of 7-methylguanine by human xanthine oxidase, 909
SMEBY, ROBERT R. (*See* Osmond et al.), 809
—. (*See* Osmond, Smeby, and Bumpus), 795
SMITH, LINDA L. (*See* Lewis et al.), 154
SNODGRASS, PHILIP J., AND PARRY, DAVID J. The kinetics of serum ornithine carbamoyltransferase, 940
SODOYEZ, J. C., SODOYEZ-GOFFAUX, F., AND FOÁ, P. P. Pathogenesis of hypoglycemia in hamsters with a transplantable islet-cell tumor, 432
SODOYEZ-GOFFAUX, F. (*See* Sodoyez, Sodoyez-Goffaux, and Foá), 432
SOLOMON, HARVEY M. (*See* Zieve and Solomon), 103
SPARKES, ROBERT S., BALUDA, MARYELLEN C., AND TOWNSEND, DUANE E. Cellulose acetate electrophoresis of human glucose-6-phosphate dehydrogenase, 531
SPIVAK, WENDY A. (*See* Skeel et al.), 327
STEEVES, R. A. (*See* Mirand et al.), 121
SU, C. K. (*See* Thompson et al.), 521
SUMMERSKILL, W. H. J. (*See* Schmid, Phillips, and Summerskill), 772
SVEC, KATHRYN H., AND VEIT, BRUCE C. Occurrence and characteristics of organ-specific antibodies in sera of aged persons, 379
SWEDLUND, HARRY A. (*See* Bush, Swedlund, and Gleich), 194

T

TALBOT, CATHARINE H. (*See* Patterson and Talbot), 924
TANAKA, KOUICHI R., AND BEUTLER, ERNEST. Hereditary hemolytic anemia due to glucose-6-phosphate dehydrogenase Torrance: A new variant, 657
—. (*See* Davidson and Tanaka), 173
TAUBE, R. R., MATSUDA, T., BAKER, R. J., DERN, R. J., ELWYN, D. H., AND SHOEMAKER, W. C. Use of a double erythrocyte label technique to measure red cell survival of ACD and ACD-adenine preserved blood in trauma patients, 425
TÉLLEZ-GIRÓN, EDMUNDO, RAMOS, MARTHA CELIA, AGUILLÓN, ARTURO, DE AVILA, RAFAEL, AND DEL ROSARIO ALONSO, MA. Lactic dehydrogenase isoenzymes in pulmonary embolism and infarct, 495
THOMPSON, JOHN B., LANGLEY, ROBERT L., HESS, DON R., AND WELSH, JACK D. Fecal triglycerides. I. Methods, 512
—, SU, C. K., RINGROSE, ROBERT E., AND WELSH, JACK D. Fecal triglycerides. II. Digestive versus absorptive steatorrhea, 521
TOBIAN, LOUIS, ISHII, MASAO, AND DUKE, MARYANN. Relationship of cytoplasmic granules in renal papillary interstitial cells to "postsalt" hypertension, 309
TOMASI, THOMAS B., JR. (*See* Bienenstock, Goldstein, and Tomasi), 389
TOWNSEND, DUANE E. (*See* Sparkes, Baluda, and Townsend), 531
TRAPP, GEORGE A., AND WEST, CHARLES D. Determination of corticosteroid-binding proteins by an adsorption method, 861
TREY, CHARLES, GARCIA, FELIX G., KING, NORVAL W., LOWENSTEIN, LEAH M., AND DAVIDSON, CHARLES S. Massive liver necrosis in the monkey: The effects of exchange blood transfusions on fulminant liver failure, 784
TURCOTTE, JEREMIAH G. (*See* West, Turcotte, and Vander), 564
TUSHAN, FAYEZ S., RODNAN, GERALD P., ALTMAN, MICHAEL, AND ROBIN, EUGENE D. Anaerobic glycolysis and lactate dehydrogenase (LDH) isoenzymes in articular cartilage, 649

U

UYLANGCO, CAESAR V. (*See* Fresh et al.), 451

V

VALENTI, CARLO, AND KEHATY, TEHILA. Culture of cells obtained by amniocentesis, 355
VALERI, C. ROBERT, AND HIRSCH, NATHAN M. With the technical assistance of FRENCH, MELODY, GILDEA, SALLY, PIVACEK, LINDA, HERDEGEN, CHARLES, AND PATTI, KENNETH. Restoration in vivo of erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations following the transfusion of acid-citrate-dextrose—stored human red blood cells, 722
VANDER, ARTHUR. (*See* West, Turcotte, and Vander), 564
VEIT, BRUCE C. (*See* Svec and Veit), 379
VODOPICK, HELEN, HAMILTON, H. E., JACKSON, H. L., PENG, C. T., AND SHEETS, R. F. Metabolic fate of tritiated busulfan in man, 266
VOLINI, FREDERICK I. (*See* Muehreke, et al.), 309
VON DER MUEHLL, ELIZABETH. (*See* Prasad et al.), 486

W

WALLERSTEIN, RALPH O. (*See* DeGrazia et al.), 917
WATTS, R. W. E. (*See* Gibbs and Watts), 901

WEBER, PAUL M., POLLYCOVE, MYRON, BACANER, MARVIN B., AND LAWRENCE, JOHN H. Cardiac output in polycythemia vera, 753

WEST, CHARLES D. (*See* Trapp and West), 861

WELSH, JACK D. (*See* Thompson et al.), 512

—. (*See* Thompson et al.), 521

WEST, TOM H., TURCOTTE, JEREMIAH G., AND VANDER, ARHUR. Plasma renin activity, sodium balance, and hypertension in a group of renal transplant recipients, 564

WHITCOMB, WALTER H., MOORE, MARGARET Z., AND RHOADS, JAMES P. Influence of polycythemic and anemic plasma on erythrocyte iron incorporation in the plethoric hypoxic mouse, 584

WHITE, ARTHUR. (*See* Daugharty, Martin, and White), 1011

WILK, E. K. (*See* Gitlow et al.), 129

WILLIAMS, GAIL S. (*See* Asch et al.), 610

WILLIAMS, RALPH C., JR. (*See* Zieve et al.), 1

WINTERS, ROBERT W. (*See* Asch et al.), 610

WIORKOWSKI, JOHN J. (*See* Dern and Wiorkowski), 1019

WOLF, PAUL. (*See* Prasad et al.), 486

WOLF, ROBERT E. (*See* Ritzmann et al.), 698

WOLFF, SHELDON M. (*See* Bennett, Blume, and Wolff), 235

WRIGHT, CLAUDE-STARR. (*See* Lewis et al.), 154

WYLIE, REBECCA L. (*See* Zucker and Cathey), 320

Y

YANKEE, RONALD A. (*See* Skeel et al.), 327

YOSHIDA, AKIRA. (*See* Dern, McCurdy, and Yoshida), 283

Z

ZIEVE, LESLIE, BENSON, ELLIS S., SCHULTZ, ALVIN L., AND WILLIAMS, RALPH C., JR. Letter from the Editors, 1

ZIEVE, PHILIP D., AND SOLOMON, HARVEY M. Variation in the response of human beings to vitamin K_1, 103

ZORRILLA, EDUARDO. (*See* Hernandez, Zorrilla, and Gershberg), 25

ZUCKER, STANLEY, AND CATHEY, MARY H. Statistical analyses by WYLIE, REBECCA L. Control of heparin therapy. Sensitivity of the activated partial thromboplastin time for monitoring the antithrombotic effects of heparin, 320

Subject index*

A

Absorbed drugs, gastric dialysis as possible antidotal procedure for removal of, 853

Absorption, iron, by rat, examination of role of xanthine oxidase in, 366

Absorptive steatorrhea, digestive versus: fecal triglycerides; II, 521

ACD and ACD-adenine preserved blood in trauma patients, use of double erythrocyte label technique to measure red cell survival of, 425

-adenine and ACD, preserved blood in trauma patients, use of double erythrocyte label technique to measure red cell survival of, 425

Acetate electrophoresis, cellulose, of human glucose-6-phosphate dehydrogenase, 531

Acid-citrate-dextrose—stored human red blood cells, transfusion of, restoration in vivo of erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations following, 722

methylmalonic, role of propionic acid as precursor of, in normal and vitamin B_{12}-deficient man, 917

Acidosis, metabolic, time course for development of respiratory compensation in, 610

Adenosine diphosphate in vivo, disappearance of, 54

triphosphate, erythrocyte, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations, restoration in vivo of, following transfusion of acid-citrate-dextrose—stored human red blood cells, 722

'levels, erythrocyte, pre- and poststorage, hereditary component of: studies on preservation of human blood; IV, 1019

Adsorption method, determination of corticosteroid-binding proteins by, 861

Age, sex, pregnancy, and phenobarbital, reevaluation of influence of, on activity of UDP-glucuronyl transferase in rat liver, 677

and sex, relation of, to distribution of values in healthy adults of serum calcium, inorganic phosphorus, magnesium, alkaline phosphatase, total proteins, albumin, and blood urea, 825

variation of urinary oxalate excretion with, 729

Aggregation, erythrocyte, vasoconstriction, and blood viscosity in macroglobulinemic and polycythemic mice, 359

thrombin-induced, of porcine platelets, need for fibrinogen for, 1000

Alanine transaminase, an isotopic assay for, 166

Albumin, calcium, sodium, plasma, bile, and studies of zeta potential of cells and silica particle in varying concentrations of, 202

serum calcium, inorganic phosphorus, magnesium, alkaline phosphatase, total proteins, and blood urea, relation of age and sex to distribution of values in healthy adults of, 825

Aleutian, Chediak-Higashi, trait, possible homologue for, characterization and significance of abnormal leukocyte granules in beige mouse, 235

Alkaline phosphatase, serum calcium, inorganic phosphorus, magnesium, total proteins, albumin, and blood urea, relation of age and sex to distribution of values in healthy adults of, 825

Allotransplanted, anephric, unilaterally nephrectomized, and intact man, erythropoietin activity in, 121

Alloxan diabetic rats, hepatic lipid metabolism in, 551

Alpha lipoproteins, plasma, renin "preinhibitor" in blood of anephric patients, in case of hypobetalipoproteinemia, and evidence of its major association with, 809

Altitude, adaptation of man to, role of red cell 2,3-diphosphoglycerate in, 603

Amniocentesis, culture of cells obtained by, 355

Amphotericin B, effect of, on erythrocyte membrane cation permeability: its relation to in vivo erythrocyte survival, 980

Anaerobic glycolysis and lactate dehydrogenase (LDH) isoenzymes in articular cartilage, 649

Anemia, hereditary hemolytic, due to glucose-6-phosphate dehydrogenase Torrance: new variant, 657

pernicious, gastric autoimmunity in, 249

Anemic, polycythemic and, plasma, influence of, on erythrocyte iron incorporation in plethoric hypoxic mouse, 584

*January, pp. 1-180; February, pp. 181-358; March, pp. 359-534; April, pp. 535-710; May, pp. 711-882; June, pp. 883-1072.

Anephric, allotransplanted, unilaterally nephrectomized, and intact man, erythropoietin activity in, 121
patients, renin "preinhibitor" in blood of, in case of hypobetalipoproteinemia, and evidence of its major association with plasma alpha lipoproteins, 809
Antibodies, organ-specific, occurrence and characteristics of, in sera of aged persons, 379
partial characterization of two different, antisera to erythropoietin, 78
Antidotal procedure, gastric dialysis as possible, for removal of absorbed drugs, 853
Antigens, staphylococcal, reactions of sera and nasal secretions with, 1011
Antisera to erythropoietin: partial characterization of two different antibodies, 78
Antithrombotic effects of heparin, sensitivity of activated partial thromboplastin time for monitoring. Control of heparin therapy, 320
Antitrypsin, alpha-1-, deficiency, cirrhosis associated with: previously unrecognized inherited disorder, 934
Apophosphorylase *b*, purified rabbit skeletal muscle, determination of serum and blood pyridoxal phosphate concentrations with, 343
Arteriovenous fistula, femoral, in puppies, oxygen saturation, Po_2, Pco_2, and pH in tibial bone blood distal to, 418
Articular cartilage, anaerobic glycolysis and lactate dehydrogenase (LDH) isoenzymes in, 649
Aseptic meningitis, experimental, in dogs, immunologic studies of cerebrospinal fluid proteins in, 883
Asthmatic children, protein concentrations in sputa from, 734
Autoimmunity, gastric, in pernicious anemia, 249

B

B_{12}-binding capacity, vitamin, of intrinsic factor, effect of pH on, 469
vitamin, protein in polycythemia vera plasma, 60
Beta-glucuronidase, urine, in renal injury. I. Enzyme assay conditions and response to mercuric chloride in rats, 6
II. Excretion patterns in experimental staphylococcal pyelonephritis in rat, 17
Bicarbonate in man, phosphate and, renal handling of, relationship between, 956
Bile, albumin, calcium, sodium, plasma, and studies of zeta potential of cells and silica particle in varying concentrations of, 202
composition of gallstone and: species difference, 623
Bile—Cont'd
osmolality, effect of secretin on, 34
Bilirubin formation, increased, from nonhemoglobin sources in rats with disorders of liver, 668
Blood, ACD and ACD-adenine preserved, use of double erythrocyte label technique to measure red cell survival in trauma patients, 425
of anephric patients, renin "preinhibitor" in, in case of hypobetalipoproteinemia, and evidence of its major association with plasma alpha lipoproteins, 809
cells, acid-citrate-dextrose—stored human red, restoration in vivo of erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations following transfusion of, 722
red, micromethod for determination of sodium and potassium in, 706
resistance of, to lysis by saponin, effect of plasma from patients with liver disease on, 951
and cerebrospinal fluid, concentrations of methicillin, cephalothin, and cephaloridine in experimental pneumococcal meningitis: pathogenesis of meningitis; I, 535
determination of serum and, pyridoxal phosphate concentrations with purified rabbit skeletal muscle apophosphorylase *b*, 343
energetics of human, platelets: uncoupling of oxidative phosphorylation in intact cells, 42
human, separation of granulocytes, monocytes, lymphocytes, erythrocytes, and platelets from, and relative tagging with diisopropylfluorophosphate (DFP), 1036
studies on preservation of. IV. The hereditary component of pre- and poststorage erythrocyte adenosine triphosphate levels, 1019
pressure and renal damage, effect of water diuresis on, in male and female rats with chronic pyelonephritis due to Proteus, 970
systolic, in rat, improved indirect method for measurement of, 872
stored, evaluation of viability by methylene blue reduction, 744
tibial bone, distal to femoral arteriovenous fistula in puppies, oxygen saturation, Po_2, Pco_2, and pH in, 418
transfusions, exchange, effects of, on fulminant liver failure: massive liver necrosis in monkey, 784
urea, serum calcium, inorganic phosphorus, magnesium, alkaline phosphatase, total proteins, and albumin, relation of age and sex to distribution of values in healthy adults of, 825
viscosity, vasoconstriction, and erythrocyte aggregation in macroglobulinemic and polycythemic mice, 359

Blue, methylene, reduction, evaluation of stored blood viability by, 744
Bone blood, tibial, distal to femoral arteriovenous fistula in puppies, oxygen saturation, P_{O_2}, P_{CO_2}, and pH in, 418
Borders, isolated intestinal brush, iron uptake by: changes induced by alterations in iron stores, 711
Bradykinin, radioimmunoassay of: chemical modification to enable use of radioactive iodine, 501
Breathing, mechanics of, in normal subjects during brief, severe exercise, 439
Brush borders, isolated intestinal, iron uptake by: changes induced by alterations in iron stores, 711
Busulfan, tritiated, metabolic fate of, in man, 266

C

Calcium, albumin, sodium, plasma, bile, and studies of zeta potential of cells and silica particle in varying concentrations of, 202
serum, inorganic phosphorus, magnesium, alkaline phosphatase, total proteins, albumin, and blood urea, relation of age and sex to distribution of values in healthy adults of, 825
sodium, and magnesium excretion, interrelationship between, in advanced renal failure, 763
Carbamoyltransferase, serum ornithine, kinetics of, 940
Cardiac output in polycythemia vera, 753
Cartilage, articular, anaerobic glycolysis and lactate dehydrogenase (LDH) isoenzymes in, 649
Catabolism, fibrinogen, pathway of: in vivo transformation between fibrinogens of varying ethanol solubilities, 574
intracellular, of hemoglobin and iron dextran by rat liver, 181
Cation permeability, erythrocyte membrane, effect of amphotericin B on: its relation to in vivo erythrocyte survival, 980
Cell(s), acid-citrate-dextrose—stored human red blood, restoration in vivo of erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations following transfusion of, 722
culture of, obtained by amniocentesis, 355
hematopoietic stem, effect of erythropoietin on regeneration of, after 5-fluorouracil administration, 544
red blood, micromethod for determination of sodium and potassium in, 706
resistance of, to lysis by saponin, effect of plasma from patients with liver disease on, 951
2,3-diphosphoglycerate, role of, in adaptation of man to altitude, 603
Cell(s), red—Cont'd
use of double erythrocyte label technique to measure survival of ACD and ACD-adenine preserved blood in trauma patients, 425
renal medullary interstitial, cytoplasmic granularity of, in experimental hypertension, 299
papillary interstitial, relationship of cytoplasmic granules in, to "post-salt" hypertension, 309
studies of zeta potential of, and silica particle in varying concentrations of albumin, calcium, sodium, plasma, and bile, 202
intact, uncoupling of oxidative phosphorylation in: energetics of human blood platelets, 42
viability, phagocytic stimulation of hexose monophosphate shunt as measure of: leukocyte preservation; I, 327
Cellulose acetate electrophoresis of human glucose-6-phosphate dehydrogenase, 531
Cephaloridine, methicillin, and cephalothin, cerebrospinal fluid and blood concentrations of, in experimental pneumococcal meningitis: pathogenesis of meningitis; VIII, 535
Cephalothin, methicillin, and cephaloridine, cerebrospinal fluid and blood concentrations of, in experimental pneumococcal blood concentrations of, in experimental pneumococcal meningitis: pathogenesis of meningitis; VIII, 535
Cerebrospinal fluid and blood concentrations of methicillin, cephalothin, and cephaloridine in experimental pneumococcal meningitis: pathogenesis of meningitis; VIII, 535
proteins, immunologic studies of, in experimental aseptic meningitis in dogs, 883
Chediak-Higashi Aleutian trait, possible homologue for, characterization and significance of abnormal leukocyte granules in beige mouse, 235
Chloride, mercuric, enzyme assay, conditions and response to in rats: urine beta-glucuronidase in renal injury; I, 6
Chromatograms, thin-layer, direct fluorescence quantitation on, 1042
Chromatography, gas, measurement of plasma prednisolone by, 1030
Cirrhosis associated with alpha-1-antitrypsin deficiency: previously unrecognized inherited disorder, 934
Citrate-dextrose, acid-, —stored human red blood cells, transfusion of, restoration in vivo of erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations following, 722
Clot-promoting effect of skin, studies on, 70

Coagulation and fibrinolysis, changes in, after orthotopic canine liver homotransplantation, 91
Congenital hereditary spherocytosis, experience with measurement of erythrocyte osmotic fragility by dialysis technique in, 219
Corticosteroid-binding proteins, determination of, by adsorption method, 861
Culture of cells obtained by amniocentesis, 355
Cytoplasmic granularity of renal medullary interstitial cells in experimental hypertension, 299
granules, relationship of, in renal papillary interstitial cells to "postsalt" hypertension, 309

D

Deformation of skin and subcutaneous tissue, two devices for quantifying rate of, 594
Dehydrogenase, glucose-6-phosphate, new structural variant of, with high production rate (G6PD Hektoen), 283
Torrance, hereditary hemolytic anemia due to: new variant, 657
human glucose-6-phosphate, cellulose acetate electrophoresis of, 531
lactate, compounds which stabilize and organize tetrameric isozymes of, 835
(LDH), isoenzymes, anaerobic glycolysis and, in articular cartilage, 649
lactic, isoenzymes in pulmonary embolism and infarct, 495
Dextran, iron, intracellular catabolism of hemoglobin and, by rat liver, 181
Dextrose, acid-citrate-, —stored human red blood cells, transfusion of, restoration in vivo of erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations following, 722
Diabetic rats, alloxan, hepatic lipid metabolism in, 551
Dialysis, gastric, as possible antidotal procedure for removal of absorbed drugs, 853
technique, experience with measurement of erythrocyte osmotic fragility by, in congenital hereditary spherocytosis, 219
as tool in study of erythropoietin, 154
Dietary reduction of hyperprolinemia, 819
Digestive versus absorptive steatorrhea: fecal triglycerides; II, 521
Diisopropylfluorophosphate (DFP), separation of granulocytes, monocytes, lymphocytes, erythrocytes, and platelets from human blood and relative tagging with, 1036
Diphosphate, adenosine, in vivo, disappearance of, 54
2,3-Diphosphoglycerate, erythrocyte adenosine triphosphate, potassium ion, and sodium ion concentrations, restoration in vivo of, following transfusion of acid-citrate-dextrose—stored human red blood cells, 722
red cell, role of, in adaptation of man to altitude, 603
Disaccharidases, nature of, in human leukocytes, 111
Disease, liver, decreased insulin production, elevated growth hormone levels, and glucose intolerance in, 25
Disorder, previously unrecognized inherited; cirrhosis associated with alpha-1-antitrypsin deficiency, 934
Distal, tibial bone blood, to femoral arteriovenous fistula in puppies, oxygen saturation, Po_2, Pco_2 and pH in, 418
Diuresis, water, effect of, on blood pressure and renal damage, in male and female rats with chronic pyelonephritis due to Proteus, 970
Drugs, absorbed, gastric dialysis as a possible antidotal procedure for removal of, 853

E

Editors, letter from, 1
Electrolytes and water, jejunal secretion of, in nontropical sprue, 772
Electrophoresis, cellulose acetate, of human glucose-6-phosphate dehydrogenase, 531
Embolism, pulmonary, and infarct, lactic dehydrogenase isoenzymes in, 495
Enzyme assay conditions and response to mercuric chloride in rats: urine beta-glucuronidase in renal injury; I, 6
Erythrocyte(s) adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations, restoration in vivo of, following the transfusion of acid-citrate-dextrose—stored human red blood cells, 722
levels, pre- and poststorage, the hereditary component of: studies on the preservation of human blood; IV, 1019
aggregation, vasoconstriction, and blood viscosity in macroglobulinemic and polycythemic mice, 359
continuous measurement of pentose phosphate pathway activity in, ionization chamber method, 173
granulocytes, monocytes, lymphocytes, and platelets, separation of, from human blood and relative tagging with diisopropylfluorophosphate (DFP), 1036
in vitro PNH, lysis by tryptophan metabolites, inhibition of, 399
iron incorporation, influence of polycythemic and anemic plasma on, in plethoric hypoxic mouse, 584

Erythrocyte(s)—Cont'd
label technique, use of double, to measure red cell survival of ACD and ACD-adenine preserved blood in trauma patients, 425
membrane cation permeability, effect of amphotericin B on: its relation to in vivo erythrocyte survival, 980
osmotic fragility, experience with measurement of, by dialysis technique in congenital hereditary spherocytosis, 219
plasma, and organs of control, nephrectomized, and very old rats, quantitative studies of renin preinhibitor and total phospholipids in, 795
rat, effect of reduced glutathione on rat: production of PNH-like features, 277
survival, in vivo, its relation to: effect of amphotericin B on erythrocyte membrane cation permeability, 980
Erythropoietin activity in anephric, allotransplanted, unilaterally nephrectomized, and intact man, 121
antisera to: partial characterization of two different antibodies, 78
dialysis as tool in study of, 154
effect of, on regeneration of hematopoietic stem cells after 5-fluorouracil administration, 544
extrarenal, studies on, 244
Ethanol solubilities, varying, in vivo transformation between fibrinogens of: pathway of fibrinogen catabolism, 574
Euglobulin test, Sia: re-evaluation, 698
Exchange blood transfusions, effects of, on fulminant liver failure: massive liver necrosis in monkey, 784
Excretion, sodium, calcium, and magnesium, interrelationship between, in advanced renal failure, 763
Exercise, brief, severe, mechanics of breathing in normal subjects during, 439
Extrarenal erythropoietin, studies on, 244

F

Factor, urinary γA rheumatoid, 389
XIII, plasma (fibrin stabilizing factor), reduction in concentration during pregnancy, 144
Fecal triglycerides. I. Methods, 512
II. Digestive versus absorptive steatorrhea, 521
Femoral arteriovenous fistula in puppies, oxygen saturation, Po_2, Pco_2, and pH in tibial bone blood distal to, 418
Fever, Philippine hemorrhagic: clinical, laboratory, and necropsy study, 451
Fibrin penetration by penicillin: in vitro simulation of intravenous therapy, 258
stabilizing factor, plasma factor XIII, reduction in concentration during pregnancy, 144
Fibrinogen(s) catabolism, pathway of: in vivo transformation between fibrinogens of varying ethanol solubilities, 574
need for, for thrombin-induced aggregation of porcine platelets, 1000
Fibrinolysis, changes in coagulation and, after orthotopic canine liver homotransplantation, 91
Fistula, femoral arteriovenous, in puppies, oxygen saturation, Po_2, Pco_2, and pH in tibial bone blood distal to, 418
Fluid, cerebrospinal, and blood concentrations of methicillin, cephalothin, and cephaloridine in experimental pneumococcal meningitis: pathogenesis of meningitis; VIII, 535
proteins, cerebrospinal, immunologic studies of, in experimental aseptic meningitis in dogs, 883
Fluorescence quantitation, direct, on thin-layer chromatograms, 1042
5-Fluorouracil administration, effect of erythropoietin on regeneration of hematopoietic stem cells after, 544
Fulminant liver failure, effects of exchange blood transfusions on: massive liver necrosis in monkey, 784

G

Gallstone and bile, composition of: species difference, 623
Gas chromatography, measurement of plasma prednisolone by, 1030
Gastric autoimmunity in pernicious anemia, 249
dialysis as possible antidotal procedure for removal of absorbed drugs, 853
Glass surfaces, effect of plasma proteins on interaction of platelets with, 686
Glucose, intolerance, decreased insulin production, elevated growth hormone levels, in liver disease, 25
-6-phosphate dehydrogenase, cellulose acetate electrophoresis of human, 531
a new structural variant of, with high production rate (G6PD Hektoen), 283
Torrance, hereditary hemolytic anemia due to: new variant, 657
Glucuronidase, beta-, urine, in renal injury. I. Enzyme assay conditions and response to mercuric chloride in rats, 6
II. Excretion patterns in experimental staphylococcal pyelonephritis in rats, 17
Glucuronyl, UDP-, transferase in rat liver, re-evaluation of influence of sex, age, pregnancy, and phenobarbital on activity of, 677
Glutamine in plasma and urine, improved method for microdetermination of, 877
Glutathione, reduced, effect of, on rat erythrocytes: production of PNH-like features, 277

Glycolysis, anaerobic, and lactate dehydrogenase (LDH) isoenzymes in articular cartilage, 649
Granularity, cytoplasmic, of renal medullary interstitial cells in experimental hypertension, 299
Granules, abnormal leukocyte, characterization and significance of, in beige mouse: possible homologue for Chediak-Higashi Aleutian trait, 235
cytoplasmic, relationship of, in renal papillary interstitial cells to "postsalt" hypertension, 309
Granulocytes, monocytes, lymphocytes, erythrocytes, and platelets, separation of, from human blood and relative tagging with diisopropylfluorophosphate (DFP), 1036
Growth hormone, effect of, on nonhypophysectomized zinc-deficient rats and zinc on hypophysectomized rats, 486
and immunologic studies of Mycoplasma, a medium for, 338
persistent, impairment, accelerated maturation and, in rat resulting from thyroxine administration in neonatal period, 135

H

(Hektoen, G6PD), new structural variant of glucose-6-phosphate dehydrogenase with high production rate, 283
Hematological disorders, distribution of sites of uptake of plasma iron in; studies of iron kinetics using linear scanner; I, 405
Hematopoietic stem cells, effect of erythropoietin on regeneration of, after 5-fluorouracil administration, 544
Heme, intravascular, in rabbit, studies on disposal of, 210
Hemoglobin, intracellular catabolism of, and iron dextran by rat liver, 181
P (α_2 $\beta_2^{117\ Arg}$): structure and properties, 616
Hemolytic anemia, hereditary, due to glucose-6-phosphate dehydrogenase Torrance: new variant, 657
Hemorrhagic, Philippine, fever: clinical, laboratory, and necropsy study, 451
Heparin infusion, effect of, on plasma triglyceride in vivo and in vitro with method for calculating triglyceride turnover, 631
sensitivity of activated partial thromboplastin time for monitoring antithrombotic effects of. Control of heparin therapy, 320
Hepatic lipid metabolism in alloxan diabetic rats, 551
Hereditary component of pre- and poststorage erythrocyte adenosine triphosphate levels: studies on preservation of human blood; IV, 1019
Hereditary—Cont'd
hemolytic anemia due to glucose-6-phosphate dehydrogenase Torrance: new variant, 657
spherocytosis, congenital, experience with measurement of erythrocyte osmotics fragility by dialysis technique in, 219
Hexose monophosphate shunt as measure of cell viability: leukocyte preservation; I, 327
Homotransplantation, orthotopic canine liver, changes in coagulation and fibrinolysis after, 91
Hormone, growth, effect of, on nonhypophysectomized zinc-deficient rats and zinc on hypophysectomized rats, 486
levels, elevated growth, decreased insulin production, and glucose intolerance in liver disease, 25
Hyperprolinemia, dietary reduction of, 819
Hypersensitivity, immediate type, respiratory responses in subhuman primates with, 924
Hypertension, experimental, cytoplasmic granularity of renal medullary interstitial cells in, 299
"postsalt," relationship of cytoplasmic granules in renal papillary interstitial cells to, 309
sodium balance, and plasma renin activity in group of renal transplant recipients, 564
Hypertensive subjects, tritium excretion of normotensive and, after administration of tritiated norepinephrine, 129
Hypertonic mannitol and other solutions, increase in serum potassium resulting from administration of, 291
Hypobetalipoproteinemia, renin "preinhibitor" in blood of anephric patients, in case of, and evidence of its major association with plasma alpha lipoproteins, 809
Hypoglycemia, pathogenesis of, in hamsters with transplantable islet-cell tumor, 432
Hypophysectomized rats, zinc on, and effect of growth hormone on nonhypophysectomized zinc-deficient rats, 486
Hypoxic mouse, plethoric, influence of polycythemic and anemic plasma on erythrocyte iron incorporation in, 584

I

IgM, low molecular weight, in human sera, 194
Immunologic studies of cerebrospinal fluid proteins in experimental aseptic meningitis in dogs, 883
of Mycoplasma, growth and, a medium for, 338
Infarct, pulmonary embolism and, lactic dehydrogenase isoenzymes in, 495

Infusion, heparin, effect of, on plasma triglyceride in vivo and in vitro with method for calculating triglyceride turnover, 631
Inherited disorder, previously unrecognized; cirrhosis associated with alpha-1-antitrypsin deficiency, 934
Inorganic phosphorus, serum calcium, magnesium, alkaline phosphatase, total proteins, albumin, and blood urea, relation of age and sex to distribution of values in healthy adults of, 825
Insulin, decreased, production, elevated growth hormone levels, and glucose intolerance in liver disease, 25
renal uptake and excretion of, in dog, 893
Interstitial cells, renal medullary, cytoplasmic granularity of, in experimental hypertension, 299
relationship of cytoplasmic granules in, to "postsalt" hypertension, 309
Intestinal brush borders, isolated, iron uptake by: changes induced by alterations in iron stores, 711
Intracellular catabolism of hemoglobin and iron dextran by rat liver, 181
Intravascular heme in rabbit, studies on disposal of, 210
Intravenous therapy, in vitro simulation of, fibrin pentration by penicillin, 258
Iodine, radioactive, chemical modification to enable use of; radioimmunoassay of bradykinin, 501
Ion, potassium, erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, and sodium ion concentrations, restoration in vivo of, following the transfusion of acid-citrate-dextrose—stored human red blood cells, 722
Ionization, chamber method of continuous measurement of pentose phosphate pathway activity in erythrocytes, 173
Iron absorption by rat, examination of role of xanthine oxidase in, 366
dextran, intracellular catabolism of hemoglobin and, by rat liver, 181
incorporation, erythrocyte, influence of polycythemic and anemic plasma on, in plethoric hypoxic mouse, 584
kinetics, studies of, using linear scanner. I. Distribution of sites of uptake of plasma iron in hematological disorders, 405
stores, changes induced by alterations in: iron uptake by isolated intestinal brush borders, 711
Islet-cell tumor, transplantable, pathogenesis of hypoglycemia in hamsters with, 432
Isoenzymes, lactate dehydrogenase (LDH), anaerobic glycolysis and, in articular cartilage, 649
lactic dehydrogenase, in pulmonary embolism and infaret, 495
Isotopic assay for alanine transaminase, 166
Isozymes, tetrameric, of lactate dehydrogenase, compounds which stabilize and organize, 835

J

Jejunal secretion of electrolytes and water in nontropical sprue, 772

K

K_1, vitamin, variation in response of human beings to, 103
Kinetics, iron, studies of, using linear scanner. I. Distribution of sites of uptake of plasma iron in hematological disorders, 405
of serum ornithine carbamoyltransferase, 940

L

Label technique, erythrocyte, use of double, to measure red cell survival of ACD and ACD-adenine preserved blood in trauma patients, 425
Lactate dehydrogenase (LDH) isoenzymes, anaerobic glycolysis and, in articular cartilage, 649
tetrameric isozymes of, compounds which stabilize and organize, 835
Lactic dehydrogenase isoenzymes in pulmonary embolism and infarct, 495
L-asparaginase, neutralizing precipitin in serum of patient treated with, 846
Letter from Editors, 1
Leukocyte(s) granules, abnormal, characterization and significance of, in beige mouse: a possible homologue for Chediak-Higashi Aleutian trait, 235
human, nature of disaccharidases in human, 111
preservation. I. Phagocytic stimulation of hexose monophosphate shunt as measure of cell viability, 327
Linear scanner, using, studies of iron kinetics. I. Distribution of sites of uptake of plasma iron in hematological disorders, 405
Lipid metabolism, hepatic, in alloxan diabetic rats, 551
Lipoproteins, plasma alpha, renin "preinhibitor" in blood of anephric patients, in case of hypobetalipoproteinemia, and evidence of its major association with, 809
Liver disease, decreased insulin production, elevated growth hormone levels, and glucose intolerance in, 25
effect of plasma from patients with, on resistance of red blood cells to lysis by saponin, 951
failure, fulminant, effects of exchange blood transfusions on: massive liver necrosis in monkey, 784
increased bilirubin formation from nonhemoglobin sources in rats with disorders of, 668

Liver—Cont'd
necrosis, massive, in monkey: effects of exchange blood transfusions on fulminant liver failure, 784
orthotopic canine, homotransplantation, changes in coagulation and fibrinolysis after, 91
rat, intracellular catabolism of hemoglobin and iron dextran by, 181
re-evaluation of influence of sex, age, pregnancy, and phenobarbital on activity of UDP-glucuronyl transferase in, 677
Lymphocytes, granulocytes, monocytes, erythrocytes, and platelets, separation of, from human blood and relative tagging with diisopropylfluorophosphate (DFP), 1036
Lysis, inhibition of in vitro PNH erythrocytes, by tryptophan metabolites, 399
by saponin, effect of plasma from patients with liver disease on resistance of red blood cells to, 951

M

Macroglobulinemic and polycythemic mice, vasoconstriction, blood viscosity, and erythrocyte aggregation in, 359
Magnesium, calcium, and sodium excretion, interrelationship between, in advanced renal failure, 763
serum calcium, inorganic phosphorus, alkaline phosphatase, total proteins, albumin, and blood urea, relation of age and sex to distribution of values in healthy adults of, 825
Mannitol, hypertonic, and other solutions, increase in serum potassium resulting from administration of, 291
Maturation, accelerated, and persistent growth impairment in rat resulting from thyroxine administration in neonatal period, 135
Medullary interstitial cells, renal, cytoplasmic granularity of, in experimental hypertension, 299
Membrane cation permeability, erythrocyte, effect of amphotericin B on: its relation to in vivo erythrocyte survival, 980
Meningitis, experimental aseptic, immunologic studies of cerebrospinal fluid proteins in, in dogs, 883
pneumoccal, cerebrospinal fluid and blood concentrations of methicillin, cephalothin, and cephaloridine in: pathogenesis of meningitis; VIII, 535
pathogenesis of. VIII. Cerebrospinal fluid and blood concentrations of methicillin, cephalothin, and cephaloridine in experimental pneumococcal meningitis, 535
Mercuric chloride in rats, enzyme assay conditions and response to: urine beta-glucuronidase in renal injury; I, 6
Metabolic acidosis, time course for development of respiratory compensation in, 610
fate of tritiated busulfan in man, 266
Metabolism, hepatic lipid, in alloxan diabetic rats, 551
Metabolites, tryptophan, inhibition of in vitro PNH erythrocyte lysis by, 399
Methemoglobin-induced acute renal failure in rat, micropuncture study of, 459
Methicillin, cephalothin, and cephaloridine, cerebrospinal fluid and blood concentrations of, in experimental pneumococcal meningitis: pathogenesis of meningitis; VIII, 535
Methylene blue reduction, evaluation of stored blood viability by, 744
7-Methylguanine, oxidation of, by human xanthine oxidase, 909
Methylmalonic acid, role of propionic acid as precursor of, in normal and vitamin B_{12}-deficient man, 917
Microdetermination of glutamine in plasma and urine, improved method for, 877
Micromethod for determination of sodium and potassium in red blood cells, 706
Micropuncture study of methemoglobin-induced acute renal failure in rat, 459
Monocytes, granulocytes, lymphocytes, erythrocytes, and platelets, separation of, from human blood and relative tagging with diisopropylfluorophosphate (DFP), 1036
Monophosphate, hexose, shunt, phagocytic stimulation of, as measure of cell viability: leukocyte preservation; I, 327
Muscle apophosphorylase *b*, purified rabbit skeletal, determination of serum and blood pyridoxal phosphate concentrations with, 343
Mycoplasma, medium for growth and immunologic studies of, 338

N

Nasal secretions, sera and, reactions of, with staphylococcal antigens, 1011
Necrosis, massive liver, in monkey: effects of exchange blood transfusions on fulminant liver failure, 784
Nephrectomized, control, and very old rats, quantitative studies of renin preinhibitor and total phospholipids in organs and in plasma and erythrocytes of, 795
unilaterally, and anephric, allotransplanted, intact man, erythropoietin activity in, 121
Neutralizing precipitin in serum of patient treated with L-asparaginase, 846
Nonhemoglobin sources, increased bilirubin formation from, in rats with disorders of liver, 668

Nonhypophysectomized zinc-deficient rats, effect of growth hormone on, and zinc on hypophysectomized rats, 486
Nontropical sprue, jejunal secretion of electrolytes and water in, 772
Norepinephrine, tritiated, tritium excretion of normotensive and hypertensive subjects after administration of, 129
Normotensive and hypertensive subjects, tritium excretion of, after administration of tritiated norepinephrine, 129

O

Old rats, very, control, nephrectomized, and, quantitative studies of renin preinhibitor and total phospholipids in organs and in plasma and erythrocytes of, 795
Organs and plasma and erythrocytes of control, nephrectomized, and very old rats, quantitative studies of renin preinhibitor and total phospholipids in, 795
Organ-specific antibodies in sera of aged persons, occurrence and characteristics of, 379
Ornithine carbamoyltransferase, serum kinetics of, 940
Orthotopic canine liver homotransplantation, changes in coagulation and fibrinolysis after, 91
Osmolality, bile, effect of secretin on, 34
Osmotic fragility, erythrocyte, experience with measurement of, by dialysis technique in congenital hereditary spherocytosis, 219
Oxalate excretion, urinary, variation of, with age, 901
Oxidase, human xanthine, oxidation of 7-methylguanine by, 909
xanthine, examination of role of, in iron absorption by rat, 366
Oxidation of 7-methylguanine by human xanthine oxidase, 909
Oxidative phosphorylation in intact cells, uncoupling of: energetics of human blood platelets, 42
Oxygen saturation, P_{o_2}, P_{co_2}, and pH in tibial bone blood distal to femoral arteriovenous fistula in puppies, 418

P

P, hemoglobin, (α_2 $\beta_2^{117\ Arg}$): structure and properties, 616
Papillary interstitial cells, renal, relationship of cytoplasmic granules in, to "postsalt" hypertension, 309
Particle, silica, studies of zeta potential of cells and, in varying concentrations of albumin, calcium, sodium, plasma, and bile, 202
Pathogenesis of hypoglycemia in hamsters with transplantable islet-cell tumor, 432
of meningitis. VIII. Cerebrospinal fluid and blood concentrations of methicillin, cephalothin, and cephaloridine in experimental pneumococcal meningitis, 535
P_{co_2}, P_{o_2}, oxygen saturation, and pH in tibial bone blood distal to femoral arteriovenous fistula in puppies, 418
Penicillin, fibrin penetration by: in vitro simulation of intravenous therapy, 258
Pentose phosphate pathway activity in erythrocytes, continuous measurement of, an ionization chamber method, 173
Permeability, erythrocyte membrane cation permeability, effect of amphotericin B on: its relation to in vivo erythrocyte survival, 980
Pernicious anemia, gastric autoimmunity in, 249
pH, effect of, on vitamin B_{12}-binding capacity of intrinsic factor, 469
oxygen saturation, P_{o_2}, and P_{co_2} in tibial bone blood distal to femoral arteriovenous fistula in puppies, 418
Phagocytic stimulation of hexose monophosphate shunt as measure of cell viability: leukocyte preservation; I, 327
Phenobarbital, sex, age, pregnancy, and reevaluation of the influence of, on activity of UDP-glucuronyl transferase in rat liver, 677
Philippine hemorrhagic fever: clinical, laboratory, and necropsy study, 451
Phosphatase, alkaline, serum calcium, inorganic phosphorus, magnesium, total proteins, albumin, and blood urea, relation of age and sex to distribution of values in healthy adults of, 825
Phosphate and bicarbonate in man, renal handling of, relationship between, 956
concentrations, pyridoxal, determination of serum and blood, with purified rabbit skeletal muscle apophosphorylase *b*, 343
glucose-6-, dehydrogenase Torrance, hereditary hemolytic anemia due to: new variant, 657
human glucose-6-, dehydrogenase, cellulose acetate electrophoresis of, 531
pentose pathway, activity in erythrocytes, continuous measurement of, ionization chamber method, 173
Phospholipids, total, and renin preinhibitor, quantitative studies of, in organs and in plasma and erythrocytes of control, nephrectomized, and very old rats, 795

Phosphorus, inorganic, serum calcium, magnesium, alkaline phosphatase, total proteins, albumin, and blood urea, relation of age and sex to distribution of values in healthy adults of, 825

Phosphorylation in intact cells, uncoupling of oxidative: energetics of human blood platelets, 42

Plasma, albumin, calcium, sodium, bile, and, studies of zeta potential of cells and silica particle in varying concentrations of, 202

alpha lipoproteins, renin "preinhibitor" in blood of anephric patients, in case of hypobetalipoproteinemia, and evidence of its major association with, 809

effect of, from patients with liver disease on resistance of red blood cells to lysis by saponin, 951

and erythrocytes, organs and, of control, nephrectomized, and very old rats, quantitative studies of renin preinhibitor and total phospholipids in, 795

factor XIII (fibrin stabilizing factor), reduction in concentration during pregnancy, 144

iron, distribution of sites of uptake in hematological disorders: studies of iron kinetics using a linear scanner; I, 405

polycythemia vera, vitamin B_{12}-binding protein in, 60

polycythemic and anemic, influence of, on erythrocyte iron incorporation in plethoric hypoxic mouse, 584

prednisolone by gas chromatography, measurement of, 1030

proteins, effect of, on interaction of platelets with glass surfaces, 686

renin activity, sodium balance, and hypertension in a group of renal transplant recipients, 564

triglyceride, effect of heparin infusion on, in vivo and in vitro with method for calculating triglyceride turnover, 631

and urine, glutamine in, improved method for microdetermination of, 877

Platelets, effect of plasma proteins on interaction of, with glass surfaces, 686

enegetics of human blood: uncoupling of oxidative phosphorylation in intact cells, 42

granulocytes, monocytes, lymphocytes, and erythrocytes, separation of, from human blood and relative tagging with diisopropylfluorophosphate (DFP), 1036

porcine, need for fibrinogen for thrombin-induced aggregation of, 1000

Plethoric hypoxic mouse, influence of polycythemic and anemic plasma on erythrocyte iron incorporation in, 584

Pneumococcal meningitis, experimental, cerebrospinal fluid and blood concentrations of methicillin, cephalothin, and cephaloridine in: pathogenesis of meningitis; VIII, 535

PNH erythrocyte lysis, in vitro, by tryptophan metabolities, inhibition of, 399

-like features, production of, effect of reduced glutathione on rat erythrocytes, 277

P_{O_2}, P_{CO_2}, oxygen saturation, and pH in tibial bone blood distal to femoral arteriovenous fistula in puppies, 418

Polycythemia vera, cardiac output in, 753

plasma, vitamin B_{12}-binding protein in, 60

Polycythemic and anemic plasma, influence of, on erythrocyte iron incorporation in plethoric hypoxic mouse, 584

macroglobulinemic and, vasoconstriction blood viscosity, and erythrocyte aggregation in, 359

Porcine platelets, need for fibrinogen for thrombin-induced aggregation of, 1000

"Postsalt" hypertension, relationship of cytoplasmic granules in renal papillary interstitial cells to, 309

Poststorage, pre- and, erythrocyte adenosine triphosphate levels, hereditary component of: studies on preservation of human blood; IV, 1019

Potassium ion, erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, and sodium ion concentrations, restoration in vivo of, following the transfusion of acid-citrate-dextrose—stored human red blood cells, 722

serum, increase in, resulting from administration of hypertonic mannitol and other solutions, 291

sodium and, in red blood cells, micromethod for determination of, 706

Prealbumin protein in skin, 229

Precipitin, neutralizing, in serum of patient treated with L-asparaginase, 846

Prednisolone, plasma, measurement of, by gas chromatography, 1030

Pregnancy, reduction in plasma factor XIII (fibrin stabilizing factor) concentration during, 144

sex, age, and phenobarbital, re-evaluation of influence of, on activity of UDP-glucuronyl transferase in rat liver, 677

"Preinhibitor," renin, in blood of anephric patients, in case of hypobetalipoproteinemia, and evidence of its major association with plasma alpha lipoproteins, 809

renin, and total phospholipids, quantitative studies of, in organs and in plasma and erythrocytes of control, nephrectomized, and very old rats, 795

Preservation of human blood, studies on. IV. The hereditary component of pre- and poststorage erythrocyte adenosine triphosphate levels, 1019
Pressure, blood, and renal damage, effect of water diuresis on, in male and female rats with chronic pyelonephritis due to Proteus, 970
systolic blood, in rat, improved indirect method for measurement of, 872
Pre- and poststorage erythrocyte adenosine triphosphate levels, hereditary component of: studies on preservation of human blood; IV, 1019
Propionic acid, role of, as precursor of methylmalonic acid in normal and vitamin B_{12}-deficient man, 917
Protein(s), cerebrospinal fluid, immunologic studies of, in experimental aseptic meningitis in dogs, 883
concentrations in sputa from asthmatic children, 734
corticosteroid-binding, determination of, by adsorption method, 861
plasma, effect of, on interaction of platelets with glass surfaces, 686
prealbumin, in skin, 229
total, serum calcium, inorganic phosphorus, magnesium, alkaline phosphatase, albumin, and blood urea, relation of age and sex to distribution of values in healthy adults of, 825
vitamin B_{12}-binding, in polycythemia vera plasma, 60
Proteus, chronic pyelonephritis due to, effect of water diuresis on blood pressure and renal damage in male and female rats with, 970
Pulmonary embolism and infarct, lactic dehydrogenase isoenzymes in, 495
vein in intact dogs, active response of pulmonary veins to distention of single, 476
Pyelonephritis, chronic, due to Proteus, effect of water diuresis on blood pressure and renal damage in male and female rats with, 970
excretion patterns in experimental staphylococcal, in rats: urine beta-glucuronidase in renal injury; II, 17
Pyridoxal phosphate concentrations, determination of serum and blood, with purified rabbit skeletal muscle apophosphorylase *b*, 343

Q

Quantitation, direct fluorescence, on thin-layer chromatograms, 1042
Quantitative studies of renin preinhibitor and and total phospholipids in organs and in plasma and erythrocytes of control, nephrectomized, and very old rats, 795

R

Radioactive iodine, chemical modification to enable use of; radioimmunoassay of bradykinin, 501
Radioimmunoassay of bradykinin: chemical modification to enable use of radioactive iodine, 501
Readout device, rapid, for thrombelastography, 163
Red blood cells, acid-citrate-dextrose—stored human, restoration in vivo of erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations following transfusion of, 722
micromethod for determination of sodium and potassium in, 706
resistance of, to lysis by saponin, effect of plasma from patients with liver disease on, 951
cell 2,3-diphosphoglycerate, role of, in adaptation of man to altitude, 603
survival of ACD and ACD-adenine preserved blood in trauma patients, use of double erythrocyte label technique to measure, 425
Renal damage, blood pressure and, effect of water diuresis on, in male and female rats with chronic pyelonephritis due to Proteus, 970
failure, advanced, interrelationship between sodium, calcium, and magnesium excretion in, 763
methemoglobin-induced acute, in rat, micropuncture study of, 459
handling of phosphate and bicarbonate in man, the relationship between, 956
injury, beta-glucuronidase urine in. I. Enzyme assay conditions and response to mercuric chloride in rats, 6
urine beta-glucuronidase in. II. Excretion patterns in experimental staphylococcal pyelonephritis in rats, 17
medullary interstitial cells, cytoplasmic granularity of, in experimental hypertension, 299
papillary interstitial cells, relationship of cytoplasmic granules in, to "post-salt" hypertension, 309
transplant recipients, plasma renin activity, sodium balance, and hypertension in group of, 564
uptake and excretion of insulin in the dog, 721
Renin activity, plasma, sodium balance, and hypertension in group of renal transplant recipients, 564
"preinhibitor" in blood of anephric patients, in case of hypobetalipoproteinemia, and evidence of its major association with plasma alpha lipoproteins, 809
and total phospholipids, quantitative studies of, in organs and in plasma and erythrocytes of control, nephrectomized, and very old rats, 795
Respiratory compensation, time course for development of, in metabolic acidosis, 610
responses in subhuman primates with immediate type hypersensitivity, 924

Rheumatoid factor, urinary γA, 389

S

Saponin, lysis by, effect of plasma from patients with liver disease on resistance of red blood cells to, 951
Scanner, studies of iron kinetics using linear. I. Distribution of sites of uptake of plasma iron in hematological disorders, 405
Secretin, effect of, on bile osmolality, 34
Secretions, nasal, sera and, reactions of, with staphylococcal antigens, 1011
Serum (sera) of aged persons, occurrence and characteristics of organ-specific antibodies in, 379
and blood pyridoxal phosphate concentrations, determination of, with purified rabbit skeletal muscle apophosphorylase *b*, 343
calcium, inorganic phosphorus, magnesium, alkaline phosphatase, total proteins, albumin, and blood urea, relation of age and sex to distribution of values in healthy adults of, 825
human, low molecular weight IgM in, 194
and nasal secretions, reactions of, with staphylococcal antigens, 1011
ornithine carbamoyltransferase, kinetics of, 940
of patient treated with L-asparaginase, neutralizing precipitin in, 846
potassium, increase in, resulting from administration of hypertonic mannitol and other solutions, 291
Sex, age and, relation of, to distribution of values in healthy adults of serum calcium, inorganic phosphorus, magnesium, alkaline phosphatase, total proteins, albumin, and blood urea, 825
pregnancy, and phenobarbital, re-evaluation of influence of, on activity of UDP-glucuronyl transferase in rat liver, 677
Shunt, hexose monophosphate, phagocytic stimulation of, as measure of cell viability. I. Leukocyte preservation, 327
Sia euglobulin test: re-evaluation, 698
Silica particle, studies of zeta potential of cells and, in varying concentrations of albumin, calcium, sodium, plasma, and bile, 292
Skeletal muscle apophosphorylase *b*, purified rabbit, determination of serum and blood pyridoxal phosphate concentrations with, 343
Skin, clot-promoting effect of, studies on, 70
prealbumin protein in, 229
and subcutaneous tissue, rate of deformation, two devices for quantifying, 594
Sodium, albumin, calcium, plasma, and bile, studies of zeta potential of cells and silica particle in varying concentrations of, 202
Sodium—Cont'd
balance, plasma renin activity, and hypertension in group of renal transplant recipients, 564
calcium, and magnesium excretion, interrelationship between, in advanced renal failure, 763
ion, erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, and potassium concentrations, restoration in vivo of, following transfusion of acid-citrate-dextrose—stored human red blood cells, 722
and potassium in red blood cells, micromethod for determination of, 706
Soluble thyroid fractions, inhibition of long-acting thyroid stimulator (LATS) by, 988
Species difference: composition of gallstone and bile, 623
Spherocytosis, congenital hereditary, experience with measurement of erythrocyte osmotic fragility by dialysis technique in, 219
Sprue, nontropical, jejunal secretion of electrolytes and water in, 772
Sputa, protein concentrations in, from asthmatic children, 734
Stored, acid-citrate-dextrose—, human red blood cells, restoration in vivo of erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations following transfusion of, 722
blood viability, evaluation of, by methylene blue reduction, 744
Staphylococcal antigens, reactions of sera and nasal secretions with, 1011
pyelonephritis in rats, excretion patterns in experimental: urine beta-glucuronidase in renal injury; II, 17
Steatorrhea, digestive versus absorptive: fecal triglycerides; II, 521
Stem cells, hematopoietic, effect of erythropoietin on regeneration of, after 5-fluorouracil administration, 544
Stimulator (LATS), long-acting thyroid, inhibition of, by soluble thyroid fractions, 988
Subcutaneous tissue, skin and, rate of deformation, two devices for quantifying, 594
Systolic blood pressure in rat, improved indirect method for measurement of, 872

T

Tagging, relative, separation of granulocytes, monocytes, lymphocytes, erythrocytes, and platelets from human blood and, with diisopropylfluorophosphate (DFP), 1036
Tetrameric isozymes of lactate dehydrogenase, compounds which stabilize and organize, 835
Thin-layer chromatograms, direct fluorescence quantitation on, 1042

Thrombelastography, rapid readout device for, 163
Thrombin-induced aggregation of porcine platelets, need for fibrinogen for, 1000
Thrombocytopenia, simple method for induction of acute, 350
Thromboplastin time, activated partial, sensitivity of, for monitoring antithrombotic effects of heparin. Control of heparin therapy, 320
Thyroid fractions, soluble, inhibition of long-acting thyroid stimulator (LATS) by, 988
Thyroxine administration, accelerated maturation and persistent growth impairment in rat resulting from, in neonatal period, 135
Tissue, skin and subcutaneous, rate of deformation, two devices for quantifying, 594
Torrance, glucose-6-phosphate dehydrogenase, hereditary hemolytic anemia due to: new variant, 657
Transaminase, alanine, isotopic assay for, 166
Transferase, UDP-glucuronyl, in rat liver, re-evaluation of influence of sex, age, pregnancy, and phenobarbital on activity of, 677
Transfusion (s) of acid-citrate-dextrose—stored human red blood cells, restoration in vivo of erythrocyte adenosine triphosphate, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations following, 722
exchange blood, effects of, on fulminant liver failure: massive liver necrosis in monkey, 784
Transplant recipients, renal; plasma renin activity, sodium balance, and hypertension in group of, 564
Transplantable islet-cell tumor, pathogenesis of hypoglycemia in hamsters with, 432
Trauma patients, use of double erythrocyte label technique to measure red cell survival of ACD and ACD-adenine preserved blood in trauma patients, 425
Triglyceride (s), fecal. I. Methods, 512
II. Digestive versus absorptive steatorrhea, 521
plasma, effect of heparin infusion on, in vivo and in vitro with method for calculating triglyceride turnover, 631
Triphosphate, erythrocyte adenosine, 2,3-diphosphoglycerate, potassium ion, and sodium ion concentrations, restoration in vivo of, following transfusion of acid-citrate-dextrose—stored human red blood cells, 722
levels, erythrocyte adenosine, pre- and post-storage, hereditary component of: studies on preservation of human blood; IV, 1019
Tritiated busulfan, metabolic fate of, in man, 266
norepinephrine, tritium excretion of normotensive and hypertensive subjects after administration of, 129
Tritium excretion of normotensive and hypertensive subjects after administration of tritiated norepinephrine, 129
Tryptophan metabolites, inhibition of in vitro PNH erythrocyte lysis by, 399
Tumor, transplantable islet-cell, pathogenesis of hypoglycemia in hamsters with, 432

U

UDP-glucuronyl transferase in rat liver, re-evaluation of influence of sex, age, pregnancy, and phenobarbital on activity of, 677
Urea, blood, serum calcium, inorganic phosphorus, magnesium, alkaline phosphatase, total proteins, and albumin, relation of age and sex to distribution of values in healthy adults of, 825
Urinary γA rheumatoid factor, 389
oxalate excretion, variation of, with age, 901
Urine, beta glucuronidase, in renal injury. I. Enzyme assay conditions and response to mercuric chloride in rats, 6
II. Excretion patterns in experimental staphylococcal pyelonephritis in rats, 17
plasma and, glutamine in, improved method for microdetermination of, 877

V

Variant, new structural, of glucose-6-phosphate deyhdrogenase with high production rate (G6PD Hektoen), 283
Vasoconstriction, blood viscosity, and erythrocyte aggregation in macroglobulinemic and polycythemic mice, 359
Veins, pulmonary, active response of, to distention of single pulmonary vein in intact dogs, 476
Vera, polycythemia, cardiac output in, 753
plasma, vitamin B_{12}-binding protein in, 60
Viability, cell, phagocytic stimulation of hexose monophosphate shunt as measure of: leukocyte preservation; I, 327
stored blood, evaluation of, by methylene blue reduction, 744
Viscosity, blood, vasoconstriction, and erythrocyte aggregation in macroglobulinemic and polycythemic mice, 359
Vitamin B_{12}-binding capacity of intrinsic factor, effect of pH on, 469
protein in polycythemia vera plasma, 60

Vitamin B_{12}—Cont'd
-deficient man, normal and, role of propionic acid as precursor of methylmalonic acid in, 917
K_1, variation in response of human beings to, 103

W

Water diuresis on blood pressure and renal damage, effect of, in male and female rats with chronic pyelonephritis due to Proteus, 970
Water—Cont'd
electrolytes and, jejunal secretion of, in nontropical sprue, 772

X

Xanthine oxidase, examination of role of, in iron absorption by rat, 366
human, oxidation of 7-methylguanine by, 909

Z

Zinc-deficient rats, nonhypophysectomized, effect of growth hormone on, and zinc on hypophysectomized rats, 486

The Journal of
LABORATORY and CLINICAL MEDICINE

LESLIE ZIEVE, *Editor*
ELLIS S. BENSON, *Associate Editor*
ALVIN L. SCHULTZ, *Associate Editor*
RALPH C. WILLIAMS, JR. *Associate Editor*
Minneapolis, Minn.

Board of editors

FRED M. DAVENPORT
Ann Arbor, Mich.

NORBERT FREINKEL
Chicago, Ill.

GEORGE GEE JACKSON
Chicago, Ill.

MELVIN H. KAPLAN
Cleveland, Ohio

ANTHONY PISCIOTTA
Milwaukee, Wis.

FLOYD C. RECTOR, JR.
Dallas, Texas

JOSEPH C. ROSS
Indianapolis, Ind.

HAROLD P. SCHEDL
Iowa City, Iowa

RUDI SCHMID
San Francisco, Calif.

LEIF R. SORENSEN
Chicago, Ill.

ADEL A. YUNIS
Miami, Fla.

VOLUME 74
July—December, 1969

THE C. V. MOSBY COMPANY
St. Louis
1969

VOLUME 74

Copyright © 1969 by

THE C. V. MOSBY COMPANY

All rights reserved
Printed in the United States of America

1032

Index to Volume 74

Author Index*

A

ABBOUD, FRANCOIS M. (*See* Wendling, Eckstein, and Abboud), 541

ABELS, JOHANNES, AND MUCKERHEIDE, MARY M. Antigenic species specificity of the gastric intrinsic factor, 843 (Abst.)

ABERNATHY, ROY. (*See* Perkoff, Abernathy, and Ruiz), 153

ACEMOGLU, M. (*See* Koven et al.), 976 (Abst.)

ADAMS, ROBERT B. (*See* Shank et al.), 630

ADAMSON, JAMES S., GAUDIO, RALPH, MILLEN, J. EUGENE, AND ROBIN, EUGENE D. Ferritin transport in isolated alveolar macrophages and across pulmonary exchange sites, 843 (Abst.)

ADATEPE, MUSTAFA. (*See* Wochner et al.), 1026 (Abst.)

ADOLPH, ROBERT J. (*See* Varat, Fowler, and Adolph), 1021 (Abst.)

AFONSO, SKODA, AND O'BRIEN, GEORGE S. Mechanism of enhancement of adenosine-induced coronary vasodilatation by Lidoflazine and Dipyridamole, 844 (Abst.)

AGGELER, PAUL M., AND O'REILLY, ROBERT A. Effect of heptabarbital on the response to bishydroxycoumarin in man, 229

ALAUPOVIC, PETAR. (*See* Seidel, Alaupovic, and Furman), 1009 (Abst.)

ALEXANDER, CARL S. (*See* Liu and Alexander), 983 (Abst.)

ALEXANIAN, RAYMOND. Correlations between erythropoietin production and excretion, 614

ALFORD, DOROTHY A. (*See* Lewis et al.), 608

—. (*See* Lewis et al.), 981 (Abst.)

ALKJAERSIG, NORMA. (*See* Fletcher and Alkjaersig), 873 (Abst.)

ALLEN, LAWRENCE W., ULTMANN, JOHN E., FERGUSON, DONALD J., AND RAPPAPORT, HENRY. Laparotomy and splenectomy in the staging of Hodgkin's disease, 845 (Abst.)

—. (*See* Yachnin, Allen, and Svenson), 1028 (Abst.)

Allen, Richard J. (*See* Zweifler and Allen), 1029 (Abst.)

ALM, GUNNAR V., AND PETERSON, RAYMOND D. A. The in vitro response of spleen cells from bursectomized irradiated chickens to phytohemagglutinin and antigen, 845 (Abst.)

ALSEVER, ROBERT N., GEORG, RALPH H., AND SUSSMAN, KARL E. A possible role of guanidinoacetic acid and other guanidine derivatives in the regulation of insulin secretion, 846 (Abst.)

AMMANN, ARTHUR, AND HONG, RICHARD. Selective IgA deficiency and autoimmunity, 846 (Abst.)

—. (*See* Hong et al.), 884 (Abst.)

AMSTER, GERL (*See* Seife and Shils), 119

ANDERSON, TRUMAN O. (*See* Sutton et al.), 1017 (Abst.)

ANTONIOU, LUCY D., EISNER, GILBERT M., SLOTKOFF, LAWRENCE M., AND LILIENFIELD, LAWRENCE S. Relationship between sodium and calcium transport in the kidney, 410

ARKUN, S. N. (*See* Gizis et al.), 574

ARKY, RONALD A. (*See* Hoffman et al.), 915

ARMSTRONG, W. D. (*See* Singer, Armstrong, and Vogel), 354

ARNAUD, CLAUDE D. (*See* Salassa, Jowsey, and Arnaud), 1004 (Abst.)

ARNOLD, JOHN D. (*See* Balcerzak, Arnold, and Martin), 848 (Abst.)

ARTHES, FEDERICO G. (*See* Sartwell et al.), 1005 (Abst.)

ASTER, R. H. (*See* Ginsburg and Aster), 138

ASTRUP, TAGE. (*See* Moskowitz et al.), 990 (Abst.)

AUSTEN, K. FRANK. (*See* Talamo, Haber, and Austen), 816

AVIOLI, LOUIS V. (*See* Haddad and Avioli), 880 (Abst.)

AXELROD, PAUL J. (*See* Ferris and Axelrod), 871 (Abst.)

AYOUB, ELIA M., AND DUDDING, BURTON A. Streptococcal group A antibody levels in bacterial endocarditis, 847 (Abst.)

AZAR, MIGUEL M. C′ inhibition following treatment with various agents, 847 (Abst.)

AZAR, SILVIA, TOBIAN, LOUIS, COFFEE, KAREN, AND JOHNSON, MARY ANN. The appearance of a renal-vasoconstrictive, antinatriuretic substance of posterior pituitary origin following hemorrhage, 848 (Abst.)

*July, pp. 1-178; August, pp. 179-358; September, pp. 359-540; October, pp. 541-714; November, pp. 715-894; December, pp. 895-1078.

B

BACHORIK, PAUL S., AND ROGERS, ARVEY I. The direct fluorometric assay of conjugated bile acids, 705

BAKER, ROBERT J. (*See* Matsuda et al.), 42

BALCERZAK, STANLEY P., ARNOLD, JOHN D., AND MARTIN, DANIEL C. Anatomy of red cell damage by *Plasmodium falciparum* in man, 848 (Abst.)

—. (*See* Shoop et al.), 1011 (Abst.)

BALDUS, WILLIAM P. (*See* Barnardo, Strong, and Baldus), 495

BALIS, M. EARL. (*See* Rubin et al.), 732

BANERJEE, TARIT. (*See* Senn, Holland, and Banerjee), 742

BANG, NILS U., HEIDENREICH, ROBERT O., AND MATSUDA, MICHIO. Plasma protein requirements for human platelet aggregation, 849 (Abst.)

BARBORIAK, JOSEPH J. (*See* Fink, Tebo, and Barboriak), 325

BAREFIELD, KAYE P. (*See* Bromberg, Barefield, and Jensen), 854 (Abst.)

BARNARDO, DAVID E., STRONG, CAMERON G., AND BALDUS, WILLIAM P. Failure of the cirrhotic liver to inactivate renin: evidence for a splanchnic source of renin-like activity, 495

BARNES, MARSHALL G., AND POLET, HERMAN. With the technical assistance of Denison, Thomas R., and Barr, Charles F. The influence of methylene blue on the pentose phosphate pathway in erythrocytes of monkeys infected with Plasmodium knowlesi, 1

BARNETT, JACK A. (*See* Sanders et al.), 1005 (Abst.)

BARR, CHARLES F. (*See* Barnes and Polet), 1

BARROCOS, M., KING, F. W., CLAUDIO, M., DANON, J., AND SHARP, J. T. Gas exchange abnormalities in diffuse lung disease, 849 (Abst.)

BASSINGTHWAIGHTE, JAMES B. (*See* Kelly, Yipintsoi, and Bassingthwaighte), 889 (Abst.)

BATES, JOSEPH H. (*See* Stead and Bates), 1014 (Abst.)

BAZZANO, GAETANO. (*See* Manniego-Bautista and Bazzano), 988 (Abst.)

BEIERWALTES, WILLIAM H. (*See* Blair et al.), 851 (Abst.)

BELL, PETER R. F. (*See* MacSween et al.), 986 (Abst.)

BEN-BASSAT, ISAAC. (*See* Ramot, Ben-Bassat, and Shchory), 895

BENKO, DIANE. (*See* McDonald and Benko), 985 (Abst.)

BENNETT, ALAN. (*See* Fleshler and Bennett), 872 (Abst.)

BENNETT, JOHN E. (*See* Bird, Sheagren, and Bennett), 340

BERGER, SHELDON E. (*See* Breuer, Berger, and Zuckerman), 853 (Abst.)

BERMAN, JEFFREY. (*See* Schwartz et al.), 203

BERMAN, PETER H. (*See* Rubin et al.), 732

BEST, MAURICE M., AND DUNCAN, CHARLES H. A comparison of the effects of the phenolic ethers Su-13437 and CPIB on serum and liver lipids of the rat, 850 (Abst.)

BETTIGOLE, R. E., HIMELSTEIN, E. S., SHIU, MAN HEI, CLIFFORD, G. O., AND FORTNER, J. G. Autologous ^{131}I-fibrinogen survival after liver transplantation: A possible index of graft rejection, 850 (Abst.)

BEUTLER, ERNEST, AND WOOD, LEE. The in vivo regeneration of red cell 2, 3 diphosphoglyceric acid (DPT) after transfusion of stored blood, 300

BEUTNER, ERNST H. (*See* Jordon, Sams, and Beutner), 548

BICKS, R. O. (*See* Goldenberg, Bicks, and Rosenberg), 876 (Abst.)

BIRD, DAN C., SHEAGREN, JOHN N., AND BENNETT, JOHN E. Reticuloendothelial phagocytic function during systemic mycotic infections in man, 340

BISS, KURT. (*See* Taylor et al.), 1019 (Abst.)

BLAIR, RICHARD J., BEIERWALTES, WILLIAM H., LIEBERMAN, LIONEL M., BOYD, CHARLES M., COUNSELL, RAYMOND E., WEINHOLD, PAUL A., AND VARMA, VIJAY M. Radiolabeled cholesterol as an adrenal scanning agent, 851 (Abst.)

BLOCK, MATTHEW H. (*See* Swasdikul and Block), 1018 (Abst.)

BLOOM, MARVIN. (*See* Davis et al.), 867 (Abst.)

BLUME, PHILIP, AND POLESKY, HERBERT F. An instrumental method for the detection of erythrocyte agglutination, 691

BOLE, GILES G. (*See* Wright and Bole), 1027 (Abst.)

BOLINGER, ROBERT E. (*See* Meek et al.), 988 (Abst.)

BOMBECK, C. T. (*See* Steigmann et al.), 1015 (Abst.)

BOREN, HOLLIS G. (*See* Kory et al.), 894 (Abst.)

BOSS, J. H. (*See* Rosenmann, Dishon, and Boss), 31

BOTTOMLEY, R. G., CORNELISON, R. L., JACOBS, L. A., AND LINDEMAN, R. D. Zinc metabolism following acute tissue injury in man, 852 (Abst.)

BOTTOMLEY, SYLVIA S., AND SMITHEE, G. ANN. Effect of erythropoietin on bone marrow-aminolevulinic acid synthetase and heme synthetase, 445

BOURGOIGNIE, JACQUES J., KLAHR, SAULO, MILLER, C. LINDSEY, AND BRICKER, NEAL S. A humoral inhibitor of sodium transport in uremic man, 852 (Abst.)

BOWSER, E. NELSON. (*See* Williams et al.), 1022 (Abst.)

BOYD, CHARLES M. (*See* Blair et al.), 851 (Abst.)

BOYETT, JOHN D., AND SULLIVAN, JAMES F. Zinc and collagen content of normal and cirrhotic liver, 853 (Abst.)

BRENCKMAN, WAYNE. (*See* Brunning et al.), 855 (Abst.)

BREUER, RICHARD I., BERGER, SHELDON E., AND ZUCKERMAN, LEON. Gastrectomy "diabetes," 853 (Abst.)

BREWER, GEORGE J., EATON, JOHN W., AND DINMAN, BERTRAM D. Mechanisms in the response of the red cell to hypoxia, 854 (Abst.)

BRICKER, NEAL S. (*See* Bourgoignie et al.), 852 (Abst.)

BRIDSON, WILLIAM. (*See* Rodbard, Bridson, and Rayford), 770

BRIGGS, J. DOUGLAS, KWAAN, HAU C., AND POTTER, ELIZABETH V. The role of fibrinogen in renal disease. III. Fibrinolytic and anticoagulant treatment of nephrotoxic serum nephritis in mice, 715

BRITTIN, GEOFFREY M., AND CHEE, Q. TOM. Relation of ferroxidase (ceruloplasmin) to iron absorption, 53

BROCK, JEAN. (*See* Itskovitz et al.), 886 (Abst.)

—. (*See* Lennon et al.), 980 (Abst.)

BROMBERG, P. A., BAREFIELD, KAYE P., AND JENSEN, W. N. Membrane loss in sickle cells, 854 (Abst.)

BROOKS, B. (*See* Muirhead et al.), 992 (Abst.)

BROWN, ARNOLD L., JR. (*See* Gracey, Divertie, and Brown), 878 (Abst.)

BROWN, G. B. (*See* Muirhead et al.), 992 (Abst.)

BROWN, GORDON C. (*See* Monto, Cavallaro, and Brown), 98

BRUCE, THOMAS A., AND ZOBL, ELDRED. Myocardial oxidative metabolism in normal subjects during ouabain administration, 855 (Abst.)

BRUNNING, RICHARD, JIMENEZ-PASQUAU, FRANCISCO, BRENCKMAN, WAYNE, AND GOETZ, F. C. Microangiopathic hemolytic anemia in diabetic patients, 855 (Abst.)

BUCKNER, RALPH G. (*See* Coussons et al.), 864 (Abst.)

BULL, DAVID M. Properties of bacterial lipopolysaccharide separated by beaded agarose chromatography, 856 (Abst.)

BURKE, GERALD. Effects of prostaglandins on basal and stimulated thyroid function, 856 (Abst.)

BURNHAM, GILBERT M. (*See* Krumholz, Burnham, and DeLong), 977 (Abst.)

BURNS, THOMAS W., AND LANGLEY, PAUL E. Differential effects of alpha- and beta-adrenergic-blocking agents on basal- and catecholamine-stimulated lipolysis of isolated human and rat adipose tissue cells, 857 (Abst.)

BUTLER, EARL H., MOSER, KENNETH M., AND KOT, PETER A. Distribution volume of isoproterenol in the isolated lung of the dog, 129

BYNUM, T. E., LONG, JOHN W., AND ZEIGNER, CHRISTINA. Psychological factors in control of sinus arrhythmia, 857 (Abst.)

C

CALDWELL, JAMES H., HALPIN, THOMAS H., DUTTA, SARADINDU, AND GREENBERGER, NORTON J. Intestinal absorption of ^{3}H-digitalis glycosides: Demonstration of a nonsaturable transport process, 858 (Abst.)

CANTOR, LINDA N. (*See* Zanjani et al.), 782

CAPERTON, E. M., JR., AND WILLIAMS, R. C., JR. In vivo study of IgM rheumatoid factors from mixed cryoglobulins, 239

CAREY, FRANCIS J. Antibody-induced cytopathic effects of parainfluenza virus, 859 (Abst.)

CARLETON, RICHARD A. (*See* Heller and Carleton), 882 (Abst.)

CARMEL, RALPH, AND COLTMAN, CHARLES A., JR. Radioassay for serum vitamin B_{12} with the use of saliva as the vitamin B_{12} binder, 967

CARR, EDWARD A., JR., KAHN, DONALD R., CARROLL, MARY, OBERMAN, HAROLD, AND DUFEK, JOHN. Prediction of rejection of transplanted human and pig hearts by myocardial scintigrams, 859 (Abst.)

CARROLL, MARY. (*See* Carr et al.), 859 (Abst.)

CARSON, PAUL E., FRISCHER, HENRI, AND NOYES, CLAUDIA M. Regulation of glutathione reductase activity, 860 (Abst.)

CASTOR, C. WILLIAM, DORSTEWITZ, EMILY L., WRIGHT, DELOISTEEN, AND RITCHIE, JAMES C. Connective tissue regulation: the effect of a polypeptide factor on connective tissue metabolism, 860 (Abst.)

CAVALLARO, JOSEPH J. (*See* Monto, Cavallaro, and Brown), 98

CERLETTY, J. M. (*See* Kim et al.), 891 (Abst.)

CHASON, J. L. (*See* Gatmaitan and Chason), 875 (Abst.)

CHEE, Q. TOM. (*See* Brittin and Chee), 53

CHEN, STUART, ZIEVE, LESLIE, AND MAHADEVAN, V. Pulmonary excretion of mercaptans and dimethyl sulfide in liver cirrhosis before and after ingestion of methionine, 861 (Abst.)

CHERRY, JAMES D. (*See* Slavin and Cherry), 1012 (Abst.)

CHING, SANTIAGO. (*See* Shear, Ching, and Gabuzda), 1011 (Abst.)

CHOI, G. (*See* Gizis et al.), 574

CHOKSHI, DEEBANDHU S. (*See* Winer, Chokshi, and Walkenhorst), 1024 (Abst.)

CHOU, CHING-CHUNG, RADAWSKI, D., GAZITUA, S., AND SCOTT, J. B. Effects of a new adrenergic blocking agent (AY 21, 011) on the cardiac and coronary responses to adrenergic stimulation, 862 (Abst.)

CIVEN, MORTON. (*See* Granner and Civen), 879 (Abst.)
CLAUDIO, M. (*See* Barrocos et al.), 849 (Abst.)
CLERICI, ENRICO, MOCARELLI, PAOLO, DE FERRARI, FRANCESCO, AND VILLA, MARIA LUISA. Studies on the passive transfer of amyloidosis by cells, 145
CLIFFORD, G. O. (*See* Bettigole et al.), 850 (Abst.)
CLIFTON, J. A. (*See* Ivey et al.), 886 (Abst.)
COALSON, JACQUELINE. (*See* Rhoades et al.), 1000 (Abst.)
COBB, E. C. (*See* Daniels et al.), 866 (Abst.)
COFFEE, KAREN. (*See* Azar et al.), 848 (Abst.)
COHEN, EDWARD P. (*See* Majer and Cohen), 987 (Abst.)
COHEN, LOUIS, AND DJORDJEVICH, JULIANA. Evidence for two polypeptides in human serum apolipoprotein B, 862 (Abst.)
COHEN, SIMON L., AND LINDALL, ARNOLD W. The lipid defect in uremia, 863 (Abst.)
COIFMAN, ROBERT E. Metabolic and bactericidal function of granulocytes irradiated in vitro, 863 (Abst.)
COLTMAN, CHARLES A., JR., COSTANZI, JOHN J., AND DONALDSON, VIRGINIA H. Participation of C'1q, C'1r, and C'1s in the activation of complement by a monoclonal IgG cryoglobulin, 864 (Abst.)
—. (*See* Carmel and Coltman), 967
—. (*See* Costanzi, Coltman, and Donaldson), 902
COLWELL, JOHN A. (*See* Levin, Mandelbaum, and Colwell), 980 (Abst.)
CONDON, R. E. (*See* Steigmann et al.), 1015 (Abst.)
CONNELL, GEORGE E. (*See* Roy, Shaw, and Connell), 698
COOPERBAND, SIDNEY R. (*See* Levitt and Cooperband), 981 (Abst.)
CORNELISON, R. L. (*See* Bottomley et al.), 852 (Abst.)
COSTANZI, JOHN J., COLTMAN, CHARLES A., JR., AND DONALDSON, VIRGINIA H. Activation of complement by a monoclonal cryoglobulin associated with cold urticaria, 902
—. (*See* Coltman, Costanzi, and Donaldson), 864 (Abst.)
COSTRINI, N. V. (*See* Kim et al.), 891 (Abst.)
COTTON, R. (*See* Koven et al.), 976 (Abst.)
COUNSELL, RAYMOND E. (*See* Blair et al.), 851 (Abst.)
COUSSONS, R. TIMOTHY, MCKEE, PATRICK A., WILLIAMS, G. RAINEY, BUCKNER, RALPH G., JONES, EUGENE, AND HAMPTON, JAMES W. Long-term survival of hemophilic beagles following splenic homotransplantation, 864 (Abst.)
COWAN, DALE H. Thrombokinetics in alcoholism, 865 (Abst.)
CRADDOCK, C. G. (*See* Frey-Wettstein, Longmire, and Craddock), 109
CROWDER, JACKSON G., MARTIN, R. RUSSELL, AND WHITE, ARTHUR. Release of histamine and lysosomal enzymes by human leukocytes during phagocytosis of staphylococci, 436
CROWSHAW, KEITH, MCGIFF, JOHN C., TERRAGNO, NORBERTO A., LONIGRO, ANDREW J., WILLIAMSON, SISTER MARY ANNE, STRAND, JAMES C., LEE, JAMES B., NG, KEVIN K. F. Prostaglandin-like substances present in blood during renal ischemia: patterns of release and their partial characterization, 866 (Abst.)

D

DALTON, R. G., TOURAINE, J. L., AND WILSON, T. R. A simple technique for continuous intravenous infusion in rats, 813
DANCIS, JOSEPH. (*See* Rubin et al.), 732
DANIELS, J. C., COBB, E. C., REMMERS, A. R., JR., SARLES, H. E., FISH, J. C., LEVIN, W. C., AND RITZMANN, S. E. Nucleic acid synthesis in lymphocytes from chronic uremic patients maintained with hemodialysis and renal allotransplantation, 866 (Abst.)
DANON, J. (*See* Barrocos et al.), 849 (Abst.)
DAVIDSON, DONALD. (*See* Plaut et al.), 12
DAVIDSON, ISRAEL, AND NI, LOUISA Y. Tissue antigens A, B, and H in metastatic carcinoma, 867 (Abst.)
DAVIS, BERNARD B., BLOOM, MARVIN, MINTZ, DANIEL H., AND FIELD, JAMES B. Mechanism of the abnormal water load test in patients with myxedema, 867 (Abst.)
DE FERRARI, FRANCESCO. (*See* Clerici et al.), 145
DEGROOT, LESLIE J., AND JAKSINA, STEPHANIE. Inhibition of iodotyrosine formation by analogs of tyrosine, 257
—, AND NAGASAKA, AKIO. Studies on thyroid hormone formation, 868 (Abst.)
—. (*See* Pisarev and DeGroot), 996 (Abst.)
DELONG, JAMES. (*See* Krumholz, Burnham, and DeLong), 977 (Abst.)
DEMAKIS, JOHN. (*See* Sutton et al.), 1017 (Abst.)
DENBESTEN, L. (*See* Ivey et al.), 886 (Abst.)
DENDUCHIS, BERTA, AND KEFALIDES, NICHOLAS A. Immunochemical properties of the collagen from vascular and avascular basement membranes, 868 (Abst.)
DENISON, THOMAS R. (*See* Barnes and Polet), 1
DENMAN, TIMOTHY M. (*See* Itskovitz et al.), 886 (Abst.)
DEQUATTRO, VINCENT. (*See* Sato and

DeQuattro), 672
DERN, RAYMOND J. (*See* Matsuda et al.), 42
DIETRICH, M. F. (*See* Gizis et al.), 574
DIMAGNO, E. P., HERMON-TAYLOR, J., GO, V. L. W., LILLEHEI, R. C., AND SUMMERSKILL, W. H. J. Functions of the transplanted pancreas and duodenum in man, 869 (Abst.)
DINMAN, BERTRAM D. (*See* Brewer, Eaton, and Dinman), 854 (Abst.)
DISHON, T. (*See* Rosenmann, Dishon, and Boss), 31
DIVERTIE, MATTHEW B. (*See* Gracey, Divertie, and Brown), 878 (Abst.)
DJORDJEVICH, JULIANA. (*See* Cohen and Djordjevich), 862 (Abst.)
DOMIZI, DARIO B. (*See* Earle and Domizi), 878 (Abst.)
DONALDSON, ROBERT M., JR. (*See* MacKenzie and Donaldson), 986 (Abst.)
DONALDSON, VIRGINIA H. (*See* Coltman, Costanzi, and Donaldson), 864 (Abst.)
—. (*See* Costanzi, Coltman, and Donaldson), 902
DORIS, LYNNE. (*See* Roy, Shaw, and Connell), 698
DORSTEWITZ, EMILY L. (*See* Castor et al.), 860 (Abst.)
DUBIN, A. (*See* Steigmann et al.), 1015 (Abst.)
DUDDING, BURTON A. (*See* Ayoub and Dudding), 847 (Abst.)
DUFEK, JOHN. (*See* Carr et al.), 859 (Abst.)
DUGDALE, MARION. The platelet and hypothermia, 869 (Abst.)
DUKES, PETER P., HAMMOND, DENMAN, AND SHORE, NOMIE A. Comparison of erythropoietin preparations yielding different dose-response slopes in the exhypoxic polycythemic mouse assay, 250
DUNBAR, JOSEPH C. (*See* Sodoyez et al.), 1012 (Abst.)
DUNCAN, CHARLES H. (*See* Best and Duncan), 850 (Abst.)
DUNN, ROBERT F. (*See* Worsfold, Dunn, and Peter), 160
DUTTA, SARADINDU. (*See* Caldwell et al.), 858 (Abst.)

E

EARLE, RICHARD H., AND DOMIZI, DARIO B. On-line-digital computer analysis of pulmonary physiologic data: the open circuit nitrogen washout test, 870 (Abst.)
EATON, JOHN W. (*See* Brewer, Eaton, and Dinman), 854 (Abst.)
EBERLE, BETTY J. (*See* Mortimer et al.), 990 (Abst.)
ECKSTEIN, JOHN W. (*See* Schuelke et al.), 1008 (Abst.)
—. (*See* Wendling, Eckstein, and Abboud), 541
EDMONDSON, PAGE R. (*See* Schwartz et al.), 1008 (Abst.)
EDWARDS, WALTER G., JR., STRONG, CAMERON G., AND HUNT, JAMES C. A vasodepressor lipid resembling prostaglandin E_2 (PGE_2) in the renal venous blood of hypertensive patients, 389
EHRLICH, EDWARD N. (*See* Konsek, Rubenstein, and Ehrlich), 894 (Abst.)
EISENSTEIN, ALBERT B. (*See* Sullivan and Eisenstein), 1017 (Abst.)
EISNER, GILBERT M. (*See* Antoniou et al.), 410
ELLIOTT, WILLIAM C. (*See* Knoebel et al.), 893 (Abst.)
ELLIS, BONNA A. (*See* Schwartz et al.), 203
ELVEBACK, LILA R. (*See* Keating, Jones, and Elveback), 507
ELWYN, DAVID H. (*See* Matsuda et al.), 42
EVATT, B. L. (*See* Kyle et al.), 979 (Abst.)

F

FALABELLA, FRANCISCO, HAMILTON, HENRY E., HOGENKAMP, H. P. C., AND SHEETS, RAYMOND F. Difference in response of megaloblastic marrow cultures to cyano-, methyl-, and 5′deoxyadenosylcobalamin, 870 (Abst.)
—. (*See* Hamilton et al.), 881 (Abst.)
FANG, VICTOR S. (*See* Refetoff, Robin, and Fang), 999 (Abst.)
FERGUSON, DONALD J. (*See* Allen et al.), 845 (Abst.)
FERRIS, THOMAS F., AND AXELROD, PAUL J. Studies of intrarenal blood flow using thermistor probes, 871 (Abst.)
FIELD, JAMES B. (*See* Davis et al.), 867 (Abst.)
—. (*See* Kaneko and Field), 682
FINK, JORDAN N., TEBO, THOMAS, AND BARBORIAK, JOSEPH J. Differences in the immune responses of pigeon breeders to pigeon serum proteins, 325
FINK, SIDNEY, AND MAIS, F. ROLAND. Normal immunity to endotoxin in azotemic patients, 871 (Abst.)
FISH, J. C. (*See* Daniels et al.), 866 (Abst.)
—. (*See* Wolf et al.), 1027 (Abst.)
FITCH, COY D. A mechanism for chloroquine resistance in malaria, 872 (Abst.)
FLESHLER, BERTRAM, AND BENNETT, ALAN. Responses of human guinea pig and rat colonic circular muscle to prostaglandins, 872 (Abst.)
FLETCHER, ANTHONY P., AND ALKJAERSIG, NORMA. Characterization of plasma fibrinogen in hypercoagulable/thrombotic states, 873 (Abst.)
FOA, PIERO P. (*See* Sodoyez et al.), 1012 (Abst.)
FOLEY, JOHN F., LEMON, HENRY M., AND MILLER, DANIEL M. Medical hypophysectomy in breast cancer, 873 (Abst.)

FONTANES, ARTURO L. (*See* Williams, Nord, and Fontanes), 1024 (Abst.)
FORTNER, J. G. (*See* Bettigole et al.), 850 (Abst.)
FOWLER, NOBLE O. (*See* Varat, Fowler, and Adolph), 1021 (Abst.)
FRANK, DONALD J. (*See* Vollman, Vester, and Frank), 1021 (Abst.)
FRANKLIN, J. L. (*See* Kwaan, Suwanwela, and Franklin), 978 (Abst.)
FRASER, J. R. E. (*See* Harris and Fraser), 527
FRAWLEY, THOMAS F. (*See* Hagen and Frawley), 881 (Abst.)
FREY-WETTSTEIN, M., LONGMIRE, ROBERT, AND CRADDOCK, C. G. Deoxyribonucleic acid (DNA) repair replication of ultraviolet (UV) irradiated normal and leukemic leukocytes, 109
FRIED, WALTER, AND KILBRIDGE, THOMAS. Effect of testosterone and of cobalt on erythropoietin production by anephric rats, 623
—, KNOSPE, W. H., AND TROBAUGH, F. E., JR. Factors influencing proliferation and migration of hematopoietic stem cells (HSC), 874 (Abst.)
FRISCHER, HENRI. (*See* Carson, Frischer, and Noyes), 860 (Abst.)
FRY, GLENNA L., AND HOAK, JOHN C. Improved method for electronic counting of platelets, 536
FURMAN, ROBERT H. (*See* Seidel, Alaupovic, and Furman), 1009 (Abst.)

G

GABUZDA, GEORGE J. (*See* Shear, Ching, and Gabuzda), 1011 (Abst.)
GARDNER, EDWARD, JR. (*See* Lewis et al.), 608
—. (*See* Lewis et al.), 981 (Abst.)
GASTON, LAMONT W., LUCAS, CYNTHIA A., AND MILLER, CRAIG E. A fluorometric assay for thrombin, 874 (Abst.)
GATMAITAN, B. G., AND CHASON, J. L. Adverse effect of exercise upon the early infectious phase of Coxsackie virus B-3 myocardopathy, 875 (Abst.)
GAUDIO, RALPH. (*See* Adamson et al.), 843 (Abst.)
GAZITUA, S. (*See* Chou et al.), 862 (Abst.)
GEIL, CAROL C. (*See* Mortimer et al.), 990 (Abst.)
GENTZ, JOHAN, LINDBLAD, BENGT, LINDSTEDT, SVEN, AND ZETTERSTRÖM, ROLF. Studies on the metabolism of the phenolic acids in hereditary tyrosinemia by a gas-liquid chromatographic method, 185
GEORG, RALPH H. (*See* Alsever, Georg, and Sussman), 846 (Abst.)
GERMAIN, G. S. (*See* Muirhead et al.), 992 (Abst.)
GINSBURG, A. D., AND ASTER, R. H. Kinetic studies with ^{51}chromium-labeled platelet cohorts in rats, 138
GIZIS, E. J., ARKUN, S. N., MILLER, I. F., CHOI, G., DIETRICH, M. F., AND MEYER, L. M. Plasma clearance of transcobalamin I— and transcobalamin II--bound CO^{57} vitamin B_{12}, 574
GIZIS, FRANCES. (*See* Rothenberg, Gizis, and Kamen), 662
GLESER, GOLDENE. (*See* Glueck et al.), 875 (Abst.)
GLUECK, HELEN I., MCADAMS, A. JAMES, WILL, RUTH M., AND GLESER, GOLDENE. Measurement of prothrombin: a neglected liver function test in infancy and childhood, 875 (Abst.)
GO, V. L. W. (*See* DiMagno et al.), 869 (Abst.)
GOETZ, F. C. (*See* Brunning et al.), 855 (Abst.)
GOLDENBERG, J., BICKS, R. O., AND ROSENBERG, E. W. Delayed hypersensitivity reaction in the small bowel of the pig—correlation between structural and functional changes, 876 (Abst.)
GOLDFINE, IRA D., LAWRENCE, A. M., AND KIRSTEINS, LIDIA. Growth hormone dynamics in acromegaly, 876 (Abst.)
—. (*See* Rabiner et al.), 265
GOOD, ROBERT A. (*See* Hong et al.), 884 (Abst.)
GOODFRIEND, THEODORE L. Changes in tumor immunogenicity, 877 (Abst.)
GORDON, ALBERT S. (*See* Zanjani et al.), 782
GORDON, BARBARA. (*See* Ward, Gordon, and Pickett), 93
GORDON, H. A. Anomalous bowel function in germ-free animals and regulatory effects of intestinal microbes, 877 (Abst.)
GOULD, R. GORDON. (*See* Sharp et al.), 1010 (Abst.)
GRACEY, DOUGLAS R., DIVERTIE, MATTHEW B., AND BROWN, ARNOLD L., JR. Electron microscopic findings in diffuse interstitial pulmonary disease, 878 (Abst.)
GRAMMENS, GARY L., PRASAD, ANANDA S., AND MAMMEN, EBERHARD F. Physicochemical properties of Hageman factor, 878 (Abst.)
GRANNER, DARYL K., AND CIVEN, MORTON. The diurnal rhythm of hepatic tyrosine aminotransferase is due to a variable rate of synthesis, 879 (Abst.)
GRAUER, ARNOLD. (*See* Tesar et al.), 1020 (Abst.)
GREENBERGER, NORTON J. (*See* Caldwell et al.), 858 (Abst.)
GREENE, GERALD R. (*See* Sartwell et al.), 1005 (Abst.)
GREENE, JAMES A., JR., RIVECCA, JAMES, AND HERMS, WOLFGANG. Effect of mersalyl on energy metabolism and sodium movement in the isolated bladder of the toad, 880 (Abst.)

GREGORY, DANIEL H., AND MESSNER, RONALD P. Studies on the reliability of the isotopic calcium absorption test in patients with chronic renal disease, 464
—. (*See* Messner et al.), 472
GROSS, SAMUEL. (*See* Melhorn and Gross), 789
GRUPE, WARREN E., AND KAPLAN, MELVIN H. Demonstration of an antibody to proximal tubular antigen in the pathogenesis of experimental autoimmune nephrosis in rats, 400
GURNEY, CLIFFORD W. (*See* Medlinsky, Napier, and Gurney), 85
GUTMANN, FRANK D., SHELP, WELDON D., AND RIESELBACH, RICHARD E. The correlation of fractional excretion of sodium and magnesium in the chronically diseased kidney of dog and man, 642
—. (*See* Wagnild et al.), 1022 (Abst.)
GUZE, LUCIEN B., HUBERT, EARL G., AND KALMANSON, GEORGE M. Pyelonephritis. X. Microbial interference in streptococcal infections in the rat kidney, 274

H

HABER, EDGAR. (*See* Talamo, Haber, and Austen), 816
HADDAD, JOHN G., AND AVIOLI, LOUIS V. Comparative effects of thyrocalcitonin and phosphate on skeletal turnover, 880 (Abst.)
HAGEN, A. AINSWORTH. (*See* Williams, Runyan, and Hagen), 1023 (Abst.)
HAGEN, GARRETT A., AND FRAWLEY, THOMAS F. Hyponatremia due to sulfonylurea compounds, 881 (Abst.)
HALPIN, THOMAS H. (*See* Caldwell et al.), 858 (Abst.)
HAMILTON, HENRY E., FALABELLA, FRANCISCO, HOGENKAMP, H. P. C., AND SHEETS, RAYMOND F. The response of small single doses of vitamin B_{12} (cyanocobalamin) and 5′deoxyadenosylcobalamin in pernicious anemia, 881 (Abst.)
—. (*See* Falabella et al.), 870 (Abst.)
HAMMARSTEN, JAMES F. Presidential Address, 179
HAMMOND, DENMAN. (*See* Dukes, Hammond, and Shore), 250
HAMPTON, JAMES W. (*See* Coussons et al.), 864 (Abst.)
HARDISON, W. G. M., AND ROSENBERG, I. H. The effect of neomycin on bile salt metabolism and fat digestion in man, 564
HARRIS, G. S., AND FRASER, J. R. E. Extraction and measurement of glycosaminoglycans in serum and cell culture medium: a system with the use of an aliphatic quaternary ammonium salt, 527
HARRIS, JOHN W. (*See* Messer and Harris), 989 (Abst.)
HART, ARLENE. (*See* Rabiner et al.), 265
HAZELRIG, JANE B. (*See* Price et al.), 557
HEATH, C. W., JR. (*See* Kyle et al.), 979 (Abst.)
HEBERT, RICHARD J. (*See* Khan, Hebert, and Soergel), 890 (Abst.)
HEIDENREICH, ROBERT O. (*See* Bang, Heidenreich, and Matsuda), 849 (Abst.)
HEIDER, LAWRENCE E. (*See* Kociba et al.), 37
HELLER, STANLEY J., AND CARLETON, RICHARD A. Abnormal left ventricular volumes in patients with mitral stenosis, 882 (Abst.)
HEMAIDAN, A. (*See* Shahidi and Hamaidan), 581
HENDERSON, WALTER J. (*See* Williams et al.), 1023 (Abst.)
HENLEY, KEITH S. With the technical assistance of LAUGHREY, EARL G. The metabolic flow rate through the phosphopyruvate hydratase and glucose phosphate isomerase steps of glycolysis in normal rat liver, in cirrhosis, and in quantitative undernutrition, 359
HERBER, LEO. (*See* Kyle et al.), 979 (Abst.)
HERMANS, PAUL E., AND MARKOWITZ, HAROLD. Serum antibody activity in patients with histoplasmosis as measured by passive hemagglutination, 453
HERMON-TAYLOR, J. (*See* DiMagno et al.), 869 (Abst.)
HERMS, WOLFGANG. (*See* Greene, Rivecca, and Herms), 880 (Abst.)
HIGGINS, JAMES T., JR. (*See* Winter, Manfredi, and Higgins), 1025 (Abst.)
HILLEGAS, JON R. (*See* Itskovitz et al.), 886 (Abst.)
HIMELSTEIN, E. S. (*See* Bettigole et al.), 850 (Abst.)
HINES, JOHN D. Altered phosphorylation of vitamin B_6 in alcoholic patients induced by oral administration of alcohol, 882 (Abst.)
HIRSCH, S. ROGER, ZASTROW, JOYCE E., AND KORY, ROSS C. Sputum liquefying agents: a comparative in vitro evaluation, 346
HO, K. J. (*See* Taylor et al.), 1019 (Abst.)
HOAK, JOHN C. (*See* Fry and Hoak), 536
HOFFMAN, RICHARD S., MARTINO, JOSEPH A., WAHL, GEORGIA, AND ARKY, RONALD A. Effects of fasting and refeeding. II. Tubular sites of sodium reabsorption and effects of oral carbohydrate on potassium, calcium, and phosphate excretion, 915
HOGAN, W. J., VIEGAS DE ANDRADE, S. R., AND WINSHIP, D. H. Ethanol-induced human esophageal motor dysfunction, 883 (Abst.)
HOGENKAMP, H. P. C. (*See* Falabella et al.), 870 (Abst.)
—. (*See* Hamilton et al.), 881 (Abst.)
HOGHOUGHI, MICHAEL. (*See* Rosenbaum, Makoff, and Maxwell), 427

HOLLAND, JAMES F. (*See* Senn, Holland, and Banerjee), 742
HONG, RICHARD, MEUWISSEN, HILAIRE J., AMMANN, ARTHUR J., AND GOOD, ROBERT A. Further experience with bone marrow engraftment in replacement therapy, 884 (Abst.)
—. (*See* Ammann and Hong), 846 (Abst.)
HOOGSTRATEN, BARTH. (*See* Stein et al.), 331
HORGER, EDGAR O. III. (*See* Zanjani et al.), 782
HORRIGAN, DIANA S. (*See* St. Geme and Horrigan), 946
HOWE, CRAIG, MORISSET, RICHARD, WORKMAN, RONALD, AND SPINK, WESLEY W. Epidemic canine brucellosis due to a new species of Brucella: an analysis of immunoglobulins, 884 (Abst.)
HUBEL, K. A. (*See* Ivey et al.), 886 (Abst.)
HUBERT, EARL G. (*See* Guze, Hubert, and Kalmanson), 274
HUGHES, GARY N. F. (*See* Rimoin et al.), 1002 (Abst.)
HUMAIR, LUC, KWAAN, HAU C., AND POTTER, ELIZABETH V. The role of fibrinogen in renal disease. II. Effect of anticoagulants and urokinase on experimental lesions in mice, 72
—, POTTER, ELIZABETH V., AND KWAAN, HAU C. The role of fibrinogen in renal disease. I. Production of experimental lesions in mice, 60
HUNDER, GENE G., AND MCDUFFIE, FREDERIC C. Effect of intra-articular hydrocortisone on synovial fluid complement, 885 (Abst.)
HUNT, JAMES C. (*See* Edwards, Strong, and Hunt), 389
HURLEY, PETER J. (*See* Strauss et al.), 597
HUSSEY, L. K. (*See* Taylor et al.), 1019 (Abst.)
HUTCHINSON, DONALD L. (*See* Zanjani et al.), 782

I

INCEMAN, ŞEREF, AND TANGÜN, YÜCEL. A simple test for the evaluation of platelet coagulant activity, 174
INKLEY, SCOTT R., AND MACINTYRE, WILLIAM J. Dynamic lung scanning with the use of ^{133}xenon, 885 (Abst.)
IRVIN, WILLIAM S. (*See* Sharp et al.), 1010 (Abst.)
ISHII, MASAO, AND TOBIAN, LOUIS. Interstitial cell granules in renal papilla and the solute composition of renal tissue in rats with Goldblatt hypertension, 47
ISRAELS, E. D. (*See* Rayner et al.), 586
ISRAELS, L. G. (*See* Rayner et al.), 586
ITSKOVITZ, HAROLD D., HILLEGAS, JON R., DENMAN, TIMOTHY M., SHAH, ARVIND S., AND BROCK, JEAN. Studies of sodium and water metabolism in the isolated perfused dog kidney, 886 (Abst.)
IVEY, KEVIN J., CLIFTON, J. A., HUBEL, K. A., AND DENBESTEN, L. Effect of bile salts on back diffusion of hydrogen ions in the human gastric mucosa, 886 (Abst.)

J

JACOBS, A., KAYE, M. D., AND TREVETT, D. The chelation of iron during intestinal absorption, 212
JACOBS, HENRY R. Temporary low-shear thixotropy of blood in heavy smokers, 887 (Abst.)
JACOBS, L. A. (*See* Bottomley et al.), 852 (Abst.)
JACOBSON, M. (*See* Kim et al.), 891 (Abst.)
JAFFE, BERNARD, NEWTON, WILLIAM T., AND MCGUIGAN, JAMES E. Gastrin resistance following immunization to the C-terminal tetrapeptide of gastrin, 887 (Abst.)
JAKSINA, STEPHANIE. (*See* DeGroot and Jaksina), 257
JANSSON, B. O., AND LARSSON, B. T. Analysis of organic compounds in human breath by gas chromatography-mass spectrometry, 961
JENSEN, W. N. (*See* Bromberg, Barefield, and Jensen), 854 (Abst.)
JIMENEZ-PASQUAU, FRANCISCO. (*See* Brunning et al.), 855 (Abst.)
JOHANSON, WALDEMAR G. (*See* Sanders et al.), 1005 (Abst.)
JOHNSON, CARL A. Arterial blood pressure gradient of the arm, 888 (Abst.)
JOHNSON, MARY ANN. (*See* Azar et al.), 848 (Abst.)
JOHNSON, ROBERT L., JR. (*See* Winga and Johnson), 1025 (Abst.)
JOHNSON, WARREN. (*See* Meek et al.), 988 (Abst.)
JONES, EUGENE. (*See* Coussons et al.), 864 (Abst.)
JONES, JAMES D. (*See* Keating, Jones, and Elveback), 507
JONES, JOHN E. (*See* Shane, Melby, and Jones), 1010 (Abst.)
JORDON, ROBERT E., SAMS, W. MITCHELL, JR., AND BEUTNER, ERNST H. Complement immunofluorescent staining in bullous pemphigoid, 548
JOSEPH, BETTY J. (*See* Rennie and Joseph), 1000 (Abst.)
JOWSEY, JENIFER. (*See* Salassa, Jowsey, and Arnaud), 1004 (Abst.)
JUBIZ, WILLIAM. (*See* Meikle et al.), 515

K

KAHN, DONALD R. (*See* Carr et al.), 859 (Abst.)
KALKHOFF, R. K. (*See* Kim et al.), 891 (Abst.)
KALMANSON, GEORGE M. (*See* Guze, Hubert, and Kalmanson), 274
KAMEN, BARTON. (*See* Rothenberg, Gizis, and Kamen), 662

KANEKO, TOSHIO, AND FIELD, JAMES B. A method for determination of 3′, 5′-cyclic adenosine monophosphate based on adenosine triphosphate formation, 682

KAPLAN, MANUEL E., AND WOODSON, MILDRED. Tertiary structure as a determinant factor in the electrophoretic mobility of IgG, 888 (Abst.)

KAPLAN, MELVIN H. (*See* Grupe and Kaplan), 400

KAUFMAN, ROBERT L. (*See* Rimoin et al.), 1002 (Abst.)

KAYE, M. D. (*See* Jacobs, Kaye, and Trevett), 212

KEATING, F. RAYMOND, JR., JONES, JAMES D., AND ELVEBACK, LILA R. Distribution of serum calcium and phosphorus values in unselected ambulatory patients, 507

KEENAN, WILLIAM J., LIGHT, IRWIN J., AND SUTHERLAND, JAMES M. Effects of epinephrine on insulin levels in infants of diabetic mothers, 888 (Abst.)

KEFALIDES, NICHOLAS A. (*See* Denduchis and Kefalides), 868 (Abst.)

KELLY, O. A. (*See* Lennon et al.), 980 (Abst.)

KELLY, PATRICK J., YIPINTSOI, TADA, AND BASSINGTHWAIGHTE, JAMES B. Estimation of canine tibial diaphyseal collateral blood flow by ^{121}I-antipyrine washout, 889 (Abst.)

KENNEDY, B. J. Cyclic leukocyte oscillations in chronic myelogenous leukemia during hydroxyurea therapy, 890 (Abst.)

KHAN, M. AQIQ, HEBERT, RICHARD J., AND SOERGEL, KONRAD H. Human intestinal contents: composition, flow rate, and velocity, 890 (Abst.)

KILBRIDGE, THOMAS. (*See* Fried and Kilbridge), 623

KIM, H. J., KALKHOFF, R. K., COSTRINI, N. V., CERLETTY, J. M., AND JACOBSON, M. Effects of parathormone on plasma insulin responses and pancreatic islet secretion of insulin, 891 (Abst.)

KING, F. W. (*See* Barrocos et al.), 849 (Abst.)

KIOSCHOS, J. M., KROETZ, F. W., MCBRIDE, J. W., AND KIRKENDALL, W. M. The effect of hydralazine on renin release (RR) in patients with renal artery stenosis (RAS) and nephrosclerosis, 891 (Abst.)

—. (*See* Kroetz et al.), 977 (Abst.)

KIPNIS, DAVID M. (*See* Steiner et al.), 1016 (Abst.)

KIRK, JOHN ESBEN. Free carnitine content and carnitine acetyltransferase activity of human vascular tissue, 892 (Abst.)

KIRKENDALL, W. M. (*See* Kioschos et al.), 891 (Abst.)

KIRSTEINS, LIDIA. (*See* Goldfine, Lawrence, and Kirsteins), 876 (Abst.)

KLAHR, SAULO. (*See* Bourgoignie et al.), 852 (Abst.)

KLAINER, ALBERT, MURPHY, SAMUEL, AND MAITRA, TUSHAR. A unique serum electrophoretic pattern in hepatitis, 892 (Abst.)

KLIPPEL, J. H. (*See* Phair, Klippel, and MacKenzie), 995 (Abst.)

KNOEBEL, SUZANNE B., ELLIOTT, WILLIAM C., MCHENRY, PAUL L., AND ROSS, EDWARD. Myocardial blood flow and exercise ECG in cinearteriographically demonstrated coronary artery disease, 893 (Abst.)

KNOSPE, W. H. (*See* Fried, Knospe, and Trobaugh), 874 (Abst.)

KOCHWA, SHAUL. (*See* Zalusky et al.), 331

KOCIBA, GARY J., RATNOFF, OSCAR D., LOEB, WALTER F., WALL, ROBERT L., AND HEIDER, LAWRENCE E. Bovine plasma thromboplastin antecedent (Factor XI) deficiency, 37

KOJIMA, YOKO, AND WACKER, WARREN E. C. An enzymatic method for the measurement of asparagine and a new assay of asparaginase activity, 521

KONSEK, JOHN P., RUBENSTEIN, ARTHUR H., AND EHRLICH, EDWARD N. The biologic action of proinsulin on ventral toad skin in vitro, 894 (Abst.)

KORY, ROSS C., PENDHARKER, MAHADEO B., SIEGESMUND, KENNETH A., PEDERSON, HARLAN J., AND BOREN, HOLLIS G. Electron microscopy of sputum, 894 (Abst.)

—. (*See* Hirsch, Zastrow, and Kory), 346

KOT, PETER A. (*See* Butler, Moser, and Kot), 129

KOVEN, I. H., COTTON, R., LEDGER, D., SARSON, A., AND ACEMOGLU, M. Changes in bound water of connective tissue during hemorrhagic shock, 976 (Abst.)

KRAFT, SUMNER C. (*See* Kriebel, Kraft, and Rothberg), 976 (Abst.)

KRAUSE, HELEN E. (*See* Mufson and Krause), 991 (Abst.)

KREISBERG, ROBERT A. (*See* Price et al.), 557

KRIEBEL, GEORGE W., JR., KRAFT, SUMNER C., AND ROTHBERG, RICHARD M. Locally produced antibody to a dietary protein in human gastroduodenal secretions, 976 (Abst.)

KROETZ, FRANK W., KIOSCHOS, J. MICHAEL, MOZENA, DARRYL, AND SHIERHOLZ, JOHN. Correlation of left ventricular pre-ejection period with left ventricular ejection fraction in patients with heart disease, 977 (Abst.)

—. (*See* Kioschos et al.), 891 (Abst.)

KRUMHOLZ, RICHARD A., BURNHAM, GILBERT M., AND DELONG, JAMES. Lung scan in pulmonary disease, 977 (Abst.)

KUETHER, F. WILLIAM. (*See* Richards and Kuether), 1001 (Abst.)

KWAAN, H. C., SUWANWELA, N., AND FRANKLIN, J. L. Platelet aggregation as mechanism for disseminated intravascular coagulation in presence of marked hyperlipemia, 978 (Abst.)
—. (*See* Briggs, Kwaan, and Potter), 715
—. (*See* Humair, Potter, and Kwaan), 60
—. (*See* Humair, Kwaan, and Potter), 72
KYLE, ROBERT A., HERBER, LEO, EVATT, B. L., AND HEATH, C. W., JR. Multiple myeloma: A community cluster, 979 (Abst.)

L

LANDAU, RICHARD L. (*See* Rosenfield et al.), 1003 (Abst.)
LANGLEY, PAUL E. (*See* Burns and Langley), 857 (Abst.)
LARRIMER, NYE R. (*See* Shoop et al.), 1011 (Abst.)
LARSSON, B. T. (*See* Jansson and Larsson), 961
LAUGHREY, EARL G. (*See* Henley), 359
LAWRENCE, A. M. (*See* Goldfine, Lawrence, and Kirsteins), 876 (Abst.)
—. (*See* Rosenfield et al.), 1003 (Abst.)
LEACH, B. E. (*See* Muirhead et al.), 992 (Abst.)
LEDGER, D. (*See* Koven et al.), 976 (Abst.)
LEE, JAMES B. (*See* Crowshaw et al.), 866 (Abst.)
LEE, ROBERT E. (*See* Shoop et al.), 1011 (Abst.)
LEMON, H. M. Inhibition of binding of estradiol 6-7 H^3 to rat mammary tumor particulate fraction by estriol and its epimers, 979 (Abst.)
—. (*See* Foley, Lemon, and Miller), 873 (Abst.)
LENNON, E. J., PIERING, W. P., BROCK, J., AND KELLY, O. A. The separate effects of glucose ingestion and NH_4Cl acidosis on urinary calcium ($U_{Ca}V$) and magnesium ($U_{Mg}V$) excretion, 980 (Abst.)
LEONARDS, JACK R. Absence of gastrointestinal bleeding following administration of salicylsalicylic acid, 911
LEVIN, NATHAN W., MANDELBAUM, JORGE, AND COLWELL, JOHN A. Effect of glucose on furosemide-induced electrolyte excretion, 980 (Abst.)
LEVIN, W. C. (*See* Daniels et al.), 866 (Abst.)
—. (*See* Wolf et al.), 1027 (Abst.)
LEVITT, MICHAEL D., AND COOPERBAND, SIDNEY R. Study of macroamylasemia using I^{125} amylase, 981 (Abst.)
LEWIS, JASPER P., ALFORD, DOROTHY A., NEAL, WILLIE A., MOORES, RUSSELL R., GARDNER, EDWARD, JR., WELCH, EMILY T., WRIGHT, CLAUDE-STARR, AND SMITH, LINDA L. A biochemical concept of an erythropoietic stimulating factor (ESF), 981 (Abst.)
—, NEAL, WILLIE A., MOORES, RUSSELL R., GARDNER, EDWARD, JR., ALFORD, DOROTHY A., SMITH, LINDA L., WRIGHT, CLAUDE-STARR, AND WELCH, EMILY T. A protein inhibitor of erythropoiesis, 608
LEWIS, JESSICA H. Coagulation studies in various vertebrates, 982 (Abst.)
LIAO, SHUTSUNG. (*See* Rosenfield et al.), 1003 (Abst.)
LIEBERMAN, LIONEL M. (*See* Blair et al.), 851 (Abst.)
LIGHT, IRWIN J. (*See* Keenan, Light, and Sutherland), 888 (Abst.)
LILIENFIELD, LAWRENCE S. (*See* Antoniou et al.), 410
LILLEHEI, R. C. (*See* DiMagno et al.), 869 (Abst.)
LINDALL, ARNOLD, AND SORENSON, ROBERT. Subcellular location of proinsulin to insulin conversion in isolated rat islets, 983 (Abst.)
—. (*See* Cohen and Lindall), 863 (Abst.)
—. (*See* Steffes, Sorenson, and Lindall), 950
LINDBLAD, BENGT. (*See* Gentz et al.), 185
LINDEMAN, R. D. (*See* Bottomley et al.), 852 (Abst.)
LINDSTEDT, SVEN. (*See* Gentz et al.), 185
LINMAN, JAMES W. (*See* Pierre and Linman), 996 (Abst.)
LIPPE, FLORENCE. (*See* Spencer et al.), 1014 (Abst.)
LIU, SHEAN-MING, AND ALEXANDER, CARL S. Effect of hypocapnia, hypercapnia, and intracoronary injection of CO_2 and O_2 on myocardial blood flow, 983 (Abst.)
LOBUGLIO, ALBERT F. Characterization of the human mononuclear cell receptor for IgG globulin, 984 (Abst.)
LOEB, WALTER F. (*See* Kociba et al.), 37
LONG, JOHN W. (*See* Bynum, Long, and Zeigner), 857 (Abst.)
LONGMIRE, ROBERT. (*See* Frey-Wettstein, Longmire, and Craddock), 109
LONIGRO, ANDREW J. (*See* Crowshaw et al.), 866 (Abst.)
LOUIS, JOHN, AND PAGE, BERNADETTE R. Dose-response evaluation of Uracil Mustard in chronic lymphocytic leukemia, 984 (Abst.)
LUBY, JAMES P. (*See* Sanders et al.), 1005 (Abst.)
LUCAS, CYNTHIA A. (*See* Gaston, Lucas, and Miller), 874 (Abst.)
LUKE, ROBERT G. Mechanism of natriuresis and chloruresis during hydropenia in the rat, 985 (Abst.)
LUNDMARK, LARRY D. (*See* Schwartz et al.), 1008 (Abst.)

M

MCADAMS, A. JAMES. (*See* Glueck et al.), 875 (Abst.)
MCALISTER, WILLIAM H. (*See* Rimoin et al.), 1002 (Abst.)
MCBRIDE, J. W. (*See* Kioschos et al.), 891 (Abst.)

McDONALD, ROBERT H., JR., AND BENKO, DIANE. Myocardial heat production: Its relation to tension development and modification by norepinephrine, 985 (Abst.)

McDUFFIE, FREDERIC C. (*See* Hunder and McDuffie), 885 (Abst.)

McGIFF, JOHN C. (*See* Crowshaw et al.), 866 (Abst.)

McGUIGAN, JAMES E. (*See* Jaffe, Newton, and McGuigan), 887 (Abst.)

McHENRY, PAUL L. (*See* Knoebel et al.), 893 (Abst.)

MACINTYRE, WILLIAM J. (*See* Inkley and MacIntyre), 885 (Abst.)

McKEE, PATRICK A. (*See* Coussons et al.), 864 (Abst.)

MACKENZIE, IAIN L., AND DONALDSON, ROBERT M., JR. Effects of calcium and pH on the attachment of intrinsic factor-vitamin B_{12} complex to the intestinal absorptive surface, 986 (Abst.)

MACKENZIE, M. R. (*See* Phair, Klippel, and MacKenzie), 995 (Abst.)

McLAUGHLIN, CARLA L. (*See* Solomon and McLaughlin), 1013 (Abst.)

MACSWEEN, RODERICK N M., ONO, KEIJI, BELL, PETER R. F., THOMASON, CHARLOTTE, AND STARZL, THOMAS E. Suppression of experimental allergic thyroiditis on rats by antilymphocyte serum, 986 (Abst.)

MAHADEVAN, V. (*See* Chen, Zieve, and Mahadevan), 861 (Abst.)

MAIS, F. ROLAND. (*See* Fink and Mais), 871 (Abst.)

MAITRA, TUSHAR. (*See* Klainer, Murphy, and Maitra), 892 (Abst.)

MAJER, JAROSLAV, AND COHEN, EDWARD P. Isolation of a presumptive messenger ribonucleic acid (RNA) for antibody from the spleens of mice, 987 (Abst.)

MAKINO, S., AND REED, C. E. Distribution and elimination of exogenous alpha-l-antitrypsin, 987 (Abst.)

MAKOFF, DWIGHT L. (*See* Rosenbaum, Makoff, and Maxwell), 427

MAMMEN, EBERHARD F. (*See* Grammens, Prasad, and Mammen), 378 (Abst.)

MANDELBAUM, JORGE. (*See* Levin, Mandelbaum, and Colwell), 980 (Abst.)

MANFREDI, FELICE. (*See* Winter, Manfredi, and Higgins), 1025 (Abst.)

MANIEGO-BAUTISTA, LETICIA P., AND BAZZANO, GAETANO. Effects of oral contraceptives on serum lipid and folate levels, 988 (Abst.)

MANYAN, DAVID R. (*See* Martelo et al.), 927

MARK, ALLYN L. (*See* Schuelke et al.), 1008 (Abst.)

MARKOWITZ, HAROLD. (*See* Hermans and Markowitz), 453

MARTELO, ORLANDO J., MANYAN, DAVID R., SMITH, UNA S., AND YUNIS, ADEL A. Chloramphenicol and bone marrow mitochondria, 927

MARTIN, DANIEL C. (*See* Balcerzak, Arnold, and Martin), 848 (Abst.)

MARTIN, R. RUSSELL. (*See* Crowder, Martin, and White), 436

MARTINO, JOSEPH A. (*See* Hoffman et al.), 915

MASI, ALFONSE T. (*See* Sartwell et al.), 1005 (Abst.)

MATSUDA, MICHIO. (*See* Bang, Heidenreich, and Matsuda), 849 (Abst.)

MATSUDA, TAKAYOSHI. Method for labeling red cells with diisopropylphosphorofluoridate-P^{32} in vitro, 836

—, TAUBE, ROBERT R., DERN, RAYMOND J., ELWYN, DAVID H., BAKER, ROBERT J., AND SHOEMAKER, WILLIAM C. Red cell survival of 42 day acid-citrate-dextrose (ACD)—adenine preserved blood after transfusion into traumatized patients, 42

MAXWELL, MORTON H. (*See* Rosenbaum, Makoff, and Maxwell), 427

MEADOR, CLIFTON K. (*See* Price et al.), 557

MEARRICK, PETER T., AND MISTILIS, STEVEN P. Excretion of radiocopper by the neonatal rat, 421

MEDLINSKY, JOANNE T., NAPIER, CONNIE D., AND GURNEY, CLIFFORD W. The use of an antiandrogen to further investigate the erythropoietic effects of androgens, 85

MEEK, JOSEPH C., OELSCHLAGER, RONALD D., JOHNSON, WARREN, AND BOLINGER, ROBERT E. Plasma A chain insulin ratios as a measure of insulin cleavage, 988 (Abst.)

MEIKLE, A. WAYNE, JUBIZ, WILLIAM, WEST, CHARLES D., AND TYLER, FRANK H. A simple fluorometric method for assay of plasma metyrapone, 515

—, TAKIGUCHI, HISACHI, MIZUTANI, SHUTARO, TYLER, FRANK H., AND WEST, CHARLES D. Urinary cortisol excretion determined by competitive protein-binding radioassay: A test of adrenal cortical function, 803

MEISENZAHL, DONNA. (*See* Rosen and Sears), 941

MELBY, JAMES C. (*See* Shane, Melby, and Jones), 1010 (Abst.)

MELHORN, DAVID K., AND GROSS, SAMUEL. Relationships between iron-dextran and vitamin E in iron deficiency anemia in children, 789

MESSER, MICHAEL J., AND HARRIS, JOHN W. Filtration characteristics of sickle cells: Rates of alteration of filterability after deoxygenation and reoxygenation and correlations with sickling and unsickling, 989 (Abst.)

MESSNER, RONALD P., SMITH, HENRY T., SHAPIRO, FRED L., AND GREGORY, DANIEL H. The effect of hemodialysis, vitamin D, and renal homotransplantation on the calcium malabsorption of chronic renal failure, 472

—. (*See* Gregory and Messner), 464

MEUWISSEN, HILAIRE J. (*See* Hong et al.), 884 (Abst.)

MEYER, L. M. (*See* Gizis et al.), 574
MICHEL, BENO. (*See* Moskowitz et al.), 990 (Abst.)
MIDDLETON, W. R. J., AND THOMPSON, GILBERT R. The mechanism of steatorrhea in induced hyperthyroidism in the rat, 19
MIKKELSON, B. (*See* Taylor et al.), 1019 (Abst.)
MILLEN, J. EUGENE. (*See* Adamson et al.), 843 (Abst.)
MILLER, C. LINDSEY. (*See* Bourgoignie et al.), 852 (Abst.)
MILLER, CRAIG E. (*See* Gaston, Lucas, and Miller), 874 (Abst.)
MILLER, DANIEL M. (*See* Foley, Lemon, and Miller), 873 (Abst.)
MILLER, I. F. (*See* Gizis et al.), 574
MINTZ, DANIEL H. (*See* Davis et al.), 867 (Abst.)
MISTILIS, STEVEN P. (*See* Mearrick and Mistilis), 421
MIZUTANI, SHUTARO. (*See* Meikle et al.), 803
MOCARELLI, PAOLO. (*See* Clerici et al.), 145
MOHR, JOHN A. (*See* Rhoades et al.), 1000 (Abst.)
MOLINAS, FELICIA. (*See* Rabiner and Molinas), 998 (Abst.)
MOLNAR, WILLIAM. (*See* Wooley and Molnar), 1027 (Abst.)
MONTO, ARNOLD S., CAVALLARO, JOSEPH J., AND BROWN, GORDON C. Attenuated rubella vaccination in families: Observations on the lack of fluorescent antibody response and on the use of blood collected on filter paper discs in the hemagglutination-inhibition test, 98
MOORES, RUSSELL R. (*See* Lewis et al.), 608
—. (*See* Lewis et al.), 981 (Abst.)
MOORHOUSE, J. A. An observation upon the gastrointestinal component of glucose tolerance, 989 (Abst.)
MORISSET, RICHARD. (*See* Howe et al.), 884 (Abst.)
MORRISSEY, RICHARD A. (*See* Sutton et al.), 1017 (Abst.)
MORTIMER, EDWARD A., JR., GEIL, CAROL C., PRESSMAN, ANN E., SCHWEBACH, MARTHA K., EBERLE, BETTY J., AND OSEASOHN, ROBERT O. An experimental rural health services delivery system employing a physician's assistant, 990 (Abst.)
MOSER, KENNETH M. (*See* Butler, Moser, and Kot), 129
MOSKOWITZ, ROLAND W., SCHWARTZ, HOWARD J., MICHEL, BENO, RATNOFF, OSCAR D., AND ASTRUP, TAGE. Activation of Hageman factor and kinin generation by acid polysaccharides and human articular cartilage, 990 (Abst.)
MOZENA, DARRYL. (*See* Kroetz et al.), 977 (Abst.)
MUCKERHEIDE, MARY M. (*See* Abels and Muckerheide), 843 (Abst.)
MUFSON, MAURICE A., AND KRAUSE, HELEN E. Influence of host factors on the intrahospital spread of parainfluenza 3 virus infection, 991 (Abst.)
MUIRHEAD, E. E., BROWN, G. B., GERMAIN, G. S., BROOKS, B., AND LEACH, B. E. The renal medulla as an antihypertensive organ, 992 (Abst.)
MURILLO, J. (*See* Wolf et al.), 1027 (Abst.)
MURPHY, JOHN R. Erythrocyte osmotic fragility and cell water—influence of pH and temperature, 319
—. (*See* Shank et al.), 630
MURPHY, SAMUEL. (*See* Klainer, Murphy, and Maitra), 892 (Abst.)
MURRAY, M. JOHN, AND STEIN, NELL. Experimental achylia gastrica and iron absorption, 992 (Abst.)

N

NAFF, GEORGE B. (*See* Ratnoff and Naff), 380
NAGASAKA, AKIO. (*See* DeGroot and Nagasaka), 868 (Abst.)
NAPIER, CONNIE D. (*See* Medlinsky, Napier, and Gurney), 85
NEAL, WILLIE A. (*See* Lewis et al.), 608
—. (*See* Lewis et al.), 981 (Abst.)
NEIDERHISER, DEWEY H., AND ROTH, HAROLD P. Studies on the structural requirements for the micellar solubilization of cholesterol in bile, 993 (Abst.)
NEWTON, WILLIAM T. (*See* Jaffe, Newton, and McGuigan), 887 (Abst.)
NG, KEVIN K. F. (*See* Crowshaw et al.), 866 (Abst.)
NI, LOUISA Y. (*See* Davidson and Ni), 867 (Abst.)
NICKERSON, D. SCOTT, WILLIAMS, RALPH C., JR., AND QUIE, PAUL G. Study of serum opsonins and polymorphonuclear leukocytes in heroin addicts, 993 (Abst.)
NORD, H. JUERGEN. (*See* Williams, Nord, and Fontanes), 1024 (Abst.)
NORDQUIST, ROBERT. (*See* Rhoades et al.), 1000 (Abst.)
NORTON, WALTER L. Endothelial inclusions in active lesions of systemic lupus erythematosus, 369
NOYES, CLAUDIA M. (*See* Carson, Frischer, and Noyes), 860 (Abst.)

O

OBERMAN, HAROLD. (*See* Carr et al.), 859 (Abst.)
O'BRIEN, GEORGE S. (*See* Afonso and O'Brien), 844 (Abst.)
O'CONNELL, CORNELIUS J. (*See* Plaut et al.), 12
OELSCHLAGER, RONALD D. (*See* Meek et al.), 988 (Abst.)
OKUDA, KUNIO, YASHIMA, KEISUKE, AND TAKAMATSU, MASATOSHI. Intestinal absorption of cobamide coenzyme in relation to structural integrity and intrinsic factor, 218

ONO, KEIJI. (*See* MacSween et al.), 986 (Abst.)
OOI, BOON SENG. (*See* Pollak, Pesce, and Ooi), 997 (Abst.)
O'REILLY, ROBERT A. (*See* Aggeler and O'Reilly), 229
ORRINGER, EUGENE R., WEISS, FREDERICK R., AND PREUSS, HARRY G. Azotemic inhibition of organic acid transport. Mechanisms and characteristics, 994 (Abst.)
OSEASOHN, ROBERT O. (*See* Mortimer et al.), 990 (Abst.)
OSIS, DACE. (*See* Spencer et al.), 1014 (Abst.)
OSTROW, J. DONALD. Absorption by the gallbladder of bile salts, sulfobromophthalein, and iodipamide, 482

P

PABICO, RUFINO C. (*See* Plaut et al.), 12
PAGE, BERNADETTE R. (*See* Louis and Page), 984 (Abst.)
PANNACCIULLI, I., SALVIDIO, E., TIZIANELLO, A., AND PARRAVIDINO, G. Hemolytic effects of standard single dosages of primaquine and chloroquine on G-6-PD-deficient Caucasians, 653
PARASKEVAS, F. (*See* Rayner et al.), 586
PARKER, CHARLES W. (*See* Steiner et al.), 1016 (Abst.)
PARRAVIDINO, G. (*See* Pannacciulli et al.), 653
PEARSON, C. M. (*See* Peter, Worsfold, and Pearson), 103
PEDERSON, HARLAN J. (*See* Kory et al.), 894 (Abst.)
PENDHARKER, MAHADEO B. (*See* Kory et al.), 894 (Abst.)
PERKOFF, GERALD T., ABERNATHY, ROY, AND RUIZ, MARTHA. Effect of succinylcholine on creatine phosphokinase (CPK) in anesthetized dogs, 153
PERRY, H. MITCHELL, JR. Possibly increased survival of hydralazine toxic patients, 994 (Abst.)
PESCE, AMADEO J. (*See* Pollak, Pesce, and Ooi), 997 (Abst.)
PETER, J. B., WORSFOLD, M., AND PEARSON, C. M. Erythrocyte ghost adenosine triphosphatase (ATPase) in Duchenne dystrophy, 103
—. (*See* Worsfold, Dunn and Peter), 160
PETERSON, RAYMOND D. A. (*See* Alm and Peterson), 845 (Abst.)
PHAIR, J. P., KLIPPEL, J. H., AND MACKENZIE, M. R. Antiglobulins and subacute bacterial endocarditis: specific antiantibodies, 995 (Abst.)
PICKETT, JOHN C. (*See* Ward, Gordon, and Pickett), 93
PIERING, W. P. (*See* Lennon et al.), 980 (Abst.)
PIERRE, ROBERT V., AND LINMAN, JAMES W. Chromosome analysis in preleukemia, 996 (Abst.)
PIOMELLI, SERGIO. (*See* Rubin et al.), 732
PISAREV, MARIO A., AND DEGROOT, LESLIE J. Cyclic AMP production of goiter, 996 (Abst.)
PLAUT, MARTIN E., O'CONNELL, CORNELIUS J., PABICO, RUFINO C., AND DAVIDSON, DONALD. Penicillin handling in normal and azotemic patients, 12
POH, MAUREEN B., AND RYTEL, MICHAEL W. Bacterial infections in systemic lupus erythematosus, 996 (Abst.)
POLESKY, HERBERT F. (*See* Blume and Polesky), 691
POLET, HERMAN. (*See* Barnes and Polet), 1
POLLAK, VICTOR E., PESCE, AMADEO J., AND OOI, BOON SENG. Albumin distribution and transport in the nephron, 997 (Abst.)
POTCHEN, E. JAMES. (*See* Wochner et al.), 1026 (Abst.)
POTTER, ELIZABETH V. (*See* Briggs, Kwaan, and Potter), 715
—. (*See* Humair, Potter, and Kwaan), 60
—. (*See* Humair, Kwaan, and Potter), 72
PRASAD, ANANDA S. (*See* Grammens, Prasad, and Mammen), 878 (Abst.)
PRESSMAN, ANN E. (*See* Mortimer et al.), 990 (Abst.)
PREUSS, HARRY G. (*See* Orringer, Weiss, and Preuss), 994 (Abst.)
PRICE, WILLIAM F., HAZELRIG, JANE B., KREISBERG, ROBERT A., AND MEADOR, CLIFTON K. Reproducibility of body composition measurements in a single individual, 557

Q

QUIE, PAUL G. (*See* Nickerson, Williams, and Quie), 993 (Abst.)

R

RABINER, S. FREDERICK, GOLDFINE, IRA D., HART, ARLENE, SUMMARIA, LOUIS, AND ROBBINS, KENNETH C. Radioimmunoassay of human plasminogen and plasmin, 265
—, AND MOLINAS, FELICIA. The role of phenol and hydroxy phenolic acids in uremic thrombocytopathy and defective platelet aggregation, 998 (Abst.)
RADAWSKI, D. (*See* Chou et al.), 862 (Abst.)
RAMBOER, CARLOS R. H. A sensitive and nonradioactive assay for serum and tissue xanthine oxidase, 828
RAMOT, BRACHA, BEN-BASSAT, ISAAC, AND SHCHORY, MORDECHAI. New glucose-6-phosphate dehydrogenase variants observed in Israel and their association with congenital nonspherocytic hemolytic disease, 895
RAND, SANDRA. (*See* Williams et al.), 1023 (Abst.)
RANDOLPH, THERON G. Domiciliary chemical air pollution in the etiology of chronic illness, 998 (Abst.)
RAPPAPORT, HENRY. (*See* Allen et al.), 845 (Abst.)

RATNOFF, OSCAR D., AND NAFF, GEORGE B. The role of C'1q, cations, and ionic strength in the formation of C'1 esterase, 380
—. (*See* Kociba et al.), 37
—. (*See* Moskowitz et al.), 990 (Abst.)
RAYFORD, P. L. (*See* Rodbard, Bridson, and Rayford), 770
RAYNER, H., PARASKEVAS, F., ISRAELS, L. G., AND ISRAELS, E. D. Fibrinogen breakdown products: Identification and assay in serum and urine, 586
REED, C. E. (*See* Makino and Reed), 987 (Abst.)
REES, E. DOUGLAS. Chromosome changes in marrow cells following intravenous administration of a chemical carcinogen, 999 (Abst.)
REFETOFF, SAMUEL, ROBIN, NOEL I., AND FANG, VICTOR S. Parameters of thyroid function in serum of 16 selected vertebrates: A study of protein-bound iodine (PBI), serum T_4, free T_4, and the pattern of T_4 and T_3 binding to serum proteins, 999 (Abst.)
REMMERS, A. R., JR. (*See* Daniels et al.), 866 (Abst.)
—. (*See* Wolf et al.), 1027 (Abst.)
RENNIE, I. DRUMMOND, AND JOSEPH, BETTY J. Urine protein excretion in climbers at high altitude, 1000 (Abst.)
RHOADES, EVERETT, MOHR, JOHN A., NORDQUIST, ROBERT, AND COALSON, JACQUELINE. Immunologic studies of sheep inoculated with a transforming agent recovered from human alveolar cell carcinoma, 1000 (Abst.)
RHODES, BUCK A. (*See* Strauss et al.), 597
RICHARDS, A. MACDONELL, AND KUETHER, F. WILLIAM. A study of blood flow regimes in the ascending aorta as an empiric foundation for measurement of cardiac output by catheter tip flow sensors, 1001 (Abst.)
RIESELBACH, RICHARD E. (*See* Gutmann, Shelp, and Rieselbach), 642
—. (*See* Wagnild et al.), 1022 (Abst.)
RIGBY, PERRY G. The suppression of human lymphocyte transformation (HLT) by DEAE-dextran, 1001 (Abst.)
RIMOIN, DAVID L., HUGHES, GARY N. F., KAUFMAN, ROBERT L., AND MCALISTER, WILLIAM H. The chondrodystrophies—clinical and histopathological correlations, 1002 (Abst.)
RITCHIE, JAMES C. (*See* Castor et al.), 860 (Abst.)
RITZMANN, S. E. (*See* Daniels et al.), 866 (Abst.)
—. (*See* Wolf et al.), 1027 (Abst.)
RIVECCA, JAMES. (*See* Greene, Rivecca, and Herms), 880 (Abst.)
ROBBINS, KENNETH C. (*See* Rabiner et al.), 265
ROBIN, EUGENE D. (*See* Adamson et al.), 843 (Abst.)
ROBIN, NOEL I. (*See* Refetoff, Robin, and Fang), 999 (Abst.)
ROCHA, MARIA J. (*See* Tesar et al.), 1020 (Abst.)
RODBARD, DAVID, BRIDSON, WILLIAM, AND RAYFORD, P. L. Rapid calculation of radioimmunoassay results, 770
RODBARD, SIMON. Casts formed by plastic injections into carcinomas, 1003 (Abst.)
ROGERS, ARVEY I. (*See* Bachorik and Rogers), 705
ROSEN, HENRY, AND SEARS, DAVID A. With the technical assistance of MEISENZAHL, DONNA. Spectral properties of hemopexin-heme: The Schumm test, 941
ROSENBAUM, BARRY J., MAKOFF, DWIGHT L., AND MAXWELL, MORTON H. With the technical assistance of HOGHOUGHI, MICHAEL. Acid-base and electrolyte changes induced by acute isotonic saline infusion in the nephrectomized dog, 427
ROSENBERG, E. W. (*See* Goldenberg, Bicks, and Rosenberg), 876 (Abst.)
ROSENBERG, I. H. (*See* Hardison and Rosenberg), 564
ROSENFIELD, ROBERT L., LAWRENCE, ANN M., LIAO, SHUTSUNG, AND LANDAU, RICHARD L. Comparative metabolic studies in complete and incomplete forms of the feminizing testes syndrome, 1003 (Abst.)
ROSENMANN, E., DISHON, T., AND BOSS, J. H. Excretion of accessory genital glands—specific antigens in the urine of healthy male rats, 31
ROSS, EDWARD. (*See* Knoebel et al.), 893 (Abst.)
ROSSI, ENNIO C. A magnesium-dependent calcium-inhibited ATPase in human platelets, 1004 (Abst.)
ROTH, HAROLD P. (*See* Neiderhiser and Roth), 993 (Abst.)
ROTHBERG, RICHARD M. (*See* Kriebel, Kraft, and Rothberg), 976 (Abst.)
ROTHENBERG, SHELDON P., GIZIS, FRANCES, AND KAMEN, BARTON. Antibodies against folic acid. I. In vitro biophysical effect, 662
ROY, RONALD B., SHAW, RALPH W., AND CONNELL, GEORGE E. With the technical assistance of DORIS, LYNNE. A simple method for the quantitative determination of serum haptoglobin, 698
RUBENSTEIN, ARTHUR H. (*See* Konsek, Rubenstein, and Ehrlich), 894 (Abst.)
RUBIN, CHARLES S., BALIS, M. EARL, PIOMELLI, SERGIO, BERMAN, PETER H., AND DANCIS, JOSEPH. Elevated AMP pyrophosphorylase activity in congenital IMP pyrophosphorylase deficiency (Lesch-Nyhan disease), 732
RUFF, D. J. (*See* West, Ruff, and Yarbro), 1022 (Abst.)
RUIZ, MARTHA. (*See* Perkoff, Abernathy, and Ruiz), 153

RUNYAN, JOHN W., JR. (*See* Williams, Runyan, and Hagen), 1023 (Abst.)
RYTEL, MICHAEL W. (*See* Poh and Rytel), 996 (Abst.)

S

ST. GEME, JOSEPH W., JR., AND HORRIGAN, DIANA S. Comparative production of interferon by foreskin fibroblasts from newborn infants and children, 946
SALASSA, ROBERT M., JOWSEY, JENIFER, AND ARNAUD, CLAUDE D. Hypophosphatemic osteomalacia associated with small benign sclerosing hemangiomas, 1004 (Abst.)
SALVIDIO, E. (*See* Pannacciulli et al.), 653
SAMACHSON, JOSEPH. (*See* Spencer et al.), 1014 (Abst.)
SAMS, W. MITCHELL, JR. (*See* Jordon, Sams, and Beutner), 548
SANDERS, CHARLES V., LUBY, JAMES P., JOHANSON, WALDEMAR G., BARNETT, JACK A., AND SANFORD, JAY P. An outbreak of nosocomial infections due to *Serratia marcescens* traced to contaminated inhalation-therapy medications, 1005 (Abst.)
SANFORD, JAY P. (*See* Sanders et al.), 1005 (Abst.)
SARLES, H. E. (*See* Daniels et al.), 866 (Abst.)
—. (*See* Wolf et al.), 1027 (Abst.)
SARSON, A. (*See* Koven et al.), 976 (Abst.)
SARTWELL, PHILIP E., MASI, ALFONSE T., ARTHES, FEDERICO G., GREENE, GERALD R., AND SMITH, HELEN E. Thromboembolism and oral contraceptives: Results of an epidemiological study of 175 cases and matched controls, 1005 (Abst.)
SASSETTI, RICHARD J. Structural considerations of hyperviscous paraproteins, 1006 (Abst.)
SATO, TATSUO, AND DEQUATTRO, VINCENT. Enzymatic assay for 3,4-dihydroxymandelic acid (DOMA) in human urine, plasma, and tissues, 672
SCHEDL, HAROLD P., AND WILSON, HELEN D. In vivo hexose transport by the rat small intestine: Effects of diabetes, 1006 (Abst.)
SCHENK, ERIC A. (*See* Schwartz et al.), 203
SCHEUER, JAMES, AND STEZOSKI, S. WILLIAM. A protective effect of increased glycogen stores in cardiac anoxia, 1007 (Abst.)
SCHMID, FRANK R. (*See* Tesar et al.), 1020 (Abst.)
SCHMID, PHILIP G. (*See* Schuelke et al.), 1008 (Abst.)
SCHOENFIELD, LESLIE J. (*See* Thistle and Schoenfield), 1020 (Abst.)
SCHUELKE, DENNIS M., MARK, ALLYN L., SCHMID, PHILLIP G., AND ECKSTEIN, JOHN W. Coronary vasodilatation produced by dopamine after adrenergic blockade, 1008 (Abst.)
SCHWARTZ, HOWARD J. (*See* Moskowitz et al.), 990 (Abst.)
SCHWARTZ, ROBERT H., SCHENK, ERIC A., BERMAN, JEFFREY, AND ELLIS, BONNIE A. Hereditary nonlymphopenic agammaglobulinemia with splenomegaly: a family study, 203
SCHWARTZ, SAMUEL, STEPHENSON, BETTY D., LUNDMARK, LARRY D., EDMONDSON, PAGE R., AND WONG, EDWARD T. Fractional analysis of the normal urinary pigments, 1008 (Abst.)
SCHWEBACH, MARTHA K. (*See* Mortimer et al.), 990 (Abst.)
SCOTT, J. B. (*See* Chou et al.), 862 (Abst.)
SEARS, DAVID A. (*See* Rosen and Sears), 941
SEIDEL, DIETRICH, ALAUPOVIC, PETAR, AND FURMAN, ROBERT H. Characterization of an abnormal low-density lipoprotein in patients with obstructive jaundice, 1009 (Abst.)
SEIFE, BURTON, AND SHILS, MAURICE E. With the technical assistance of AMSTER, GERI. The estimation of fat absorption in man with the use of double isotopes $^{131}BaSO_4$ and ^{131}-iodine triolein, 119
SENN, HANSJOERG, HOLLAND, JAMES F., AND BANERJEE, TARIT. Kinetic and comparative studies on localized leukocyte mobilization in normal man, 742
SHABETAI, RALPH. The dynamics of cardiac compression: A flowmeter study of the differences between constrictive pericarditis and cardiac tamponade, 1009 (Abst.)
SHAH, ARVIND S. (*See* Itskovitz et al.), 886 (Abst.)
SHAHIDI, N. T., AND HEMAIDAN, A. Acetophenetidin-induced methemoglobinemia and its relation to the excretion of diazotizable amines, 581
SHANE, STANLEY R., MELBY, JAMES C., AND JONES, JOHN E. Circadian rhythms of electrolyte excretion during prolonged upright posture, 1010 (Abst.)
SHANK, BRENDA BUCKHOLD, ADAMS, ROBERT B., STEIDLEY, K. DAVID, AND MURPHY, JOHN R. A physical explanation of the bimodal distribution obtained by electronic sizing of erythrocytes, 630
SHAPIRO, FRED L. (*See* Messner et al.), 472
SHARP, GORDON C., IRVIN, WILLIAM S., GOULD, R. GORDON, AND TAN, ENG M. Specific antibody to the extractable nuclear antigen (ENA) in the mixed connective tissue disease syndrome, 1010 (Abst.)
SHARP, J. T. (See Barrocos et al.), 849 (Abst.)
SHAW, RALPH W. (*See* Roy, Shaw, and Connell), 698
SHCHORY, MORDECHAI. (*See* Ramot, Ben-Bassat, and Shchory), 895
SHEAGREN, JOHN N. (*See* Bird, Sheagren, and Bennett), 340

SHEAR, LEROY, CHING, SANTIAGO, AND GABUZDA, GEORGE J. Kinetics of ascites absorption and formation in hepatic cirrhosis, 1011 (Abst.)
SHEETS, RAYMOND F. (*See* Falabella et al.), 870 (Abst.)
—. (*See* Hamilton et al.), 881 (Abst.)
SHELP, WELDON D. (*See* Gutmann, Shelp, and Rieselbach), 642
SHIERHOLZ, JOHN. (*See* Kroetz et al.), 977 (Abst.)
SHILS, MAURICE E. (*See* Seife and Shils), 119
SHIU, MAN HEI. (*See* Bettigole et al.), 850 (Abst.)
SHOEMAKER, WILLIAM C. (*See* Matsuda et al.), 42
SHOOP, RICHARD H., BALCERZAK, STANLEY P., LARRIMER, NYE R., AND LEE, ROBERT E. Surface morphology of the early hemostatic reaction, 1011 (Abst.)
SHORE, NOMIE A. (*See* Dukes, Hammond, and Shore), 250
SIEGESMUND, KENNETH A. (*See* Kory et al.), 894 (Abst.)
SILVERMAN, D. (*See* Steigmann et al.), 1015 (Abst.)
SINGER, LEON, ARMSTRONG, W. D., AND VOGEL, J. J. Determination of fluoride content of urine by electrode potential measurements, 354
SLAVIN, RAYMOND G., AND CHERRY, JAMES D. Allergic bronchopulmonary aspergillosis: Clinical and immunologic studies, 1012 (Abst.)
SLOTKOFF, LAWRENCE M. (*See* Antoniou et al.), 410
SMITH, HELEN E. (*See* Sartwell et al.), 1005 (Abst.)
SMITH, HENRY T. (*See* Messner et al.), 472
SMITH, LINDA L. (*See* Lewis et al.), 608
—. (*See* Lewis et al.), 981 (Abst.)
SMITH, UNA S. (*See* Martelo et al.), 927
SMITHEE, G. ANN. (*See* Bottomley and Smithee), 445
SODOYEZ, JEAN-CLAUDE, SODOYEZ-GOFFAUX, FRANCOISE, DUNBAR, JOSEPH C., AND FOA, PIERO P. Pancreatic suppression and atrophy induced in normal rodents by sulfonylurea derivatives, 1012 (Abst.)
SODOYEZ-GOFFAUX, FRANCOISE. (*See* Sodoyez et al.), 1012 (Abst.)
SOERGEL, KONRAD H. (*See* Khan, Hebert, and Soergel), 890 (Abst.)
SOLOMON, ALAN, AND MCLAUGHLIN, CARLA L. Subclasses of kappa-light chains: Immunochemical and structural correlation, 1013 (Abst.)
SORENSON, ROBERT. (*See* Lindall and Sorenson), 983 (Abst.)
—. (*See* Steffes, Sorenson, and Lindall), 950
SPENCER, HERTA, OSIS, DACE, LIPPE, FLORENCE, AND SAMACHSON, JOSEPH. Calcium absorption and calcium and fluoride balances during sodium fluoride supplementation in man, 1014 (Abst.)
SPINK, WESLEY W. (*See* Howe et al.), 884 (Abst.)
STARZL, THOMAS E. (*See* MacSween et al.), 986 (Abst.)
STEAD, WILLIAM W., AND BATES, JOSEPH H. Implications of an "experiment of nature" for the pathogenesis of tuberculosis in man, 1014 (Abst.)
STEELE, THOMAS H. Dissociation of changes in renal solute excretion during diuretic induced volume contraction in man, 1015 (Abst.)
—. Evidence for altered urate reabsorption during changes in volume of the extracellular fluid, 288
STEFFES, MICHAEL W., SORENSON, ROBERT L., AND LINDALL, ARNOLD W. Quantitative aspects of the measurement of native secretion granule insulin, 950
STEIDLEY, K. DAVID. (*See* Shank et al.), 630
STEIGMANN, F., CONDON, R. E., BOMBECK, C. T., SILVERMAN, D., AND DUBIN, A. Biochemical changes during isolated heterologous bovine liver perfusions, 1015 (Abst.)
STEIN, IRA D., ZALUSKY, RALPH, KOCHWA, SHAUL, AND HOOGSTRATEN, BARTH. Lactate dehydrogenase in megaloblastic anemia, 331
STEIN, NELL. (*See* Murray and Stein), 992 (Abst.)
STEINER, ALTON L., KIPNIS, DAVID M., UTIGER, ROBERT D., AND PARKER, CHARLES W. Radiommunoassay for the measurement of adenosine 3′5′ cyclic monophosphate and guanosine 3′5′ cyclic monophosphate, 1016 (Abst.)
STEPHENSON, BETTY D. (*See* Schwartz et al.), 1008 (Abst.)
STEZOSKI, S. WILLIAM. (*See* Scheuer and Stezoski), 1007 (Abst.)
STRAND, JAMES C. (*See* Crowshaw et al.), 866 (Abst.)
STRAUSS, H. WILLIAM, HURLEY, PETER J., RHODES, BUCK A., AND WAGNER, HENRY N., JR. Quantification of right-to-left transpulmonary shunts in man, 597
STRONG, CAMERON G. (*See* Barnardo, Strong, and Baldus), 495
—. (*See* Edwards, Strong, and Hunt), 389
STUTMAN, OSIAS. Carcinogen-induced immune depression: Probable site of action, 1016 (Abst.)
SULLIVAN, JAMES F. (*See* Boyett and Sullivan), 853 (Abst.)
SULLIVAN, JOHN F., AND EISENSTEIN, ALBERT B. Ascorbic acid depletion in patients undergoing chronic hemodialysis, 1017 (Abst.)
SUMMARIA, LOUIS. (*See* Rabiner et al.), 265
SUMMERSKILL, W. H. J. (*See* DiMagno et al.), 869 (Abst.)
SUSSMAN, KARL E. (*See* Alsever, Georg, and Sussman), 846 (Abst.)
SUTHERLAND, JAMES M. (*See* Keenan, Light, and Sutherland), 888 (Abst.)

SUTTON, GEORGE C., DEMAKIS, JOHN, ANDERSON, TRUMAN O., AND MORRISSEY, RICHARD A. A sporadic outbreak of infection by Chlamydia agent in patients with respiratory disease and with primary myocardial disease, 1017 (Abst.)

SUWANWELA, N. (*See* Kwaan, Suwanwela, and Franklin), 978 (Abst.)

SVENSON, ROBERT. (*See* Yachnin, Allen, and Svenson), 1028 (Abst.)

SWASDIKUL, DARATANA, AND BLOCK, MATTHEW H. The effect of a single median lethal dose of total body x-ray given at varying times upon the development of the thymus of embryonic-pouch opossums, 1018 (Abst.)

T

TAKAMATSU, MASATOSHI. (*See* Okuda, Yashima, and Takamatsu), 218

TAKEDA, Y. Effects of coumadin and vitamin K on prothrombin metabolism in calves, 1019 (Abst.)

TAKIGUCHI, HISACHI. (*See* Meikle et al.), 803

TALAMO, RICHARD C., HABER, EDGAR, AND AUSTEN, K. FRANK. A radioimmunoassay for bradykinin in plasma and synovial fluid, 816

TAN, ENG M. (*See* Sharp et al.), 1010 (Abst.)

TANGÜN, YÜCEL. (*See* Inceman and Tangün), 174

TANNEN, R. L. The relationship between urine pH and acid excretion—the influence of urine flow rate, 757

TAUBE, ROBERT R. (*See* Matsuda et al.), 42

TAYLOR, C. BRUCE, HO, K. J., MIKKELSON, B., HUSSEY, L. K., AND BISS, KURT. Reasons for low plasma cholesterol levels and paucity of atherosclerosis in milk-, blood-, and meat-eating Masai of East Africa, 1019 (Abst.)

TEBO, THOMAS. (*See* Fink, Tebo, and Barboriak), 325

TERRAGNO, NORBERTO A. (*See* Crowshaw et al.), 866 (Abst.)

TESAR, JOSEPH T., SCHMID, FRANK R., GRAUER, ARNOLD, AND ROCHA, MARIA J. Heterogeneity among rheumatoid factors for complement fixation, 1020 (Abst.)

THISTLE, JOHNSON L., AND SCHOENFIELD, LESLIE J. Induced alteration of bile composition in humans with cholelithiasis, 1020 (Abst.)

THOMAS, GEORGE H. β-D-Galactosidase in human urine: Deficiency in generalized gangliosidosis, 725

THOMAS, CHARLOTTE. (*See* MacSween et al.), 986 (Abst.)

THOMPSON, GILBERT R. (*See* Middleton and Thompson), 19

TIZIANELLO, A. (*See* Pannacciulli et al.), 653

TOBIAN, LOUIS. (*See* Azar et al.), 848 (Abst.)
—. (*See* Ishii and Tobian), 47

TOURAINE, J. L. (*See* Dalton, Touraine, and Wilson), 813

TREVETT, D. (*See* Jacobs, Kaye, and Trevett), 212

TROBAUGH, F. E., JR. (*See* Fried, Knospe, and Trobaugh), 874 (Abst.)

TROEN, PHILIP. (*See* Yanaihara and Troen), 1029 (Abst.)

TYLER, FRANK H. (*See* Meikle et al.), 515
—. (*See* Meikle et al.), 803

U

ULTMANN, JOHN E. (*See* Allen et al.), 845 (Abst.)

UTIGER, ROBERT D. (*See* Steiner et al.), 1016 (Abst.)

V

VAN AMBERG, ALBERT. (*See* Wochner et al.), 1026 (Abst.)

VAN BUREN, J. M. (*See* Weil-Malherbe and Van Buren), 305

VARAT, MURRAY A., FOWLER, NOBLE O., AND ADOLPH, ROBERT J. Cardiac output response to exercise in patients with inferior vena caval ligation, 1021 (Abst.)

VARMA, VIJAY M. (*See* Blair et al.), 851 (Abst.)

VESTER, JOHN W. (*See* Vollman, Vester, and Frank), 1021 (Abst.)

VIEGAS DE ANDRADE, S. R. (*See* Hogan, Viegas De Andrade, and Winship), 883 (Abst.)

VILLA, MARIA LUISA. (*See* Clerici et al.), 145

VOGEL, J. J. (*See* Singer, Armstrong, and Vogel), 354

VOLLMAN, JOHN H., VESTER, JOHN W., AND FRANK, DONALD J. Cord blood plasma estriol levels in infants with the respiratory distress syndrome, 1021 (Abst.)

W

WACKER, WARREN E. C. (*See* Kojima and Wacker), 521

WAGNER, HENRY N., JR. (*See* Strauss et al.), 597

WAGNILD, JON P., ZIMMERMAN, STEPHEN W., GUTMANN, FRANK D., AND RIESELBACH, RICHARD E. The influence of physical factors upon glomerulotubular balance in the nonuremic dog with unilateral renal disease, 1022 (Abst.)

WAHL, GEORGIA. (*See* Hoffman et al.), 915

WALKENHORST, WALTER G. (*See* Winer, Chokshi, and Walkenhorst), 1024 (Abst.)

WALL, ROBERT L. (*See* Kociba et al.), 37

WARD, HARRY P., GORDON, BARBARA, AND PICKETT, JOHN C. Serum levels of erythropoietin in rheumatoid arthritis, 93

WEIL-MALHERBE, H., AND VAN BUREN, J. M. The excretion of dopamine and dopamine metabolites in Parkinson's disease and the effect of diet thereon, 305

WEINHOLD, PAUL A. (*See* Blair et al.), 851 (Abst.)

WEISS, FREDERICK R. (*See* Orringer, Weiss, and Preuss), 994 (Abst.)

WELCH, EMILY T. (*See* Lewis et al.), 608

—. (*See* Lewis et al.), 981 (Abst.)

WENDLING, MICHAEL G., ECKSTEIN, JOHN W., AND ABBOUD, FRANCOIS M. Effects of mannitol on the renal circulation, 541

WERNER, MARIO. A combined procedure for protein estimation and electrophoresis of cerebrospinal fluid, 166

WEST, CHARLES D. (*See* Meikle et al.), 515

—. (*See* Meikle et al.), 803

WEST, W. O., RUFF, D. J., AND YARBRO, J. W. Response of polycythemia to treatment with a new agent: Hydroxyurea, 1022 (Abst.)

WESTERVELT, FREDERIC B., JR. Insulin effect in uremia, 79

WHITE, ARTHUR. (*See* Crowder, Martin, and White), 436

WILL, RUTH M. (*See* Glueck et al.), 875 (Abst.)

WILLIAMS, DOROTHY L., RUNYAN, JOHN W., JR., AND HAGEN, A. AINSWORTH. Progesterone-induced alterations of oogenesis in the Chinese hamster *(Cricetulus griseus)*, 1023 (Abst.)

WILLIAMS, GERALD A., BOWSER, E. NELSON, HENDERSON, WALTER J., AND RAND, SANDRA. Mode of hypocalcemic action of cortisol in the rat, 1023 (Abst.)

WILLIAMS, G. RAINEY. (*See* Coussons et al.), 864 (Abst.)

WILLIAMS, JOHN F., NORD, H. JUERGEN, AND FONTANES, ARTURO L. Treatment of congestive heart failure with glucagon, 1024 (Abst.)

WILLIAMS, R. C., JR. (*See* Caperton and Williams), 239

—. (*See* Nickerson, Williams, and Quie), 993 (Abst.)

WILLIAMSON, SISTER MARY ANNE. (*See* Crowshaw et al.), 866 (Abst.)

WILSON, HELEN D. (*See* Schedl and Wilson), 1006 (Abst.)

WILSON, T. R. (*See* Dalton, Touraine, and Wilson), 813

WINER, NATHANIEL, CHOKSHI, DEEBANDHU S., AND WALKENHORST, WALTER G. Site of action of adrenergic blocking agents on renin secretion, 1024 (Abst.)

WINGA, EDWARD R., AND JOHNSON, ROBERT L., JR. Distribution of pulmonary blood flow in patients with alveolar capillary block, 1025 (Abst.)

WINSHIP, D. H. (*See* Hogan, Viegas De Andrade, and Winship), 883 (Abst.)

WINTER, LEWIS W., MANFREDI, FELICE, AND HIGGINS, JAMES T., JR. Effects of volume expansion on the response to respiratory acidosis in the dog, 1025 (Abst.)

WOCHNER, R. DEAN, ADATEPE, MUSTAFA, VAN AMBERG, ALBERT, AND POTCHEN, E. JAMES. A new and simple method for estimation of plasma volume with the use of indium-113M-transferrin, 1026 (Abst.)

WOLF, R. E., MURILLO, J., REMMERS, A. R., JR., SARLES, H. E., FISH, J. C., LEVIN, W. C., AND RITZMANN, S. E. Activity and effects of equine antihuman splenic lymphocyte serum (ALS) and derivatives, 1027 (Abst.)

WONG, EDWARD T. (*See* Schwartz et al.), 1008 (Abst.)

WOOD, LEE. (*See* Beutler and Wood), 300

WOODSON, MILDRED. (*See* Kaplan and Woodson), 888 (Abst.)

WOOLEY, CHARLES F., AND MOLNAR, WILLIAM. Cineradiographic studies in tricuspid stenosis, 1027 (Abst.)

WORKMAN, RONALD. (*See* Howe et al.), 884 (Abst.)

WORSFOLD, M., DUNN, ROBERT F., AND PETER, J. B. A simplified technique for preparing isolated subcellular particles for electron microscopy, 160

—. (*See* Peter, Worsfold, and Pearson), 103

WRIGHT, CLAUDE-STARR. (*See* Lewis et al.), 608

—. (*See* Lewis et al.), 981 (Abst.)

WRIGHT, DELOISTEEN. (*See* Castor et al.), 860 (Abst.)

WRIGHT, JOHN E., AND BOLE, GILES G. Inhibition of macrophage phagocytosis by a protein isolated from chronic granulation tissue, 1027 (Abst.)

Y

YACHNIN, STANLEY, ALLEN, LAWRENCE, AND SVENSON, ROBERT. (*See* Yachnin, Allen, and Svenson), 1028 (Abst.)

YANAIHARA, TAKUMI, AND TROEN, PHILIP. Formation of androst-5-ene-3β, 17β-diol-3-mono-sulfate (Δ 5-A-S) in the human testis, 1029 (Abst.)

YARBRO, J. W. (*See* West, Ruff, and Yarbro), 1022 (Abst.)

YASHIMA, KEISUKE. (*See* Okuda, Yashima, and Takamatsu), 218

YIPINTSOI, TADA. (*See* Kelly, Yipintsoi, and Bassingthwaighte), 889 (Abst.)

YUNIS, ADEL A. (*See* Martelo et al.), 927

Z

ZALUSKY, RALPH. (*See* Stein et al.), 331

ZANJANI, ESMAIL D., HORGER, EDGAR O. III, GORDON, ALBERT S., CANTOR, LINDA N., AND HUTCHINSON, DONALD L. Erythropoietin production in the fetal lamb, 782

ZASTROW, JOYCE E. (*See* Hirsch, Zastrow, and Kory), 346
ZEIGNER, CHRISTINA. (*See* Bynum, Long, and Zeigner), 857 (Abst.)
ZETTERSTRÖM, ROLF. (*See* Gentz et al.), 185
ZIEVE, LESLIE. (*See* Chen, Zieve, and Mahadevan), 861 (Abst.)
ZIMMERMAN, STEPHEN W. (*See* Wagnild et al.), 1022 (Abst.)
ZOBL, ELDRED. (*See* Bruce and Zobl), 855 (Abst.)
ZUCKERMAN, LEON. (*See* Breuer, Berger, and Zuckerman), 853 (Abst.)
ZWEIFLER, ANDREW J., AND ALLEN, RICHARD J. Correction of disordered platelet aggregation in homocystinuria (HCU) by pyridoxine, 1029 (Abst.)

Subject index*

A

Absorption, calcium, and calcium and fluoride balances during sodium fluoride supplementation in man, 1014 (Abst.)
fat, estimation of, in man, with use of double isotopes $^{131}BaSO_4$ and ^{131}-iodine triolein, 119
by gallbladder of bile salts, sulfobromophthalein, and iodipamide, 482
intestinal, chelation of iron during, 212
of cobamide coenzyme in relation to structural integrity and intrinsic factor, 218
of ^{3}H-digitalis glycosides: demonstration of nonsaturable transport process, 858 (Abst.)
re-, sodium, tubular sites of, and effects of oral carbohydrate on potassium, calcium, and phosphate excretion; effects of fasting and refeeding, 915
test, isotopic calcium, studies on reliability of, in patients with chronic renal disease, 464
Acetophenetidin-induced methemoglobinemia and its relation to excretion of diazotizable amines, 581
Acetyltransferase activity, carnitine, free carnitine content and, of human vascular tissue, 892 (Abst.)
Achylia gastrica, experimental, and iron absorption, 992 (Abst.)
Acid(s), aminolevulinic, synthetase and heme synthetase, bone marrow, effect of erythropoietin on, 445
ascorbic, depletion in patients undergoing chronic hemodialysis, 1017 (Abst.)
base and electrolyte changes induced by acute isotonic saline infusion in nephrectomized dog, 427
citrate-dextrose (ACD)—adenine preserved blood, 42 day, red cell survival of, after transfusion into traumatized patients, 42
conjugated bile, direct fluorometric assay of, 705
deoxyribonucleic (DNA), repair replication of ultraviolet (UV) irradiated normal and leukemic leukocytes, 109
2′3 diphosphoglyceric acid (DPG), red cell, in vivo regeneration of, after transfusion of stored blood, 300
excretion, relationship between urine pH and—influence of urine flow rate, 757
Acid(s)—Cont'd
guanidinoacetic, and other guanidine derivatives, possible role of, in regulation of insulin secretion, 846 (Abst.)
hydroxy phenolic, role of phenol and, in uremic thrombocytopathy and defective platelet aggregation, 998 (Abst.)
nucleic, synthesis in lymphocytes from chronic uremic patients maintained with hemodialysis and renal allotransplantation, 866 (Abst.)
phenolic, in hereditary tyrosinemia, studies on metabolism of, by gas-liquid chromatographic method, 185
polysaccharides and human articular cartilage, activation of Hageman factor and kinin generation by, 990 (Abst.)
ribonucleic (RNA), presumptive messenger, isolation of, for antibody from spleens of mice, 987 (Abst.)
salicylsalicylic, absence of gastrointestinal bleeding following administration of, 911
transport, organic, azotemic inhibition of: mechanisms and characteristics, 994 (Abst.)
Acidosis, NH_4Cl, separate effects of glucose ingestion and, on urinary calcium ($U_{Ca}V$) and magnesium ($U_{Mg}V$) excretion, 980 (Abst.)
respiratory, in dog, effects of volume expansion on response to, 1025 (Abst.)
Acromegaly, growth hormone dynamics in, 876 (Abst.)
Addicts, heroin, study of serum opsonins and polymorphonuclear leukocytes in, 993 (Abst.)
Adenine, acid-citrate-dextrose (ACD)—, preserved blood, 42 day, red cell survival of, after transfusion into traumatized patients, 42
Adenosine-induced coronary vasodilatation, mechanism of enhancement of, by Lidoflazine and Dipyridamole, 844 (Abst.)
monophosphate, 3′, 5′-cyclic, method for determination of, based on adenosine triphosphate formation, 682
(AMP), cyclic, production of goiter, 996 (Abst.)
3′5′ cyclic monophosphate and guanosine 3′5′ cyclic monophosphate, radio-

*July, pp. 1-178; August, pp. 179-358; September, pp. 359-540; October, pp. 541-714; November, pp. 715-894; December, pp. 895-1078.

Adenosine—Cont'd
immunoassay for measurement of, 1016 (Abst.)
triphosphatase (ATPase), erythrocyte ghost, in Duchenne dystrophy, 103
Adipose tissue cells, isolated human and rat, differential effects of alpha- and beta-adrenergic-blocking agents on basal- and catecholamine-stimulated lipolysis of, 857 (Abst.)
Adrenal cortical function, test of: urinary cortisol excretion determined by competitive protein-binding radioassay, 803
scanning agent, radiolabeled cholesterol as, 851 (Abst.)
Adrenergic blockade, coronary vasodilatation produced by dopamine after, 1008 (Abst.)
-blocking agents, alpha- and beta-, differential effects of, on basal- and catecholamine-stimulated lipolysis of isolated human and rat adipose tissue cells, 857 (Abst.)
(AY 21, 011), new, effects of, on cardiac and coronary responses to adrenergic stimulation, 862 (Abst.)
site of action of, on renin secretion, 1024 (Abst.)
Africa, East, milk-, blood-, and meat-eating Masai of, reasons for low plasma cholesterol levels and paucity of atherosclerosis in, 1019 (Abst.)
Agammaglobulinemia, hereditary nonlymphopenic, with splenomegaly: family study, 203
Agarose chromatography, beaded, properties of bacterial lipopolysaccharide separated by, 856 (Abst.)
Aggregation, human platelet, plasma protein requirements for, 849 (Abst.)
platelet, as mechanism for disseminated intravascular coagulation in presence of marked hyperlipemia, 978 (Abst.)
Air pollution, domiciliary chemical, in etiology of chronic illness, 998 (Abst.)
Albumin distribution and transport in nephron, 997 (Abst.)
Alcoholic patients, altered phosphorylation of vitamin B_6 in, induced by oral administration of alcohol, 882 (Abst.)
Alcoholism, thrombokinetics in, 865 (Abst.)
Aliphatic quaternary ammonium salt, system with use of: extraction and measurement of glycosaminoglycans in serum and cell culture medium, 527
Allergic bronchopulmonary aspergillosis: clinical and immunologic studies, 1012 (Abst.)
Allergic—Cont'd
thyroiditis in rats, experimental, suppression of, by antilymphocyte serum, 986 (Abst.)
Allotransplantation, renal, hemodialysis and, nucleic acid synthesis in lymphocytes from chronic uremic patients maintained with, 866 (Abst.)
Alveolar capillary block, distribution of pulmonary blood flow in patients with, 1025 (Abst.)
cell carcinoma, human, immunologic studies of sheep inoculated with transforming agent recovered from, 1000 (Abst.)
macrophages, isolated, and across pulmonary exchange sites, ferritin transport in, 843 (Abst.)
Amines, diazotizable, excretion of, acetophenetidin-induced methemoglobinemia and its relation to, 581
Aminolevulinic acid synthetase and heme synthetase, bone marrow, effect of erythropoietin on, 445
Aminotransferase, hepatic tyrosine, diurnal rhythm of, is due to variable rate of synthesis, 879 (Abst.)
Ammonium chloride (NH_4Cl) acidosis, separate effects of glucose ingestion and, on urinary calcium ($U_{Ca}V$) and magnesium ($U_{Mg}V$) excretion, 980 (Abst.)
salt, aliphatic quaternary, system with use of: extraction and measurement of glycosaminoglycans in serum and cell culture medium, 527
AMP pyrophosphorylase activity, elevated, in congenital IMP pyrophosphorylase deficiency (Lesch-Nyhan disease), 732
Amylase, I^{125}, study of macroamylasemia using, 981 (Abst.)
Amyloidosis, studies on passive transfer of, by cells, 145
Analogs of tyrosine, inhibition of iodotyrosine formation by, 257
Androgens, use of antiandrogen to further investigate erythropoietic effects of, 85
Androst-5-ene-3β, 17β-diol-3-mono-sulfate ($\triangle$5-A-S), formation of, in human testis, 1029 (Abst.)
Anemia, iron deficiency, in children, relationships between iron-dextran and vitamin E in, 789
megaloblastic, lactate dehydrogenase in, 331
microangiopathic hemolytic, in diabetic patients, 855 (Abst.)
pernicious, response of small single doses of vitamin B_{12} (cyanocobalamin) and 5'deoxyadenosylcobalamin in, 881 (Abst.)

Anephric rats, effect of testosterone and cobalt on erythropoietin production by, 623

Anoxia, cardiac, protective effect of increased glycogen stores in, 1007 (Abst.)

Anti-antibodies, specific: antiglobulins and subacute bacterial endocarditis, 995 (Abst.)

Antibody(ies)-induced cytopathic effects of parainfluenza virus, 859 (Abst.)

isolation of presumptive messenger ribonucleic acid (RNA) for, from spleens of mice, 987 (Abst.)

levels, streptococcal group A, in bacterial endocarditis, 847 (Abst.)

locally produced, to dietary protein in human gastroduodenal secretions, 976 (Abst.)

to proximal tubular antigen, demonstration of, in pathogenesis of experimental autoimmune nephrosis in rats, 400

response, fluorescent, observations on lack of and on use of blood collected on filter paper discs in hemagglutination-inhibition test: attenuated rubella vaccination in families, 98

serum, activity in patients with histoplasmosis as measured by passive hemagglutination, 453

specific, to extractable nuclear antigen (ENA) in mixed connective tissue disease syndrome, 1010 (Abst.)

against folic acid. I. In vitro biophysical effect, 662

Anticoagulant treatment, fibrinolytic and, of nephrotoxic serum nephritis in mice; role of fibrinogen in renal disease, 715

Antigen(s) A, B, and H, tissue, in metastatic carcinoma, 867 (Abst.)

(ENA), extractable nuclear, specific antibody to, in mixed connective tissue disease syndrome, 1010 (Abst.)

proximal tubular, demonstration of antibody to, in pathogenesis of experimental autoimmune nephrosis in rats, 400

phytohemagglutinin and, in vitro response of spleen cells from bursectomized irradiated chickens to, 845 (Abst.)

specific, in urine of healthy male rats—excretion of accessory genital glands, 31

Antigenic species specificity of gastric intrinsic factor, 843 (Abst.)

Antipyrine (^{125}I-) washout, estimation of canine tibial diaphyseal collateral blood flow by, 889 (Abst.)

Antitrypsin, alpha-1-, exogenous, distribu- and elimination of, 987 (Abst.)

Aorta, ascending, study of blood flow regimes in, as empiric foundation for measurement of cardiac output by catheter tip flow sensors, 1001 (Abst.)

Apolipoprotein B, human serum, evidence for two polypeptides in, 862 (Abst.)

Arrhythmia, sinus, psychological factors in control of, 857 (Abst.)

Arterial blood pressure gradient of arm, 888 (Abst.)

Artery disease, cinearteriographically demonstrated coronary, myocardial blood flow and exercise ECG in, 893 (Abst.)

stenosis (RAS), renal, and nephrosclerosis, effect of hydralazine on renin release (RR) in patients with, 891 (Abst.)

Arthritis, rheumatoid, serum levels of erythropoietin in, 93

Articular cartilage, human, acid polysaccharides and, activation of Hageman factor and kinin generation by, 990 (Abst.)

Ascites absorption and formation, kinetics of, in hepatic cirrhosis, 1011 (Abst.)

Ascorbic acid depletion in patients undergoing chronic hemodialysis, 1017 (Abst.)

Asparaginase activity, new assay of, and enzymatic method for measurement of asparagine, 521

Asparagine, enzymatic method for measurement of, and new assay of asparaginase activity, 521

Aspergillosis, allergic bronchopulmonary: clinical and immunologic studies, 1012 (Abst.)

Assay, direct fluorometric, of conjugated bile acids, 705

enzymatic, for 3, 4-dihydroxymandelic acid (DOMA) in human urine, plasma, and tissues, 672

exhypoxic polycythemic mouse, comparison of erythropoietin preparations yielding different dose-response slopes in, 250

fluorometric, for thrombin, 874 (Abst.)

identification and, in serum and urine: fibrinogen breakdown products, 586

new, of asparaginase activity, and enzymatic method for measurement of asparagine, 521

of plasma metyrapone, simple fluorometric method for, 515

sensitive and nonradioactive, for serum and tissue xanthine oxidase, 828

Atherosclerosis, paucity of, reasons for low plasma cholesterol levels and, in milk-, blood-, and meat-eating Masai of East Africa, 1019 (Abst.)

ATPase, magnesium-dependent calcium-inhibited, in human platelets, 1004 (Abst.)
Attenuated rubella vaccination in families: observations on lack of fluorescent antibody response and on use of blood collected on filter paper discs in hemagglutination-inhibition test, 98
Autoimmune nephrosis in rats, pathogenesis of, demonstration of antibody to proximal tubular antigen in, 400
Autoimmunity, selective IgA deficiency and, 846 (Abst.)
Azotemic inhibition of organic acid transport: mechanisms and characteristics, 994 (Abst.)
patients, normal immunity to endotoxin in, 871 (Abst.)
and, penicillin handling in, 12

B

Bacterial endocarditis, streptococcal group A antibody levels in, 847 (Abst.)
subacute, antiglobulins and: specific anti-antibodies, 995 (Abst.)
infections in systemic lupus erythematosus, 996 (Abst.)
lipopolysaccharide separated by beaded agarose chromatography, 856 (Abst.)
Bactericidal function, metabolic and, of granulocytes irradiated in vitro, 863 (Abst.)
Basal- and catecholamine-stimulated lipolysis of isolated human and rat adipose tissue cells, differential effects of alpha- and beta-adrenergic–blocking agents on, 857 (Abst.)
and stimulated thyroid function, effects of prostaglandins on, 856 (Abst.)
Base, acid-, and electrolyte changes induced by acute isotonic saline infusion in nephrectomized dog, 427
Basement membranes, vascular and avascular, immunochemical properties of collagen from, 868 (Abst.)
$^{131}BaSO_4$ and ^{131}-iodine triolein, estimation of fat absorption in man with use of double isotopes, 119
Bile acids, conjugated, direct fluorometric assay of, 705
cholesterol in, studies on structural requirements for micellar solubilization of, 993 (Abst.)
composition in humans with cholelithiasis, induced alteration of, 1020 (Abst.)
salt metabolism and fat digestion in man, effect of neomycin on, 564
salts, effect of, on back diffusion of hydrogen ions in human gastric mucosa, 886 (Abst.)
sulfobromophthalein, and iodipamide, absorption by gallbladder of, 482
Bimodal distribution obtained by electronic sizing of erythrocytes, a physical explanation of, 630
Biochemical changes during isolated heterologous bovine liver perfusions, 1015 (Abst.)
Biologic action of proinsulin on ventral toad skin in vitro, 894 (Abst.)
Bishydroxycoumarin in man, effect of heptabarbital on response to, 229
Bladder, isolated, of toad, effect of mersalyl on energy metabolism and sodium movement in, 880 (Abst.)
Bleeding, gastrointestinal, absence of, following administration of salicylsalicylic acid, 911
Blood collected on filter paper discs, observations on use of and on lack of fluorescent antibody response in hemagglutination-inhibition test: attenuated rubella vaccination in families, 98
flow, canine tibial diaphyseal collateral, estimation of, by ^{125}I-antipyrine washout, 889 (Abst.)
intrarenal, studies of, using thermistor probes, 871 (Abst.)
myocardial, effect of hypocapnia, hypercapnia, and intracoronary injection of CO_2 and O_2 on, 983 (Abst.)
and exercise ECG in cinearteriographically demonstrated coronary artery disease, 893 (Abst.)
pulmonary, distribution of, in patients with alveolar capillary block, 1025 (Abst.)
regimes in ascending aorta, study of, as empiric foundation for measurement of cardiac output by catheter tip flow sensors, 1001 (Abst.)
milk-, and meat-eating Masai of East Africa, reasons for low plasma cholesterol levels and paucity of atherosclerosis in, 1019 (Abst.)
plasma estriol levels, cord, in infants with respiratory distress syndrome, 1021 (Abst.)
pressure gradient, arterial, of arm, 888 (Abst.)
prostaglandin-like substances present in, during renal ischemia: patterns of release and their partial characterization, 866 (Abst.)
renal venous, of hypertensive patients, vasodepressor lipid resembling prostaglandin E_2 (PGE_2) in, 389
temporary low-shear thixotropy of, in heavy smokers, 887 (Abst.)
stored, in vivo regeneration of red cell 2'3 diphosphoglyceric acid (DPG) after transfusion of, 300
Blue, methylene, influence of, on pentose phosphate pathway in erythrocytes of monkeys infected with *Plasmodium knowlesi*, 1
Body composition measurements, reproducibility of, in single individual, 557

Bone marrow aminolevulinic acid synthetase and heme synthetase, effect of erythropoietin on, 445
engraftment in replacement therapy, further experience with, 884 (Abst.)
mitochondria, chloramphenicol and, 927
Bovine plasma thromboplastin antecedent (Factor XI) deficiency, 37
Bowel function, anomalous, in germ-free animals and regulatory effects of intestinal microbes, 877 (Abst.)
small, of pig, delayed hypersensitivity reaction in—correlation between structural and functional changes, 876 (Abst.)
Bradykinin in plasma and synovial fluid, radioimmunoassay for, 816
Breast cancer, medical hypophysectomy in, 873 (Abst.)
Breath, human, analysis of organic compounds in, by gas chromatography–mass spectrometry, 961
Breeders, pigeon, differences in immune responses of, to pigeon serum proteins, 325
Bronchopulmonary aspergillosis, allergic; clinical and immunologic studies, 1012 (Abst.)
Brucella, epidemic canine brucellosis due to new species of: analysis of immunoglobulins, 884 (Abst.)
Brucellosis, epidemic canine, due to new species of Brucella: analysis of immunoglobulins, 884 (Abst.)
Bullous pemphigoid, complement immunofluorescent staining in, 548
Bursectomized irradiated chickens, in vitro response of spleen cells from, to phytohemagglutinin and antigen, 845 (Abst.)

C

Calcium absorption and calcium and fluoride balances during sodium fluoride supplementation in man, 1014 (Abst.)
test, isotopic, studies on reliability of, in patients with chronic renal disease, 464
inhibited ATPase, magnesium-dependent, in human platelets, 1004 (Abst.)
malabsorption of chronic renal failure, effect of hemodialysis, vitamin D, and renal homotransplantation on, 472
and pH, effects of, on attachment of intrinsic factor–vitamin B_{12} complex to intestinal absorptive surface, 986 (Abst.)
potassium, and phosphate excretion, effects of oral carbohydrate on, and tubular sites of sodium reabsorption; effects of fasting and refeeding, 915
Calcium—Cont'd
serum, and phosphorus values, distribution of, in unselected ambulatory patients, 504
and sodium transport in kidney, relationship between, 410
urinary ($U_{Ca}V$) and magnesium ($U_{Mg}V$) excretion, separate effects of glucose ingestion and NH_4Cl acidosis on, 980 (Abst.)
Cancer, breast, medical hypophysectomy in, 873 (Abst.)
Capillary block, alveolar, distribution of pulmonary blood flow in patients with, 1025 (Abst.)
Carbohydrate, oral, effects of, on potassium, calcium, and phosphate excretion and tubular sites of sodium reabsorption; effects of fasting and refeeding, 915
Carbon dioxide (CO_2) and O_2, intracoronary injection of, hypocapnia, and hypercapnia, effect of, on myocardial blood flow, 983 (Abst.)
Carboxyl (C)-terminal tetrapeptide of gastrin, gastrin resistance following immunization to, 887 (Abst.)
Carcinogen, chemical, chromosome changes in marrow cells following intravenous administration of, 999 (Abst.)
-induced immune depression: probable site of action, 1016 (Abst.)
Carcinoma(s), casts formed by plastic injections into, 1003 (Abst.)
human alveolar cell, immunologic studies of sheep inoculated with transforming agent recovered from, 1000 (Abst.)
metastatic, tissue antigens A, B, and H in, 867 (Abst.)
Cardiac anoxia, protective effect of increased glycogen stores in, 1007 (Abst.)
compression, dynamics of: flowmeter study of differences between constrictive pericarditis and cardiac tamponade, 1009 (Abst.)
and coronary responses to adrenergic stimulation, effects of new adrenergic blocking agent (AY 21,011) on, 862 (Abst.)
output response to exercise in patients with inferior vena caval ligation, 1021 (Abst.)
study of blood flow regimes in ascending aorta as empiric foundation for measurement of, by catheter tip flow sensors, 1001 (Abst.)
Carnitine content, free, and carnitine acetyltransferase activity of human vascular tissue, 892 (Abst.)
Cartilage, human articular, acid polysaccharides and, activation of Hageman factor and kinin generation by, 990 (Abst.)

Catecholamine-stimulated, basal- and, lipolysis of isolated human and rat adipose tissue cells, differential effects of alpha- and beta-adrenergic–blocking agents on, 857 (Abst.)

Casts formed by plastic injections into carcinomas, 1003 (Abst.)

Catheter tip flow sensors, study of blood flow regimes in ascending aorta as empiric foundation for measurement of cardiac output by, 1001 (Abst.)

Cations, ionic strength, and C'1q, role of, in formation of C'1 esterase, 380

Cell(s) carcinoma, human alveolar, immunologic studies of sheep inoculated with transforming agent recovered from, 1000 (Abst.)
culture medium and serum, extraction and measurement of glycosaminoglycans in: system with use of aliphatic quaternary ammonium salt, 527
damage, red, by *Plasmodium falciparum* in man, anatomy of, 848 (Abst.)
granules, interstitial, in renal papilla and solute composition of renal tissue in rats with Goldblatt hypertension, 47
hematopoietic stem (HSC), factors influencing proliferation and migration of, 874 (Abst.)
isolated human and rat adipose tissue, differential effects of alpha- and beta-adrenergic–blocking agents on basal- and catecholamine-stimulated lipolysis of, 857 (Abst.)
marrow, chromosome changes in, following intravenous administration of chemical carcinogen, 999 (Abst.)
receptor for IgG globulin, human mononuclear, characterization of, 984 (Abst.)
red, mechanisms in response of, to hypoxia, 854 (Abst.)
method for labeling, with diisopropylphosphorofluoridate-P^{32} in vitro, 836
survival of 42 day acid-citrate-dextrose (ACD)—adenine preserved blood after transfusion into traumatized patients, 42
2'3 diphosphoglyceric acid (DPG), in vivo regeneration of, after transfusion of stored blood, 300
sickle, filtration characteristics of: rates of alteration of filterability after deoxygenation and reoxygenation and correlations with sickling and unsickling, 989 (Abst.)
membrane loss in, 854 (Abst.)
spleen, from bursectomized irradiated chickens, in vitro response of, to phytohemagglutinin and antigen, 845 (Abst.)
studies on passive transfer of amyloidosis by, 145

Cell(s)—Cont'd
water and erythrocyte osmotic fragility—influence of pH and temperature, 319

Cerebrospinal fluid, electrophoresis of, and protein estimation, combined procedure for, 166

Ceruloplasmin (ferroxidase), relation of, to iron absorption, 53

Chains, kappa-light, subclasses of: immunochemical and structural correlation, 1013 (Abst.)

Chelation of iron during intestinal absorption, 212

Chemical air pollution, domiciliary, in etiology of chronic illness, 998 (Abst.)

Chlamydia agent, sporadic outbreak of infection by, in patients with respiratory disease and with primary myocardial disease, 1017 (Abst.)

Chloramphenicol and bone marrow mitochondria, 927

Chlorophenoxyisobutyrate (CPIB), phenolic ethers Su-13437 and, comparison of effects of, on serum and liver lipids of rat, 850 (Abst.)

Chloroquine, primaquine and, hemolytic effects of standard single dosages of, on G-6-PD–deficient Caucasians, 653
resistance, mechanism for, in malaria, 872 (Abst.)

Chloruresis, natriuresis and, mechanism of, during hydropenia in rat, 985 (Abst.)

Cholelithiasis, induced alteration of bile composition in humans with, 1020 (Abst.)

Cholesterol in bile, studies on structural requirements for micellar solubilization of, 993 (Abst.)
levels, low plasma, and paucity of atherosclerosis, reasons for, in milk-, blood-, and meat-eating Masai of East Africa, 1019 (Abst.)
radiolabeled, as adrenal scanning agent, 851 (Abst.)

Chondrodystrophies—clinical and histopathological correlations, 1002 (Abst.)

Chromatographic method, gas-liquid, studies on metabolism of phenolic acids in hereditary tyrosinemia by, 185

Chromatography, beaded agarose, properties of bacterial lipopolysaccharide separated by, 856 (Abst.)
-mass spectrometry, gas, analysis of organic compounds in human breath by, 961

^{51}Chromium-labeled platelet cohorts, kinetic studies with, in rats, 138

Chromosome analysis in preleukemia, 996 (Abst.)

Chromosome—Cont'd
changes in marrow cells following intravenous administration of chemical carcinogen, 999 (Abst.)
Cinearteriographically demonstrated coronary artery disease, myocardial blood flow and exercise ECG in, 893 (Abst.)
Cineradiographic studies in tricuspid stenosis, 1027 (Abst.)
Circadian rhythms of electrolyte excretion during prolonged upright posture, 1010 (Abst.)
Cirrhosis, hepatic, kinetics of ascites absorption and formation in, 1011 (Abst.)
liver, pulmonary excretion of mercaptans and dimethyl sulfide in, before and after ingestion of methionine, 861 (Abst.)
normal rat liver, and quantitative undernutrition, metabolic flow rate through phosphopyruvate hydratase and glucose phosphate isomerase steps of glycolysis in, 359
Cirrhotic liver, failure of, to inactivate renin: evidence for splanchnic source of renin-like activity, 495
normal and, liver, zinc and collagen content of, 853 (Abst.)
Citrate-dextrose, acid-, (ACD)—adenine preserved blood, 42 day, red cell survival of, after transfusion into traumatized patients, 42
Coagulant activity, platelet, simple test for evaluation of, 174
Coagulation, disseminated intravascular, platelet aggregation as mechanism for, in presence of marked hyperlipemia, 978 (Abst.)
studies in various vertebrates, 982 (Abst.)
Cobalt, testosterone and, effect of, on erythropoietin production by anephric rats, 623
Cobamide coenzyme, intestinal absorption of, in relation to structural integrity and intrinsic factor, 218
Coenzyme, cobamide, intestinal absorption of, in relation to structural integrity and intrinsic factor, 218
CO^{57} vitamin B_{12}, plasma clearance of transcobalamin I- and transcobalamin II-bound, 574
Collagen from vascular and avascular basement membranes, immunochemical properties of, 868 (Abst.)
zinc and, content of normal and cirrhotic liver, 853 (Abst.)
Colonic circular muscle, human, guinea pig, and rat, responses of, to prostaglandins, 872 (Abst.)
Complement, activation of, by monoclonal cryoglobulin associated with cold urticaria, 902
(C'1) esterase, role of C'1q, cations, and ionic strength in formation of, 380
Complement—Cont'd
(C'1q), cations, and ionic strength, role of, in formation of C'1 esterase, 380
fixation, heterogeneity among rheumatoid factors for, 1020 (Abst.)
immunofluorescent staining in bullous pemphigoid, 548
(C') inhibition following treatment with various agents, 847 (Abst.)
participation of C'1q, C'1r, and C'1s in activation of, by monoclonal IgG cryoglobulin, 864 (Abst.)
synovial fluid, effect of intra-articular hydrocortisone on, 885 (Abst.)
Computer analysis, on-line-digital, of pulmonary physiologic data: the open circuit nitrogen washout test, 870 (Abst.)
Congenital IMP pyrophosphorylase deficiency (Lesch-Nyhan disease), elevated AMP pyrophosphorylase activity in, 732
nonspherocytic hemolytic disease, new glucose-6-phosphate dehydrogenase variants observed in Israel and their association with, 895
Contraceptives, oral, effects of, on serum lipid and folate levels, 988 (Abst.)
thromboembolism and: results of epidemiological study of 175 cases and matched controls, 1005 (Abst.)
Coronary artery disease, cinearteriographically demonstrated, myocardial blood flow and exercise ECG in, 893 (Abst.)
intra-, injection of CO_2 and O_2, hypocapnia, and hypercapnia, effect of, on myocardial blood flow, 983 (Abst.)
responses, cardiac and, to adrenergic stimulation, effects of new adrenergic blocking agent (AY 21,011) on, 862 (Abst.)
vasodilatation, adenosine-induced, mechanism of enhancement of, by Lidoflazine and Dipyridamole, 844 (Abst.)
produced by dopamine after adrenergic blockade, 1008 (Abst.)
Cortical function, adrenal, test of: urinary cortisol excretion determined by competitive protein-binding radioassay, 803
Cortisol excretion, urinary, determined by competitive protein-binding radioassay: test of adrenal cortical function, 803
in rat, mode of hypocalcemic action of, 1023 (Abst.)
Coumadin and vitamin K, effects of, on prothrombin metabolism in calves, 1019 (Abst.)
Coxsackie virus B-3 myocardopathy, adverse effect of exercise upon early infectious phase of, 875 (Abst.)
Creatine phosphokinase (CPK), effect of succinylcholine on, in anesthetized dogs, 153

Cricetulus griseus (Chinese hamster), progesterone-induced alterations of oogenesis in, 1023 (Abst.)
Cryoglobulin(s), mixed, in vivo study of IgM rheumatoid factors from, 239
monoclonal, associated with cold urticaria, activation of complement by, 902
IgG, participation of C'1q, C'1r, and C'1s in activation of complement by, 864 (Abst.)
Culture(s) medium, cell, and serum, extraction and measurement of glycosaminoglycans in: system with use of aliphatic quaternary ammonium salt, 527
megaloblastic marrow, differences in response of, to cyano-, methyl-, and 5'deoxyadenosylcobalamin, 870 (Abst.)
methylcobalamin, and 5'deoxyadenosylcobalamin, difference in response of megaloblastic marrow cultures to, 870 (Abst.)
(vitamin B_{12}) and 5'deoxyadenosylcobalamin, response of small single doses of, in pernicious anemia, 881 (Abst.)
Cyclic, 3'5'-, adenosine monophosphate, method for determination of, based on adenosine triphosphate formation, 682
monophosphate, adenosine 3'5' and guanosine 3'5', radioimmunoassay for measurement of, 1016 (Abst.)
Cytopathic effects, antibody-induced, of parainfluenza virus, 859 (Abst.)

D

Dehydrogenase, glucose-6-phosphate (G-6-PD)-deficient Caucasians, hemolytic effects of standard single dosages of primaquine and chloroquine on, 653
lactate, in megaloblastic anemia, 331
variants observed in Israel, new glucose-6-phosphate, and their association with congenital nonspherocytic hemolytic disease, 895
5'Deoxyadenosylcobalamin, methyl-, cyano- and, difference in response of megaloblastic marrow cultures to, 870 (Abst.)
vitamin B_{12} (cyanocobalamin) and, response of small single doses of, in pernicious anemia, 881 (Abst.)
Deoxyribonucleic acid (DNA) repair replication of ultraviolet (UV) irradiated normal and leukemic leukocytes, 109
Dextran, DEAE-, suppression of human lymphocyte transformation (HLT) by, 1001 (Abst.)
iron-, and vitamin E, relationships between, in iron deficiency anemia in children, 789
Dextrose, acid-citrate-, (ACD)-adenine preserved blood, 42 day, red cell survival of, after transfusion into traumatized patients, 42
Diabetes, effects of: in vivo hexose transport by rat small intestine, 1006 (Abst.)
gastrectomy, 853 (Abst.)
Diabetic mothers, effects of epinephrine on insulin levels in infants of, 888 (Abst.)
patients, microangiopathic hemolytic anemia in, 855 (Abst.)
Diaphyseal collateral blood flow, canine tibial, estimation of, by ^{125}I-antipyrine washout, 889 (Abst.)
Diazotizable amines, excretion of, acetophenetidin-induced methemoglobinemia and its relation to, 581
Diet, effect of, thereon, excretion of dopamine and dopamine metabolites in Parkinson's disease, 305
Diethylaminoethylcellulose (DEAE)-dextran, suppression of human lymphocyte transformation (HLT) by, 1001 (Abst.)
Digestion, fat, bile salt metabolism and, in man, effect of neomycin on, 564
Digitalis, ^{3}H-, glycosides, intestinal absorption of: demonstration of nonsaturable transport process, 858 (Abst.)
3,4-Dihydroxymandelic acid (DOMA) in human urine, plasma, and tissues, enzymatic assay for, 672
Diisopropylphosphorofluoridate-P^{32} in vitro, method for labeling red cells with, 836
Dimethyl sulfide, mercaptans and, pulmonary excretion of, in liver cirrhosis before and after ingestion of methionine, 861 (Abst.)
2'3 Diphosphoglyceric acid (DPG), red cell, in vivo regeneration of, after transfusion of stored blood, 300
Dipyridamole, Lidoflazine and, mechanism of enhancement of adenosine-induced coronary vasodilatation by, 844 (Abst.)
Disease, chronic renal, studies on reliability of isotopic calcium absorption test in patients with, 464
cinearteriographically demonstrated coronary artery, myocardial blood flow and exercise ECG in, 893 (Abst.)
congenital nonspherocytic hemolytic, new glucose-6-phosphate dehydrogenase variants observed in Israel and their association with, 895
diffuse interstitial pulmonary, electron microscopic findings in, 878 (Abst.)
lung, gas exchange abnormalities in, 849 (Abst.)
heart, correlation of left ventricular preejection period with left ventricular ejection fraction in patients with, 977 (Abst.)

Disease—Cont'd
Hodgkin's, laparotomy and splenectomy in staging of, 845 (Abst.)
Lesch-Nyhan (congenital IMP pyrophosphorylase deficiency), elevated AMP pyrophosphorylase activity in, 732
Parkinson's, excretion of dopamine and dopamine metabolites in, and effect of diet thereon, 305
pulmonary, lung scan in, 977 (Abst.)
renal, role of fibrinogen in. III. Fibrinolytic and anticoagulant treatment of nephrotoxic serum nephritis in mice, 715
respiratory, and primary myocardial disease, sporadic outbreak of infection by Chlamydia agent in patients with, 1017 (Abst.)
syndrome, mixed connective tissue, specific antibody to extractable nuclear antigen (ENA) in, 1010 (Abst.)
unilateral renal, influence of physical factors upon glomerulo-tubular balance in nonuremic dog with, 1022 (Abst.)
Diuretic induced volume contraction in man, dissociation of changes in renal solute excretion during, 1015 (Abst.)
Diurnal rhythm of hepatic tyrosine aminotransferase is due to variable rate of synthesis, 879 (Abst.)
Dopamine, coronary vasodilatation produced by, after adrenergic blockade, 1008 (Abst.)
and dopamine metabolites, excretion of, in Parkinson's disease and effect of diet thereon, 305
Dose-response slopes, comparison of erythropoietin preparations yielding, in exhypoxic polycythemic mouse assay, 250
Duchenne dystrophy, erythrocyte ghost adenosine triphosphatase (ATPase) in, 103
Duodenum, pancreas and, transplanted, functions of, in man, 869 (Abst.)
Dystrophy, Duchenne, erythrocyte ghost adenosine triphosphatase (ATPase) in, 103

E

Electrocardiogram (ECG), exercise, myocardial blood flow and, in cinearteriographically demonstrated coronary artery disease, 893 (Abst.)
Electrode potential measurements, determination of fluoride content of urine by, 354
Electrolyte and acid-base changes induced by acute isotonic saline infusion in nephrectomized dog, 427
excretion, circadian rhythms of, during prolonged upright posture, 1010 (Abst.)
Electrolyte excretion—Cont'd
furosemide-induced, effect of glucose on, 980 (Abst.)
Electron microscopic findings in diffuse interstitial pulmonary disease, 878 (Abst.)
Electron microscopy, simplified technique for preparing isolated subcellular particles for, 160
of sputum, 894 (Abst.)
Electronic counting of platelets, improved method for, 536
sizing of erythrocytes, a physical explanation of bimodal distribution obtained by, 630
Electrophoresis of cerebrospinal fluid and protein estimation, combined procedure for, 166
Electrophoretic mobility of IgG, tertiary structure as determinant factor in, 888 (Abst.)
pattern, unique serum, in hepatitis, 892 (Abst.)
Endocarditis, bacterial, streptococcal group A antibody levels in, 847 (Abst.)
subacute bacterial, antiglobulins and: specific anti-antibodies, 995 (Abst.)
Endothelial inclusions in active lesions of systemic lupus erythematosus, 369
Endotoxin, normal immunity to, in azotemic patients, 871 (Abst.)
Energy metabolism and sodium movement, effect of mersalyl on, in isolated bladder of toad, 880 (Abst.)
Engraftment, bone marrow, in replacement therapy, further experience with, 884 (Abst.)
Enzymatic assay for 3, 4-dihydroxymandelic acid (DOMA) in human urine, plasma, and tissues, 672
method for measurement of asparagine and new assay of asparaginase activity, 521
Enzymes, lysosomal, and histamine, release of, by human leukocytes during phagocytosis of staphylococci, 436
Epidemic canine brucellosis due to new species of Brucella: analysis of immunoglobulins, 884 (Abst.)
Epimers, estriol and its, inhibition of binding of estradiol 6-7 H^3 to rat mammary tumor particulate fraction by, 979 (Abst.)
Epinephrine, effects of, on insulin levels in infants of diabetic mothers, 888 (Abst.)
Erythematosus, systemic lupus, endothelial inclusions in active lesions of, 369
Erythrocyte(s) agglutination, instrumental method for detection of, 691
electronic sizing of, a physical explanation of bimodal distribution obtained by, 630
ghost adenosine triphosphatase (ATPase) in Duchenne dystrophy, 103

Erythrocyte(s)—Cont'd
of monkeys infected with *Plasmodium knowlesi*, influence of methylene blue on pentose phosphate pathway in, 1
osmotic fragility and cell water—influence of pH and temperature, 319
Erythropoiesis, protein inhibitor of, 608
Erythropoietic effects of androgens, use of antiandrogen to further investigate, 85
stimulating factor (ESF), biochemical concept of, 981 (Abst.)
Erythropoietin, effect of, on bone marrow aminolevulinic acid synthetase and heme synthetase, 445
preparations yielding different dose-response slopes in exhypoxic polycythemic mouse assay, comparison of, 250
production, effect of testosterone and cobalt on, by anephric rats, 623
and excretion, correlations between, 614
in fetal lamb, 782
serum levels of, in rheumatoid arthritis, 93
Esophageal motor dysfunction, ethanol-induced human, 883 (Abst.)
Esterase, C'1, role of C'1q, cations, and ionic strength in formation of, 380
Estriol and its epimers, inhibition of binding of estradiol 6-7 H^3 to rat mammary tumor particulate fraction by, 979 (Abst.)
levels, cord blood plasma, in infants with respiratory distress syndrome, 1021 (Abst.)
Estradiol 6-7 H^3, inhibition of binding of, to rat mammary tumor particulate fraction by estriol and its epimers, 979 (Abst.)
Ethanol-induced human esophageal motor dysfunction, 883 (Abst.)
Ethers Su-13437 and CPIB, phenolic, comparison of effects of, on serum and liver lipids of rat, 850 (Abst.)
Excretion, acid, relationship between urine pH and—influence of urine flow rate, 757
of diazotizable amines, acetophenetidin-induced methemoglobinemia and its relation to, 581
of dopamine and dopamine metabolites in Parkinson's disease and effect of diet thereon, 305
electrolyte, circadian rhythms of, during prolonged upright posture, 1010 (Abst.)
erythropoietin production and, correlations between, 614
fractional, of sodium and magnesium in chronically diseased kidney of dog and man, correlation of, 642
potassium, calcium, and phosphate, effects of oral carbohydrate on, and tubular sites of sodium reabsorption; effects of fasting and refeeding, 915
Excretion—Cont'd
pulmonary, of mercaptans and dimethyl sulfide in liver cirrhosis before and after ingestion of methionine, 861 (Abst.)
renal solute, dissociation of changes in, during diuretic induced volume contraction in man, 1015 (Abst.)
of radiocopper by neonatal rat, 421
urinary cortisol, determined by competitive protein-binding radioassay: test of adrenal cortical function, 803
urine protein, in climbers at high altitude, 1000 (Abst.)
Exercise, adverse effect of, upon the early infectious phase of Coxsackie virus B-3 myocardopathy, 875 (Abst.)
ECG, myocardial blood flow and, in cinearteriographically demonstrated coronary artery disease, 893 (Abst.)
in patients with inferior vena caval ligation, cardiac output response to, 1021 (Abst.)
Exhypoxic polycythemic mouse assay, comparison of erythropoietin preparations yielding different dose-response slopes in, 250
Extracellular fluid, evidence for altered renal urate reabsorption during changes in volume of, 288

F

Factor XI, bovine plasma thromboplastin antecedent deficiency, 37
Fasting and refeeding, effects of. II. Tubular sites of sodium reabsorption and effects of oral carbohydrate on potassium, calcium, and phosphate excretion, 915
Fat absorption in man, estimation of, with use of double isotopes $^{131}BaSO_4$ and ^{131}-iodine triolein, 119
digestion, bile salt metabolism and, in man, effect of neomycin on, 564
Feminizing testes syndrome, comparative metabolic studies in complete and incomplete forms of, 1003 (Abst.)
Ferritin transport in isolated alveolar macrophages and across pulmonary exchange sites, 843 (Abst.)
Ferroxidase (ceruloplasmin), relation of, to iron absorption, 53
Fibrinogen breakdown products: identification and assay in serum and urine, 586
^{131}I-, survival, autologous, after liver transplantation: possible index of graft rejection, 850 (Abst.)
plasma, characterization of, in hypercoagulable/thrombotic states, 873 (Abst.)

Fibrinogen in renal disease, role of. I. Production of experimental lesions in mice, 60
II. Effect of anticoagulants and urokinase on experimental lesions in mice, 72
III. Fibrinolytic and anticoagulant treatment of nephrotoxic serum nephritis in mice, 715
Fibrinolytic and anticoagulant treatment of nephrotoxic serum nephritis in mice: role of fibrinogen in renal disease, 715
Fibroblasts, foreskin, from newborn infants and children, comparative production of interferon by, 946
Flowmeter study of differences between constrictive pericarditis and cardiac tamponade: dynamics of cardiac compression, 1009 (Abst.)
Fluid, cerebrospinal, electrophoresis of, and protein estimation, combined procedure for, 166
extracellular, evidence for altered renal urate reabsorption during changes in volume of, 288
synovial, plasma and, radioimmunoassay for bradykinin in, 816
Fluorescent antibody response, observations on lack of and on use of blood collected on filter paper discs in hemagglutination-inhibition test: attenuated rubella vaccination in families, 98
Fluoride balances, calcium and, calcium absorption and, during sodium fluoride supplementation in man, 1014 (Abst.)
content of urine, determination of, by electrode potential measurements, 354
Fluorometric assay, direct, of conjugated bile acids, 705
for thrombin, 874 (Abst.)
method, simple, for assay of plasma metyrapone, 515
Folate levels, serum lipid and, effects of oral contraceptives on, 988 (Abst.)
Folic acid, antibodies against. I. In vitro biophysical effect, 662
Foreskin fibroblasts from newborn infants and children, comparative production of interferon by, 946
Furosemide-induced electrolyte excretion, effect of glucose on, 980 (Abst.)

G

β-D-Galactosidase in human urine: deficiency in generalized gangliosidosis, 725
Gallbladder, absorption by, of bile salts, sulfobromophthalein, and iodipamide, 482
Gangliosidosis, generalized, deficiency in: β-D-galactosidase in human urine, 725
Gas chromatography-mass spectrometry, analysis of organic compounds in human breath by, 961
Gas—Cont'd
exchange abnormalities in diffuse lung disease, 849 (Abst.)
-liquid chromatographic method, studies on metabolism of phenolic acids in hereditary tyrosinemia by, 185
Gastrectomy "diabetes," 853 (Abst.)
Gastric intrinsic factor, antigenic species specificity of, 843 (Abst.)
mucosa, human, effect of bile salts on back diffusion of hydrogen ions in, 886 (Abst.)
Gastrica, experimental achylia, and iron absorption, 992 (Abst.)
Gastrin resistance following immunization to C-terminal tetrapeptide of gastrin, 857 (Abst.)
Gastroduodenal secretions, human, locally produced antibody to dietary protein in, 976 (Abst.)
Gastrointestinal bleeding, absence of, following administration of salicylsalicylic acid, 911
component of glucose tolerance, observation upon, 989 (Abst.)
Genital glands, accessory, excretion of—specific antigens in urine of healthy male rats, 31
Glands, accessory genital, excretion of—specific antigens in urine of healthy male rats, 31
Globulin(s) (anti-) and subacute bacterial endocarditis: specific anti-antibodies, 995 (Abst.)
IgG, characterization of human mononuclear cell receptor for, 984 (Abst.)
Glomerulo-tubular balance, influence of physical factors upon, in nonuremic dog with unilateral renal disease, 1022 (Abst.)
Glucagon, treatment of congestive heart failure with, 1024 (Abst.)
Glucose, effect of, on furosemide-induced electrolyte excretion, 980 (Abst.)
ingestion and NH_4Cl acidosis, separate effects of, on urinary calcium ($U_{Ca}V$) and magnesium ($U_{Mg}V$) excretion, 980 (Abst.)
phosphate isomerase and phosphopyruvate hydratase steps of glycolysis, metabolic flow rate through, in normal rat liver, in cirrhosis, and in quantitative undernutrition, 359
-6-phosphate dehydrogenase variants, new, observed in Israel and their association with congenital nonspherocytic hemolytic disease, 895
(G-6-PD)–deficient Caucasians, hemolytic effects of standard single dosages of primaquine and chloroquine on, 653
Glutathione reductase activity regulation of, 860 (Abst.)
Glycogen stores, increased, protective effect of, in cardiac anoxia, 1007 (Abst.)

Glycolysis, metabolic flow rate through phosphopyruvate hydratase and glucose phosphate isomerase steps of, in normal rat liver, in cirrhosis, and in quantitative undernutrition, 359
Glycosaminoglycans in serum and cell culture medium, extraction and measurement of: system with use of aliphatic quaternary ammonium salt, 527
Glycosides, ^{3}H-digitalis, intestinal absorption of: demonstration of nonsaturable transport process, 858 (Abst.)
Goiter, cyclic AMP production of, 996 (Abst.)
Goldblatt hypertension, interstitial cell granules in renal papilla and solute composition of renal tissue in rats with, 47
Graft rejection, possible index of: autologous ^{131}I-fibrinogen survival after liver transplantation, 850 (Abst.)
Granulation tissue, chronic, inhibition of macrophage phagocytosis by protein isolated from, 1027 (Abst.)
Granulocytes irradiated in vitro, metabolic and bactericidal function of, 863 (Abst.)
Growth hormone dynamics in acromegaly, 876 (Abst.)
Guanidine derivatives, other, guanidinoacetic acid and, possible role of, in regulation of insulin secretion, 846 (Abst.)
Guanidinoacetic acid and other guanidine derivatives, possible role of, in regulation of insulin secretion, 846 (Abst.)
Guanosine 3′5′ cyclic monophosphate, adenosine 3′5′ cyclic monophosphate and, radioimmunoassay for measurement of, 1016 (Abst.)

H

Hageman factor, activation of, and kinin generation by acid polysaccharides and human articular cartilage, 990 (Abst.)
  physicochemical properties of, 878 (Abst.)
Haptoglobin, serum, simple method for quantitative determination of, 698
Health services delivery system, experimental rural, employing a physician's assistant, 990 (Abst.)
Heart(s) disease, correlation of left ventricular pre-ejection period with left ventricular ejection fraction in patients with, 977 (Abst.)
  failure, congestive, treatment of, with glucagon, 1024 (Abst.)
  transplanted human and pig, prediction of rejection of, by myocardial scintigrams, 859 (Abst.)
Heat production, myocardial: its relation to tension development and modification by norepinephrine, 985 (Abst.)
Hemagglutination-inhibition test, observations on lack of fluorescent antibody response and on use of blood collected on filter paper discs in: attenuated rubella vaccination in families, 98
  passive, serum antibody activity in patients with histoplasmosis as measured by, 453
Hemangiomas, small benign sclerosing, hypophosphatemic osteomalacia associated with, 1004 (Abst.)
Hematopoietic stem cells (HSC), factors influencing proliferation and migration of, 874 (Abst.)
Heme, hemopexin-, spectral properties of: Schumm test, 941
  synthetase and aminolevulinic acid synthetase, bone marrow, effect of erythropoietin on, 445
Hemodialysis, chronic, ascorbic acid depletion in patients undergoing chronic hemodialysis, 1017 (Abst.)
  vitamin D, and renal homotransplantation, effect of, on calcium malabsorption of chronic renal failure, 472
  and renal allotransplantation, nucleic acid synthesis in lymphocytes from chronic uremic patients maintained with, 866 (Abst.)
Hemolytic anemia, microangiopathic, in diabetic patients, 855 (Abst.)
  disease, congenital nonspherocytic, new glucose-6-phosphate dehydrogenase variants observed in Israel and their association with, 875
  effects of standard single dosages of primaquine and chloroquine on G-6-PD–deficient Caucasians, 653
Hemopexin-heme, spectral properties of: Schumm test, 941
Hemophilic beagles, long-term survival of, following splenic homotransplantation, 864 (Abst.)
Hemorrhage, appearance of renal-vasoconstrictive antinatriuretic substance of posterior pituitary origin following, 848 (Abst.)
Hemorrhagic shock, changes in bound water of connective tissue during, 976 (Abst.)
Hemostatic reaction, early, surface morphology of, 1011 (Abst.)
Hepatic cirrhosis, kinetics of ascites absorption and formation in, 1011 (Abst.)
  tyrosine aminotransferase, diurnal rhythm of, is due to variable rate of synthesis, 879 (Abst.)
Hepatitis, unique serum electrophoretic pattern in, 892 (Abst.)
Heptabarbital, effect of, on response to bishydroxycoumarin in man, 229
Hereditary nonlymphopenic agammaglobulinemia with splenomegaly: family study, 203
  tyrosinemia, studies on metabolism of phenolic acids in, by gas-liquid chromatographic method, 185

Heroin addicts, study of serum opsonins and polymorphonuclear leukocytes in, 993 (Abst.)
Heterogeneity among rheumatoid factors for complement fixation, 1020 (Abst.)
Hexose transport, in vivo, by rat small intestine: effects of diabetes, 1006 (Abst.)
Histamine and lysosomal enzymes, release of, by human leukocytes during phagocytosis of staphylococci, 436
Histoplasmosis, serum antibody activity in patients with, as measured by passive hemagglutination, 453
Hodgkin's disease, laparotomy and splenectomy in staging of, 845 (Abst.)
Homocystinurea (HCU), correction of disordered platelet aggregation in, by pyridoxine, 1029 (Abst.)
Homotransplantation, renal, vitamin D, and hemodialysis, effect of, on calcium malabsorption of chronic renal failure, 472
splenic, long-term survival of hemophilic beagles following, 864 (Abst.)
Hormone, growth, dynamics in acromegaly, 876 (Abst.)
thyroid, formation, studies on, 868 (Abst.)
Humoral inhibitor of sodium transport in uremic man, 852 (Abst.)
Hydralazine, effect of, on renin release (RR) in patients with renal artery stenosis (RAS) and nephrosclerosis, 891 (Abst.)
toxic patients, possibly increased survival of, 994 (Abst.)
Hydratase, phosphopyruvate, and glucose phosphate isomerase steps of glycolysis metabolic flow rate through, in normal rat liver, in cirrhosis, and in quantitative undernutrition, 359
Hydrocortisone, intra-articular, effect of, on synovial fluid complement, 885 (Abst.)
Hydrogen ions, effect of bile salts on back diffusion of, in human gastric mucosa, 886 (Abst.)
-3 (H^3), estradiol 6-7, inhibition of binding of, to rat mammary tumor particulate fraction by estriol and its epimers, 979 (Abst.)
Hydropenia in rat, mechanism of natriuresis and chloruresis during, 985 (Abst.)
Hydroxy phenolic acids, role of phenol and, in uremic thrombocytopathy and defective platelet aggregation, 998 (Abst.)
Hydroxyurea: response of polycythemia to treatment with new agent, 1022 (Abst.)
therapy, cyclic leukocyte oscillations in chronic myelogenous leukemia during, 890 (Abst.)
Hypercapnia, hypocapnia, and intracoronary injection of CO_2 and O_2, effect of, on myocardial blood flow, 983 (Abst.)
Hypercoagulable/thrombotic states, characterization of plasma fibrinogen in, 873 (Abst.)
Hyperlipemia, marked, platelet aggregation as mechanism for disseminated intravascular coagulation in presence of, 978 (Abst.)
Hypersensitivity reaction, delayed, in small bowel of pig—correlation between structural and functional changes, 876 (Abst.)
Hypertension, Goldblatt, interstitial cell granules in renal papilla and solute composition of renal tissue in rats with, 47
Hypertensive (anti-) organ, renal medulla as, 992 (Abst.)
patients, vasodepressor lipid resembling prostaglandin E_2 (PGE_2) in renal venous blood of, 389
Hyperthyroidism, induced, in rat, mechanism of steatorrhea in, 19
Hyperviscous paraproteins, structural considerations of, 1006 (Abst.)
Hypocalcemic action, mode of, of cortisol in rat, 1023 (Abst.)
Hypocapnia, hypercapnia, and intracoronary injection of CO_2 and O_2, effect of, on myocardial blood flow, 983 (Abst.)
Hyponatremia due to sulfonylurea compounds, 881 (Abst.)
Hypophosphatemic osteomalacia associated with small benign sclerosing hemangiomas, 1004 (Abst.)
Hypophysectomy, medical, in breast cancer, 873 (Abst.)
Hypothermia, platelet and, 869 (Abst.)
Hypoxia, mechanisms in response of red cell to, 854 (Abst.)

I

Immune depression, carcinogen-induced: probable site of action, 1016 (Abst.)
responses, differences in, of pigeon breeders to pigeon serum proteins, 325
Immunity, normal, to endotoxin in azotemic patients, 871 (Abst.)
Immunization to C-terminal tetrapeptide of gastrin, gastrin resistance following, 887 (Abst.)
Immunochemical properties of collagen from vascular and avascular basement membranes, 868 (Abst.)
and structural correlation: subclasses of kappa-light chains, 1013 (Abst.)
Immunofluorescent staining, complement, in bullous pemphigoid, 548
Immunogenicity, tumor, changes in, 877 (Abst.)
Immunoglobulin(s) A deficiency, selective, and autoimmunity, 846 (Abst.)
analysis of: epidemic canine brucellosis due to new species of Brucella, 884 (Abst.)

G (IgG) cryoglobulin, monoclonal, participation of C'1q, C'1r, and C'1s in activation of complement by, 864 (Abst.)
globulin, characterization of human mononuclear cell receptor for, 984 (Abst.)
tertiary structure as determinant factor in electrophoretic mobility of, 888 (Abst.)
(IgM) rheumatoid factors from mixed cryoglobulins, in vivo study of, 239
Immunologic studies, clinical and: allergic bronchopulmonary aspergillosis, 1012 (Abst.)
of sheep inoculated with transforming agent recovered from human alveolar cell carcinoma, 1000 (Abst.)
IMP pyrophosphorylase deficiency, congenital (Lesch-Nyhan disease), elevated AMP pyrophosphorylase activity in, 732
Indium-113m—transferrin, new and simple method for estimation of plasma volume with use of, 1026 (Abst.)
Infected with *Plasmodium knowlesi*, erythrocytes of monkeys, influence of methylene blue on pentose phosphate pathway in, 1
Infection(s), bacterial, in systemic lupus erythematosus, 996 (Abst.)
nosocomial, outbreak of, due to *Serratia marcescens* traced to contaminated inhalation-therapy medications, 1005 (Abst.)
parainfluenza 3 virus, influence of host factors on intrahospital spread of, 991 (Abst.)
sporadic outbreak of, by Chlamydia agent in patients with respiratory disease and with primary myocardial disease, 1017 (Abst.)
systemic mycotic, in man, reticuloendothelial phagocytic function during, 340
Infectious phase, early, of Coxsackie virus B-3 myocardopathy, adverse effect of exercise upon, 875 (Abst.)
Infusion, continuous intravenous, in rats, simple technique for, 813
Inhalation-therapy medications, contaminated, outbreak of nosocomial infections due to *Serratia marcescens* traced to, 1005 (Abst.)
Inhibition test, hemagglutination-, observations on lack of fluorescent antibody response and on use of blood collected on filter paper discs in: attenuated rubella vaccination in families, 98
Insulin conversion, proinsulin to, subcellular location of, in isolated rat islets, 983 (Abst.)
effect in uremia, 79
levels in infants of diabetic mothers, effects of epinephrine on, 888 (Abst.)
Insulin—Cont'd
native secretion granule, quantitative aspects of measurement of, 950
ratios, plasma A chain, as measure of insulin cleavage, 988 (Abst.)
responses, plasma, and pancreatic islet secretion of insulin, effects of parathormone on, 891 (Abst.)
secretion, possible role of guanidinoacetic acid and other guanidine derivatives in regulation of, 846 (Abst.)
Interferon, comparative production of, by foreskin fibroblasts from newborn infants and children, 946
Interstitial cell granules in renal papilla and solute composition of renal tissue in rats with Goldblatt hypertension, 47
Intestinal absorption, chelation of iron during, 212
of cobamide coenzyme in relation to structural integrity and intrinsic factor, 218
of ^{3}H-digitalis glycosides: demonstration of nonsaturable transport process, 858 (Abst.)
absorptive surface, effects of calcium and pH on attachment of intrinsic factor–vitamin B_{12} complex to, 986 (Abst.)
contents, human: composition, flow rate, and velocity, 890 (Abst.)
microbes, anomalous bowel function in germ-free animals and regulatory effects of, 877 (Abst.)
Intestine, rat small, in vivo hexose transport by: effects of diabetes, 1006 (Abst.)
Intravenous infusion, continuous, in rats, simple technique for, 813
Intrinsic factor, gastric, antigenic species specificity of, 843 (Abst.)
–vitamin B_{12} complex, effects of calcium and pH on attachment of, to intestinal absorptive surface, 986 (Abst.)
Iodine-131 (^{131}I)-fibrinogen survival, autologous, after liver transplantation: possible index of graft rejection, 850 (Abst.)
triolein and $^{131}BaSO_4$, estimation of fat absorption in man with use of double isotopes, 119
-125 (I^{125}) amylase, study of macroamylasemia using, 981 (Abst.)
–antipyrine washout, estimation of canine tibial diaphyseal collateral blood flow by, 889 (Abst.)
Iodipamide, bile salts, and sulfobromophthalein, absorption by gallbladder of, 482
Iodotyrosine formation, inhibition of, by analogs of tyrosine, 257
Ionic strength, C'1q, and cations, role of, in formation of C'1 esterase, 380
Ions, hydrogen, effect of bile salts on back diffusion of, in human gastric mucosa, 886 (Abst.)

Iron absorption, experimental achylia gastrica and, 992 (Abst.)
relation of ferroxidase (ceruloplasmin) to, 53
chelation of, during intestinal absorption, 212
deficiency anemia in children, relationships between iron-dextran and vitamin E in, 789
-dextran and vitamin E, relationships between, in iron deficiency anemia in children, 789
Irradiated chickens, bursectomized, in vitro response of spleen cells from, to phytohemagglutinin and antigen, 845 (Abst.)
granulocytes, in vivo, metabolic and bactericidal function of, 863 (Abst.)
ultraviolet (UV), normal and leukemic leukocytes, deoxyribonucleic acid (DNA) repair replication of, 109
Ischemia, renal, prostaglandin-like substances present in blood during: patterns of release and their partial characterization, 866 (Abst.)
Islets, isolated rat, subcellular location of proinsulin to insulin conversion in, 983 (Abst.)
Isomerase, glucose phosphate, and phosphopyruvate hydratase steps of glycolysis, metabolic flow rate through, in normal rat liver, in cirrhosis, and in quantitative undernutrition, 359
Isoproterenol, distribution volume of, in isolated lung of dog, 129
Isotonic saline infusion, acute, acid-base and electrolyte changes induced by, in nephrectomized dog, 427
Isotopes, double, $^{131}BaSO_4$ and ^{131}-iodine triolein, estimation of fat absorption in man with use of, 119
Isotopic calcium absorption test, studies on reliability of, in patients with chronic renal disease, 464
Israel, new glucose-6-phosphate dehydrogenase variants observed in, and their association with congenital nonspherocytic hemolytic disease, 895

J

Jaundice, obstructive, characterization of abnormal low-density lipoprotein in patients with, 1009 (Abst.)

K

Kappa-light chains, subclasses of: immunochemical and structural correlation, 1013 (Abst.)
Kidney, chronically diseased, of dog and man, correlation of fractional excretion of sodium and magnesium in, 642
isolated perfused dog, studies of sodium and water metabolism in, 886 (Abst.)
Kidney—Cont'd
rat, microbial interference in streptococcal infections in: pyelonephritis; X, 274
relationship between sodium and calcium transport in, 410
Kinetic(s) of ascites absorption and formation in hepatic cirrhosis, 1011 (Abst.)
and comparative studies on localized leukocyte mobilization in normal man, 742
studies with ^{51}chromium-labeled platelet cohorts in rats, 138
Kinin generation, activation of Hageman factor and, by acid polysaccharides and human articular cartilage, 990 (Abst.)

L

Lactate dehydrogenase in megaloblastic anemia, 331
Laparotomy and splenectomy in staging of Hodgkin's disease, 845 (Abst.)
Lesch-Nyhan disease (congenital IMP pyrophosphorylase deficiency), elevated AMP pyrophosphorylase activity in, 732
Lesions, active, of systemic lupus erythematosus, endothelial inclusions in, 369
experimental, production of and effect of anticoagulants and urokinase on, in mice: role of fibrinogen in renal disease; I, II, 60, 72
Leukemia, chronic lymphocytic, dose-response evaluation of Uracil Mustard in, 984 (Abst.)
myelogenous, cyclic leukocyte oscillations in, during hydroxyurea therapy, 890 (Abst.)
pre-, chromosome analysis in, 996 (Abst.)
Leukemic leukocytes, ultraviolet (UV) irradiated normal and, deoxyribonucleic acid (DNA) repair replication of, 109
Leukocyte(s), human, release of histamine and lysosomal enzymes by, during phagocytosis of staphylococci, 436
mobilization, localized, in normal man, kinetic and comparative studies on, 742
oscillations, cyclic, in chronic myelogenous leukemia during hydroxyurea therapy, 890 (Abst.)
polymorphonuclear, study of serum opsonins and, in heroin addicts, 993 (Abst.)
ultraviolet (UV) irradiated normal and leukemic, deoxyribonucleic acid (DNA) repair replication of, 109
Lidoflazine and Dipyridamole, mechanism of enhancement of adenosine-induced coronary vasodilatation by, 844 (Abst.)
Light, kappa-, chains, subclasses of: immunochemical and structural correlation, 1013 (Abst.)

Lipid(s) defect in uremia, 863 (Abst.)
and folate levels, serum, effects of oral contraceptives on, 988 (Abst.)
liver, serum and, of rat, comparison of effects of phenolic ethers Su-13437 and CPIB on, 850 (Abst.)
vasodepressor, resembling prostaglandin E_2 (PGE_2) in renal venous blood of hypertensive patients, 389
Lipolysis, basal- and catecholamine-stimulated, of isolated human and rat adipose tissue cells, differential effects of alpha- and beta-adrenergic–blocking agents on, 857 (Abst.)
Lipopolysaccharide, bacterial, separated by beaded agarose chromatography, properties of, 856 (Abst.)
Lipoprotein, abnormal low-density, characterization of, in patients with obstructive jaundice, 1009 (Abst.)
Liquefying agents, sputum: comparative in vitro evaluation, 346
Liquid, gas-, chromatographic method, studies on metabolism of phenolic acids in hereditary tyrosinemia by, 185
Liver cirrhosis, pulmonary excretion of mercaptans and dimethyl sulfide in, before and after ingestion of methionine, 861 (Abst.)
cirrhotic, failure of, to inactivate renin: evidence for splanchnic source of renin-like activity, 495
function test, neglected, in infancy and childhood: measurement of prothrombin, 875 (Abst.)
lipids, serum and, of rat, comparison of effects of phenolic ethers Su-13437 and CPIB on, 850 (Abst.)
normal and cirrhotic, zinc and collagen content of, 853 (Abst.)
rat, metabolic flow rate through phosphopyruvate hydratase and glucose phosphate isomerase steps of glycolysis in, and in cirrhosis and quantitative undernutrition, 359
perfusions, isolated heterologous bovine, biochemical changes during, 1015 (Abst.)
transplantation, autologous ^{131}I-fibrinogen survival after: possible index of graft rejection, 850 (Abst.)
Lung disease, diffuse, gas exchange abnormalities in, 849 (Abst.)
isolated, of dog, distribution volume of isoproterenol in, 129
scan in pulmonary disease, 977 (Abst.)
scanning, dynamic, with use of ^{133}xenon, 885 (Abst.)
Lupus erythematosus, systemic, bacterial infections in, 996 (Abst.)
endothelial inclusions in active lesions of, 369
Lymphocyte(s) (anti-) serum, suppression of experimental allergic thyroiditis in rats by, 986 (Abst.)
Lymphocyte(s)—Cont'd
from chronic uremic patients maintained with hemodialysis and renal allotransplantation, nucleic acid synthesis in, 866 (Abst.)
serum (ALS) and derivatives, equine antihuman splenic, activity and effects of, 1027 (Abst.)
transformation (HLT), human, suppression of, by DEAE-dextran, 1001 (Abst.)
potentiation of, by membrane-membrane interaction, 1028 (Abst.)
Lymphocytic leukemia, chronic, dose-response evaluation of Uracil Mustard in, 984 (Abst.)
Lymphopenic (non-) agammaglobulinemia, hereditary, with splenomegaly: family study, 203
Lysosomal enzymes and histamine, release of, by human leukocytes during phagocytosis of staphylococci, 436

M

Macroamylasemia, study of, using I^{125} amylase, 981 (Abst.)
Macrophage(s), isolated alveolar, and across pulmonary exchange sites, ferritin transport in, 843 (Abst.)
phagocytosis, inhibition of, by protein isolated from chronic granulation tissue, 1027 (Abst.)
Magnesium-dependent calcium-inhibited ATPase in human platelets, 1004 (Abst.)
fractional excretion of sodium and, in chronically diseased kidney of dog and man, correlation of, 642
($U_{Mg}V$) excretion, urinary calcium ($U_{Ca}V$) and, separate effects of glucose ingestion and NH_4Cl acidosis on, 980 (Abst.)
Malabsorption, calcium, of chronic renal failure, effect of hemodialysis, vitamin D, and renal homotransplantation on, 472
Malaria, mechanism for chloroquine resistance in, 872 (Abst.)
Mammary tumor particulate fraction, rat, inhibition of binding of estradiol 6-7 H^3 to, by estriol and its epimers, 979 (Abst.)
Mannitol, effects of, on renal circulation, 541
Marrow, bone, aminolevulinic acid synthetase and heme synthetase, effect of erythropoietin on, 445
cells, chromosome changes in, following intravenous administration of chemical carcinogen, 999 (Abst.)
cultures, megaloblastic, differences in response of, to cyano-, methyl-, and 5′deoxyadenosylcobalamin, 870 (Abst.)
engraftment, bone, in replacement therapy, further experience with, 884 (Abst.)

Marrow—Cont'd
mitochondria, bone, chloramphenicol and, 927
Masai of East Africa, milk-, blood-, and meat-eating, reasons for low plasma cholesterol levels and paucity of atherosclerosis in, 1019 (Abst.)
Meat-eating Masai of East Africa, milk-, blood-, and, reasons for low plasma cholesterol levels and paucity of atherosclerosis in, 1019 (Abst.)
Medical school as university: Presidential Address, 179
Medium, cell culture, and serum, extraction and measurement of glycosaminoglycans in: system with use of aliphatic quaternary ammonium salt, 527
Medulla, renal, as antihypertensive organ, 992 (Abst.)
Megaloblastic anemia, lactate dehydrogenase in, 331
marrow cultures, difference in response of, to cyano-, methyl-, and 5′ deoxyadenosylcobalamin, 870 (Abst.)
Membrane(s) loss in sickle cells, 854 (Abst.)
-membrane interaction, potentiation of lymphocyte transformation by, 1028 (Abst.)
vascular and avascular basement, immunochemical properties of collagen from, 868 (Abst.)
Mercaptans and dimethyl sulfide, pulmonary excretion of, in liver cirrhosis before and after ingestion of methionine, 861 (Abst.)
Mersalyl, effect of, on energy metabolism and sodium movement in isolated bladder of toad, 880 (Abst.)
Metabolic and bactericidal function of granulocytes irradiated in vitro, 863 (Abst.)
flow rate through phosphopyruvate hydratase and glucose phosphate isomerase steps of glycolysis in normal rat liver, in cirrhosis, and in quantitative undernutrition, 359
studies, comparative, in complete and incomplete forms of feminizing testes syndrome, 1003 (Abst.)
Metabolism, bile salt and fat digestion in man, effect of neomycin on, 564
connective tissue, effect of polypeptide factor on: connective tissue regulation, 860 (Abst.)
energy, and sodium movement, effect of mersalyl on, in isolated bladder of toad, 880 (Abst.)
myocardial oxidative, in normal subjects during ouabain administration, 855 (Abst.)
of phenolic acids in hereditary tyrosinemia, studies on, by gas-liquid chromatographic method, 185
prothrombin, in calves, effects of coumadin and vitamin K on, 1019 (Abst.)
Metabolism—Cont'd
sodium and water, in isolated perfused dog kidney, studies of, 886 (Abst.)
zinc, following acute tissue injury in man, 852 (Abst.)
Metabolites, dopamine, and dopamine, excretion of, in Parkinson's disease and effect of diet thereon, 305
Metastatic carcinoma, tissue antigens A, B, and H in, 867 (Abst.)
Methemoglobinemia, acetophenetidin-induced, and its relation to excretion of diazotizable amines, 581
Methionine, pulmonary excretion of mercaptans and dimethyl sulfide in liver cirrhosis before and after ingestion of, 861 (Abst.)
Methylcobalamin, cyanocobalamin, and 5′deoxyadenosylcobalamin, difference in response of megaloblastic marrow cultures to, 870 (Abst.)
Methylene blue, influence of, on pentose phosphate pathway in erythrocytes of monkeys infected with *Plasmodium knowlesi*, 1
Metyrapone, plasma, simple fluorometric method for assay of, 515
Micellar solubilization of cholesterol in bile, studies on structural requirements for, 993 (Abst.)
Microangiopathic hemolytic anemia in diabetic patients, 855 (Abst.)
Microbes, intestinal, anomalous bowel function in germ-free animals and regulatory effects of, 877 (Abst.)
Microbial interference in streptococcal infections in rat kidney: pyelonephritis; X, 274
Microscopic, electron, findings in diffuse interstitial pulmonary disease, 878 (Abst.)
Microscopy, electron, simplified technique for preparing isolated subcellular particles for, 160
of sputum, 894 (Abst.)
Milk-, blood-, and meat-eating Masai of East Africa, reasons for low plasma cholesterol levels and paucity of atherosclerosis in, 1019 (Abst.)
Mitochondria, bone marrow, chloramphenicol and, 927
Mitral stenosis, abnormal left ventricular volumes in patients with, 882 (Abst.)
Monoclonal cryoglobulin associated with cold urticaria, activation of complement by, 902
IgG cryoglobulin, participation of C′1q, C′1r, and C′1s in activation of complement by, 864 (Abst.)
Mononuclear cell receptor for IgG globulin, human, characterization of, 984 (Abst.)

Monophosphate, cyclic adenosine (AMP), production of goiter, 996 (Abst.)
3′5′ and guanosine 3′5′, radioimmunoassay for measurement of, 1016 (Abst.)
3′, 5′-cyclic adenosine, method for determination of, based on adenosine triphosphate formation, 682
Motor dysfunction, ethanol-induced human esophageal, 883 (Abst.)
Mucosa, human gastric, effect of bile salts on back diffusion of hydrogen ions in, 886 (Abst.)
Muscle, human, guinea pig, and rat colonic circular, responses of, to prostaglandins, 872 (Abst.)
Mycotic infections, systemic, in man, reticuloendothelial phagocytic function during, 340
Myelogenous leukemia, chronic, cyclic leukocyte oscillations in, during hydroxyurea therapy, 890 (Abst.)
Myeloma, multiple: community cluster, 979 (Abst.)
Myocardial blood flow, effect of hypocapnia, hypercapnia, and intracoronary injection of CO_2 and O_2 on, 983 (Abst.)
and exercise ECG in cinearteriographically demonstrated coronary artery disease, 893 (Abst.)
disease, primary, and respiratory disease, sporadic outbreak of infection by Chlamydia agent in patients with, 1017 (Abst.)
heat production: its relation to tension development and modification by norepinephrine, 985 (Abst.)
oxidative metabolism in normal subjects during ouabain administration, 855 (Abst.)
scintigrams, prediction of rejection of transplanted human and pig hearts by, 859 (Abst.)
Myocardopathy, Coxsackie virus B-3, adverse effect of exercise upon early infectious phase of, 875 (Abst.)
Myxedema, mechanism of abnormal water load test in patients with, 867 (Abst.)

N

Natriuresis and chloruresis, mechanism of, during hydropenia in rat, 985 (Abst.)
Natriuretic (anti-) substance, renal-vasoconstrictive, of posterior pituitary origin, appearance of, following hemorrhage, 848 (Abst.)
Neomycin, effect of, on bile salt metabolism and fat digestion in man, 564
Neonatal rat, excretion of radiocopper by, 421
Nephrectomized dog, acid-base and electrolyte changes induced by acute isotonic saline infusion in, 427
Nephritis, nephrotoxic serum, in mice, fibrinolytic and anticoagulant treatment of; role of fibrinogen in renal disease, 715
Nephron, albumin distribution and transport in, 997 (Abst.)
Nephrosclerosis, renal artery stenosis (RAS) and effect of hydralazine on renin release (RR) in patients with, 891 (Abst.)
Nephrosis, autoimmune, in rats, pathogenesis of, demonstration of antibody to proximal tubular antigen in, 400
Nephrotoxic serum nephritis in mice, fibrinolytic and anticoagulant treatment of; role of fibrinogen in renal disease, 715
Nitrogen washout test, open circuit: on-line-digital computer analysis of pulmonary physiologic data, 870 (Abst.)
Norepinephrine, its relation to tension development and modification by: myocardial heat production, 985 (Abst.)
Nosocomial infections, outbreak of, due to *Serratia marcescens* traced to contaminated inhalation-therapy medications, 1005 (Abst.)
Nuclear antigen (ENA) extractable, specific antibody to, in mixed connective tissue disease syndrome 1010 (Abst.)
Nucleic acid synthesis in lymphocytes from chronic uremic patients maintained with hemodialysis and renal allotransplantation, 866 (Abst.)

O

Oogenesis, progesterone-induced alterations of, in Chinese hamster *(Cricetulus griscus)*, 1023 (Abst.)
Opsonins, serum, and polymorphonuclear leukocytes, study of, in heroin addicts, 993 (Abst.)
Oral contraceptives, effects of, on serum lipid and folate levels, 988 (Abst.)
thromboembolism and: results of epidemiological study of 175 cases and matched controls, 1005 (Abst.)
Organic acid transport, azotemic inhibition of: mechanisms and characteristics, 994 (Abst.)
compounds, analysis of in human breath by gas chromatography–mass spectrometry, 961
Osmotic fragility erythrocyte, and cell water—influence of pH and temperature, 319
Osteomalacia, hypophosphatemic, associated with small benign sclerosing hemangiomas, 1004 (Abst.)

Ouabain administration, myocardial oxidative metabolism in normal subjects during, 855 (Abst.)
Oxidase, tissue xanthine, serum and, sensitive and nonradioactive assay for, 828
Oxidative metabolism, myocardial, in normal subjects during ouabain administration, 855 (Abst.)
Oxygen (O_2), CO_2 and, intracornonary injection of, hypocapnia, and hypercapnia, effect of, on myocardial blood flow, 983 (Abst.)
Oxygenation, de- and re-, rates of alteration of filterability after, and correlations with sickling and unsickling: filtration characteristics of sickle cells, 989 (Abst.)

P

Pancreas and duodenum, transplanted, functions of, in man, 869 (Abst.)
Pancreatic islet secretion of insulin, effects of parathormone on plasma insulin responses and, 891 (Abst.)
suppression and atrophy induced in normal rodents by sulfonylurea derivatives, 1012 (Abst.)
Papilla, renal, interstitial cell granules in, and solute composition of renal tissue in rats with Goldblatt hypertension, 47
Parainfluenza 3 virus infection, influence of host factors on intrahospital spread of, 991 (Abst.)
virus, antibody-induced cytopathic effects of, 859 (Abst.)
Paraproteins, hyperviscous, structural considerations of, 1006 (Abst.)
Parathormone, effects of, on plasma insulin responses and pancreatic islet secretion of insulin, 891 (Abst.)
Parkinson's disease, excretion of dopamine and dopamine metabolites in, and effect of diet thereon, 305
Pathogenesis of experimental autoimmune nephrosis in rats, demonstration of antibody to proximal tubular antigen in, 400
of tuberculosis in man, implications of "experiment of nature" for, 1014 (Abst.)
Pemphigoid, bullous, complement immunofluorescent staining in, 548
Penicillin handling in normal and azotemic patients, 12
Pentose phosphate pathway, influence of methylene blue on, in erythrocytes of monkeys infected with *Plasmodium knowlesi*, 1
Perfused dog kidney, isolated studies of sodium and water metabolism in, 886 (Abst.)
Perfusions, isolated heterologous bovine liver, biochemical changes during 1015 (Abst.)
Pericarditis, constrictive., and cardiac tamponade, flowmeter study of differences between: dynamics of cardiac compression, 1009 (Abst.)
Pernicious anemia, response of small single doses of vitamin B_{12} (cyanocobalamin) and 5'deoxyadenosylcobalamin in, 881 (Abst.)
pH, effects of calcium and, on attachment of intrinsic factor–vitamin B_{12} complex to intestinal absorptive surface, 986 (Abst.)
and temperature, influence of—erythrocyte osmotic fragility and cell water, 319
urine, and acid excretion, relationship between—influence of urine flow rate, 757
Phagocytic function, reticuloendothelial, during systemic mycotic infections in man, 340
Phagocytosis, macrophage, inhibition of, by protein isolated from chronic granulation tissue, 1027 (Abst.)
of staphylococci release of histamine and lysosomal enzymes by human leukocytes during, 436
Phenol and hydroxy phenolic acids, role of, in uremic thrombocytopathy and defective platelet aggregation, 998 (Abst.)
Phenolic acids in hereditary tyrosinemia, studies on metabolism of, by gas-liquid chromatographic method, 185
ethers Su-13437 and CPIB comparison of effects of, on serum and liver lipids of rat, 850 (Abst.)
Phosphate dehydrogenase, glucose-6-(G-6-PD)–deficient Caucasians, hemolytic effects of standard single dosages of primaquine and chloroquine on, 653
variants observed in Israel, new glucose-6-, and their association with congenital nonspherocytic hemolytic disease, 895
excretion, potassium, and calcium, effects of oral carbohydrate on, and tubular sites of sodium reabsorption; effects of fasting and refeeding, 915
isomerase, glucose, and phosphopyruvate hydratase steps of glycolysis, metabolic flow rate through, in normal rat liver, in cirrhosis, and in quantitative undernutrition, 359
pathway, pentose, influence of methylene blue on, in erythrocytes of monkeys infected with *Plasmodium knowlesi*, 1
thyrocalcitonin and, comparative effects of, on skeletal turnover, 880 (Abst.)
Phosphokinase, creatine (CPK), effect of succinylcholine on, in anesthetized dogs, 153

Phosphopyruvate hydratase, and glucose phosphate isomerase steps of glycolysis metabolic flow rate through, in normal rat liver, in cirrhosis, and in quantitative undernutrition, 359

Phosphorus and serum calcium values, distribution of, in unselected ambulatory patients, 504

Phosphorylation, altered, of vitamin B_6 in alcoholic patients induced by oral administration of alcohol, 882 (Abst.)

Physicochemical properties of Hageman factor, 878 (Abst.)

Phytohemagglutinin and antigen, in vitro response of spleen cells from bursectomized irradiated chickens to, 845 (Abst.)

Pigeon breeders, differences in immune responses of, to pigeon serum proteins, 325

Pigments, normal urinary, fractional analysis of, 1001 (Abst.)

Pituitary origin, posterior, appearance of renal-vasoconstrictive, antinatriuretic substance of, following hemorrhage, 848 (Abst.)

Plasma A chain insulin ratios as measure of insulin cleavage, 988 (Abst.)
cholesterol levels, low, and paucity of atherosclerosis, reasons for, in milk-, blood-, and meat-eating Masai of East Africa, 1019 (Abst.)
clearance of transcobalamin I- and transcobalamin II–bound CO^{57} vitamin B_{12}, 574
estriol levels, cord blood, in infants with respiratory distress syndrome, 1021 (Abst.)
fibrinogen, characterization of, in hypercoagulable/thrombotic states, 873 (Abst.)
insulin responses and pancreatic islet secretion of insulin, effects of parathormone on, 891 (Abst.)
metyrapone, simple fluorometric method for assay of, 515
protein requirements for human platelet aggregation, 849 (Abst.)
and synovial fluid, radioimmunoassay for bradykinin in, 816
thromboplastin antecedent, bovine, (Factor XI) deficiency, 37
tissues, and urine, human, enzymatic assay for 3,4-dihydroxymandelic acid (DOMA) in, 672
volume, new and simple method for estimation of, with use of indium-113m–transferrin, 1026 (Abst.)

Plasmin and plasminogen, human, radioimmunoassay of, 265

Plasminogen and plasmin, human, radioimmunoassay of, 265

Plasmodium falciparum, anatomy of red cell damage by, in man, 848 (Abst.)

Plasmodium knowlesi, influence of methylene blue on pentose phosphate pathway in erythrocytes of monkeys infected with, 1

Platelet(s) aggregation, defective, uremic thrombocytopathy, role of phenol and hydroxy phenolic acids, 998 (Abst.)
disordered, correction of, in homocystinuria (HCU) by pyridoxine, 1029 (Abst.)
human, plasma protein requirements for, 849 (Abst.)
as mechanism for disseminated intravascular coagulation in presence of marked hyperlipemia, 978 (Abst.)
coagulant activity, simple test for evaluation of, 174
cohorts, ^{51}chromium-labeled, kinetic studies with, in rats, 138
human, magnesium-dependent calcium-inhibited ATPase in, 1004 (Abst.)
and hypothermia, 869 (Abst.)
improved method for electronic counting of, 536

Pollution, domiciliary chemical air, in etiology of chronic illness, 998 (Abst.)

Polycythemia, response of, to treatment with new agent: hydroxyurea, 1022 (Abst.)

Polycythemic mouse, exhypoxic, assay, comparison of erythropoietin preparations, yielding different dose-response slopes in, 250

Polymorphonuclear leukocytes, study of serum opsonins and, in heroin addicts, 993 (Abst.)

Polypeptide(s), evidence for two, in human serum apolipoprotein B, 862 (Abst.)
factor, effect of, on connective tissue metabolism: connective tissue regulation, 860 (Abst.)

Potassium, calcium, and phosphate excretion, effects of oral carbohydrate on, and tubular sites of sodium reabsorption; effects of fasting and refeeding, 915

Polysaccharides, acid, and human articular cartilage, activation of Hageman factor and kinin generation by, 990 (Abst.)

Presidential Address: medical school as university, 179

Primaquine and chloroquine, hemolytic effects of standard single dosages of, on G-6-PD-deficient Caucasians, 653

Progesterone-induced alterations of oogenesis in Chinese hamster (*Cricetulus griseus*), 1023 (Abst.)

Proinsulin, biologic action of, on ventral toad skin in vitro, 894 (Abst.)
to insulin conversion, subcellular location of, in isolated rat islets, 982 (Abst.)

Prostaglandin(s), effects of, on basal and stimulated thyroid function, 856 (Abst.)
E_2 (PGE_2), vasodepressor lipid resembling, in renal venous blood of hypertensive patients, 389
-like substances present in blood during renal ischemia: patterns of release and their partial characterization, 866 (Abst.)
responses of human, guinea pig, and rat colonic circular muscle to, 872 (Abst.)
Protein(s)-binding radioassay, competitive, urinary cortisol excretion determined by: test of adrenal cortical function, 803
-bound iodine (PBI), serum T, free T, and pattern of T and T binding to serum proteins, study of: parameters of thyroid function in serum of 16 selected vertebrates, 999 (Abst.)
dietary, locally produced antibody to, in human gastroduodenal secretions, 976 (Abst.)
estimation and electrophoresis of cerebrospinal fluid, combined procedure for, 166
excretion, urine, in climbers at high altitude, 1000 (Abst.)
inhibitor of erythropoiesis, 608
isolated from chronic granulation tissue, inhibition of macrophage phagocytosis by, 1027 (Abst.)
pigeon serum, differences in immune responses of pigeon breeders to, 325
requirements, plasma, for human platelet aggregation, 849 (Abst.)
Prothrombin, measurement of: neglected liver function test in infancy and childhood, 875 (Abst.)
metabolism in calves, effects of coumadin and vitamin K on, 1019 (Abst.)
Psychological factors in control of sinus arrhythmia, 857 (Abst.)
Pulmonary blood flow, distribution of, in patients with alveolar capillary block, 1025 (Abst.)
disease, diffuse interstitial, electron microscopic findings in, 878 (Abst.)
lung scan in, 977 (Abst.)
exchange sites, ferritin transport in isolated alveolar macrophages and across, 843 (Abst.)
excretion of mercaptans and dimethyl sulfide in liver cirrhosis before and after ingestion of methionine, 861 (Abst.)
physiologic data, on-line–digital computer analysis of: open circuit nitrogen washout test, 870 (Abst.)
Pyelonephritis. X. Microbial interference in streptococcal infections in rat kidney, 274
Pyridoxine, correction of disordered platelet aggregation in homocystinuria (HCU) by, 1029 (Abst.)
Pyrophosphorylase activity, elevated AMP, in congenital IMP pyrophosphorylase deficiency (Lesch-Nyhan disease), 732

Q

Quaternary ammonium salt, aliphatic, system with use of: extraction and measurement of glycosaminoglycans in serum and cell culture medium, 527

R

Radioassay, competitive protein-binding, urinary cortisol excretion determined by: test of adrenal cortical function, 803
for serum vitamin B_{12} with use of saliva as vitamin B_{12} binder, 967
Radiocopper, excretion of, by neonatal rat, 421
Radioimmunoassay for bradykinin in plasma and synovial fluid, 816
of human plasminogen and plasmin, 265
for measurement of adenosine 3′5′ cyclic monophosphate and guanosine 3′5′ cyclic monophosphate, 1016 (Abst.)
results, rapid calculation of, 770
Radiolabeled cholesterol as adrenal scanning agent, 851 (Abst.)
Reabsorption, altered renal urate, evidence for, during changes in volume of extracellular fluid, 288
Red cell damage by *Plasmodium falciparum* in man, anatomy of, 848 (Abst.)
mechanisms in response of, to hypoxia, 854 (Abst.)
method for labeling, with diisopropylphosphorofluoridate-P^{32} in vitro, 836
survival of 42 day acid-citrate-dextrose (ACD)—adenine preserved blood after transfusion into traumatized patients, 42
2,3 diphosphoglyceric acid (DPG), in vivo regeneration of, after transfusion of stored blood, 300
Reductase, glutathione, activity, regulation of, 860 (Abst.)
Regeneration, in vivo, of red cell 2,3 diphosphoglyceric acid (DPG) after transfusion of stored blood, 300
Rejection, graft, possible index of: autologous ^{131}I-fibrinogen survival after liver transplantation, 850 (Abst.)
of transplanted human and pig hearts, prediction of, by myocardial scintigrams, 859 (Abst.)

Renal allotransplantation, hemodialysis and, nucleic acid snythesis in lymphocytes from chronic uremic patients maintained with, 866 (Abst.)
artery stenosis (RAS) and nephrosclerosis, effect of hydralazine on renin release (RR) in patients with, 891 (Abst.)
circulation, effects of mannitol on, 541
disease, chronic, studies on reliability of isotopic calcium absorption test in patients with, 464
disease, role of fibrinogen in. I. Production of experimental lesions in mice, 60
II. Effect of anticoagulants and urokinase on experimental lesions in mice, 72
III. Fibrinolytic and anticoagulant treatment of nephrotoxic serum nephritis in mice, 715
unilateral, influence of physical factors upon glomerulo-tubular balance in nonuremic dog with, 1022 (Abst.)
failure, chronic, effect of hemodialysis, vitamin D, and renal homotransplantation on calcium malabsorption of, 472
homotransplantation, vitamin D, and hemodialysis, effect of, on calcium malabsorption of chronic renal failure, 472
(intra-) blood flow, studies of, using thermistor probes, 871 (Abst.)
ischemia, prostaglandin-like substances present in blood during: patterns of release and their partial characterization, 866 (Abst.)
medulla as antihypertensive organ, 992 (Abst.)
papilla, interstitial cell granules in, and solute composition of renal tissue in rats with Goldblatt hypertension, 47
solute excretion, dissociation of changes in, during diuretic induced volume contraction in man, 1015 (Abst.)
urate reabsorption, altered, evidence for, during changes in volume of extracellular fluid, 288
vasoconstrictive antinatriuretic substance of posterior pituitary origin, appearance of, following hemorrhage, 848 (Abst.)
venous blood of hypertensive patients, vasodepressor lipid resembling prostaglandin E_2 (PGE_2) in, 389
Renin, failure of cirrhotic liver to inactivate: evidence for splanchnic source of renin-like activity, 495
release (RR), effect of hydralazine on, in patients with renal artery stenosis (RAS) and nephrosclerosis, 891 (Abst.)
secretion, site of action of adrenergic blocking agents on, 1024 (Abst.)
Respiratory acidosis in dog, effects of volume expansion on response to, 1025 (Abst.)
disease and primary myocardial disease, sporadic outbreak of infection by Chlamydia agent in patients with, 1017 (Abst.)
distress syndrome, cord blood plasma estriol levels in infants with, 1021 (Abst.)
Reticuloendothelial phagocytic function during systemic mycotic infections in man, 340
Rheumatoid arthritis, serum levels of erythropoietin in, 93
factors, heterogeneity among, for complement fixation, 1020 (Abst.)
IgM, from mixed cryoglobulins, in vivo study of, 239
Ribonucleic acid (RNA), presumptive messenger, isolation of, for antibody from spleens of mice, 987 (Abst.)
Rubella vaccination, attenuated, in families: observations on lack of fluorescent antibody response and on use of blood collected on filter paper discs in hemagglutination-inhibition test, 98

S

Salicylsalicylic acid, absence of gastrointestinal bleeding following administration of, 911
Saline infusion, acute isotonic, acid-base and electrolyte changes induced by, in nephrectomized dog, 427
Saliva as vitamin B_{12} binder, radioassay for serum vitamin B_{12} with use of, 967
Salt(s), aliphatic quaternary ammonium, system with use of: extraction and measurement of glycosaminoglycans in serum and cell culture medium, 527
bile, effect of, on back diffusion of hydrogen ions in human gastric mucosa, 886 (Abst.)
sulfobromophthalein, and iodipamide, absorption by gallbladder of, 482
metabolism, bile, and fat digestion in man, effect of neomycin on, 564
Schumm test: spectral properties of hemopexin-heme, 941
Scintigrams, myocardial, prediction of rejection of transplanted human and pig hearts by, 859 (Abst.)
Secretion(s) granule insulin, native, quantitative aspects of measurement of, 950
human gastroduodenal, locally produced antibody to dietary protein in, 976 (Abst.)
insulin, possible role of guanidinoacetic acid and other guanidine derivatives in regulation of, 846 (Abst.)

Secretion—Cont'd
pancreatic islet, of insulin, effects of parathormone on plasma insulin responses and, 891 (Abst.)
renin, site of action of adrenergic blocking agents on, 1024 (Abst.)
Serratia marcescens, outbreak of nosocomial infections due to, traced to contaminated inhalation-therapy medications, 1005 (Abst.)
Serum (ALS) and derivatives, equine antihuman splenic lymphocyte, activity and effects of, 1027 (Abst.)
antibody activity in patients with histoplasmosis as measured by passive hemagglutination, 453
antilymphocyte, suppression of experimental allergic thyroiditis in rats by, 986 (Abst.)
apolipoprotein B, human, evidence for two polypeptides in, 862 (Abst.)
calcium and phosphorus values, distribution of, in unselected ambulatory patients, 504
and cell culture medium, extraction and measurement of glycosaminoglycans in: system with use of aliphatic quaternary ammonium salt, 527
electrophoretic pattern, unique, in hepatitis, 892 (Abst.)
haptoglobin, simple method for quantitative determination of, 698
levels of erythropoietin in rheumatoid arthritis, 93
lipid and folate levels, effects of oral contraceptives on, 988 (Abst.)
and liver lipids of rat, comparison of effects of phenolic ethers Su-13437 and CPIB on, 850 (Abst.)
nephritis, nephrotoxic, in mice, fibrinolytic and anticoagulant treatment of; role of fibrinogen in renal disease, 715
opsonins and polymorphonuclear leukocytes, study of, in heroin addicts, 993 (Abst.)
proteins, pigeon, differences in immune responses of pigeon breeders to, 325
of 16 selected vertebrates, parameters of thyroid function in: study of protein-bound iodine (PBI), serum T_4, free T_4, and pattern of T_4 and T_3 binding to serum proteins, 999 (Abst.)
and tissue xanthine oxidase, sensitive and nonradioactive assay for, 828
and urine, identification and assay in: fibrinogen breakdown products, 586
vitamin B_{12}, radioassay for, with use of saliva as vitamin B_{12} binder, 967
Shock, hemorrhagic, changes in bound water of connective tissue during, 976 (Abst.)
Shunts, right-to-left transpulmonary, quantification of, in man, 597
Sickle cells, filtration characteristics of: rates of alteration of filterability after deoxygenation and reoxygenation and correlations with sickling and unsickling, 789 (Abst.)
membrane loss in, 854 (Abst.)
Sinus arrhythmia, psychological factors in control of, 857 (Abst.)
Smokers, heavy, temporary low-shear thixotropy of blood in, 887 (Abst.)
Sodium and calcium transport in kidney, relationship between, 410
fluoride supplementation in man, calcium absorption and calcium and fluoride balances during, 1014 (Abst.)
and magnesium, fractional excretion of, in chronically diseased kidney of dog and man, correlation of, 642
movement, energy metabolism and, effect of mersalyl on, in isolated bladder of toad, 880 (Abst.)
reabsorption, tubular sites of, and effects of oral carbohydrate on potassium, calcium, and phosphate excretion; effects of fasting and refeeding, 915
transport, humoral inhibitor of, in uremic man, 852 (Abst.)
and water metabolism in isolated perfused dog kidney, studies of, 886 (Abst.)
Solute excretion, renal, dissociation of changes in, during diuretic induced volume contraction in man, 1015 (Abst.)
Spectral properties of hemopexin-heme: Schumm test, 941
Spectrometry, gas chromatography—mass, analysis of organic compounds in human breath by, 961
Spherocytic (non-) hemolytic disease, congenital, new glucose-6-phosphate dehydrogenase variants observed in Israel and their association with, 895
Splanchnic source of renin-like activity, evidence for: failure of cirrhotic liver to inactivate renin, 495
Spleen(s) cells from bursectomized irradiated chickens, in vitro response of, to phytohemagglutinin and antigen, 845 (Abst.)
of mice, isolation of presumptive messenger ribonucleic acid (RNA) for antibody from, 987 (Abst.)
Splenectomy, laparotomy and, in staging of Hodgkin's disease, 845 (Abst.)
Splenic homotransplantation, long-term survival of hemophilic beagles following, 864 (Abst.)
lymphocyte serum (ALS) and derivatives, equine anti-human, activity and effects of, 1027 (Abst.)
Splenomegaly, hereditary nonlymphopenic agammaglobulinemia with: family study, 203

Sputum, electron microscopy of, 894 (Abst.)
liquefying agents: comparative in vitro evaluation, 346
Staining, complement immunofluorescent, in bullous pemphigoid, 548
Staphylococci, release of histamine and lysosomal enzymes by human leukocytes during phagocytosis of, 436
Steatorrhea, mechanism of, in induced hyperthyroidism in rat, 19
Stenosis, mitral, abnormal left ventricular volumes in patients with, 882 (Abst.)
(RAS), renal artery, and nephrosclerosis, effect of hydralazine on renin release (RR) in patients with, 891 (Abst.)
tricuspid, cineradiographic studies in, 1027 (Abst.)
Streptococcal group A antibody levels in bacterial endocarditis, 847 (Abst.)
infections, microbial interference in, in rat kidney: pyelonephritis; X, 274
Succinylcholine, effect of, on creatine phosphokinase (CPK) in anesthetized dogs, 153
Sulfate, (Δ5-A-S), 17β-diol-3-mono-, androst-5-ene-3β, formation of, in human testis, 1029 (Abst.)
Sulfide, dimethyl, mercaptans and, pulmonary excretion of, in liver cirrhosis before and after ingestion of methionine, 861 (Abst.)
Sulfobromophthalein, iodipamide, and bile salts, absorption by gallbladder of, 482
Sulfonylurea compounds, hyponatremia due to, 881 (Abst.)
derivatives, pancreatic suppression and atrophy induced in normal rodents by, 1012 (Abst.)
Syndrome, feminizing testes, comparative metabolic studies in complete and incomplete forms of, 1003 (Abst.)
mixed connective tissue disease, specific antibody to extractable nuclear antigen (ENA) in, 1010 (Abst.)
respiratory distress, cord blood plasma estriol levels in infants with, 1021 (Abst.)
Synovial fluid complement, effect of intra-articular hydrocortisone on, 885 (Abst.)
plasma and, radioimmunoassay for bradykinin in, 816
Synthetase, bone marrow aminolevulinic acid and heme, effect of erythropoietin on, 445
Systemic lupus erythematosus, endothelial inclusions in active lesions of, 369

T

T, serum, free T, pattern of T and T binding to serum proteins, and protein-bound iodine (PBI), study of: parameters of thyroid function in serum of 16 selected vertebrates, 999 (Abst.)
Tamponade, cardiac, constrictive pericarditis and, flowmeter study of differences between: dynamics of cardiac compression, 1009 (Abst.)
Temperature and pH, influence of—erythrocyte osmotic fragility and cell water, 319
Tension development and modification by norepinephrine, its relation to: myocardial heat production, 985 (Abst.)
Test, abnormal water load, mechanism of, in patients with myxedema, 867 (Abst.)
of adrenal cortical function: urinary cortisol excretion determined by competitive protein-binding radioassay, 803
isotopic calcium absorption, studies on reliability of, in patients with chronic renal disease, 464
neglected liver function, in infancy and childhood: measurement of prothrombin, 875 (Abst.)
open circuit nitrogen washout: on-line-digital computer analysis of pulmonary physiologic data, 870 (Abst.)
Schumm: spectral properties of hemopexin-heme, 941
Testis, human, formation of androst-5-ene-3β, 17β-diol-3-mono-sulfate (Δ5-A-S) in, 1029 (Abst.)
Testes syndrome, feminizing, comparative metabolic studies in complete and incomplete forms of, 1003 (Abst.)
Testosterone and cobalt, effect of, on erythropoietin production by anephric rats, 623
Tetrapeptide, C-terminal, of gastrin, gastrin resistance following immunization to, 887 (Abst.)
Thermistor probes, studies of intrarenal blood flow using, 871 (Abst.)
Thixotropy, temporary low-shear, of blood in heavy smokers, 887 (Abst.)
Thrombin, fluorometric assay for, 874 (Abst.)
Thrombocytopathy, uremic, and defective platelet aggregation, role of phenol and hydroxy phenolic acids in, 998 (Abst.)
Thromboembolism and oral contraceptives: results of epidemiological study of 175 cases and matched controls, 1005 (Abst.)
Thrombokinetics in alcoholism, 865 (Abst.)
Thromboplastin antecedent, bovine plasma, (Factor XI) deficiency, 37
Thrombotic, hypercoagulable/, states, characterization of plasma fibrinogen in, 873 (Abst.)
Thymus of embryonic-pouch opossums, effect of single median lethal dose of total body x-ray given at varying times upon development of, 1018 (Abst.)

Thyrocalcitonin and phosphate, comparative effects of, on skeletal turnover, 880 (Abst.)

Thyroid function, basal and stimulated, effects of prostaglandins on, 856 (Abst.)

parameters of, in serum of 16 selected vertebrates: study of protein-bound iodine (PBI), serum T, free T, and pattern of T and T binding to serum proteins, 979 (Abst.)

hormone formation, studies on, 868 (Abst.)

Thyroiditis in rats, experimental allergic, suppression of, by antilymphocyte serum, 986 (Abst.)

Tibial diaphyseal collateral blood flow, canine, estimation of, by ^{125}I-antipyrine washout, 889 (Abst.)

Tissue(s) antigens A, B, and H in metastatic carcinoma, 867 (Abst.)

cells, isolated human and rat adipose, differential effects of alpha- and beta-adrenergic–blocking agents on basal- and catecholamine-stimulated lipolysis of, 857 (Abst.)

chronic granulation, inhibition of macrophage phagocytosis by protein isolated from, 1027 (Abst.)

connective, changes in bound water of, during hemorrhagic shock, 976 (Abst.)

disease syndrome, mixed connective, specific antibody to extractable nuclear antigen (ENA) in, 1010 (Abst.)

human vascular, free carnitine content and carnitine acetyltransferase activity of, 892 (Abst.)

injury, acute, zinc metabolism following, in man, 852 (Abst.)

regulation, connective: effect of polypeptide factor on connective tissue metabolism, 860 (Abst.)

renal, solute composition of, and interstitial cell granules in renal papilla in rats with Goldblatt hypertension, 47

urine, and plasma, human, enzymatic assay for 3,4-dihydroxymandelic acid (DOMA) in, 672

xanthine oxidase, serum and, sensitive and nonradioactive assay for, 828

Transcobalamin I- and transcobalamin II-bound CO^{57} vitamin B_{12}, plasma clearance of, 574

Transferrin, indium-113m–, new and simple method for estimation of plasma volume with use of, 1026 (Abst.)

Transfusion of stored blood, in vivo regeneration of red cell 2'3 diphosphoglyceric acid (DPG) after, 300

into traumatized patients, red cell survival of 42 day acid-citrate-dextrose (ACD)—adenine preserved blood after, 42

Transplantation, liver, autologous ^{131}I-fibrinogen survival after: possible index of graft rejection, 850 (Abst.)

Transplanted human and pig hearts, prediction of rejection of, by myocardial scintigrams, 859 (Abst.)

pancreas and duodenum, functions of, in man, 869 (Abst.)

Transpulmonary shunts, right-to-left, quantification of, in man, 597

Traumatized patients, transfusion into, red cell survival of 42 day acid-citrate-dextrose (ACD)—adenine preserved blood after, 42

Tricuspid stenosis, cineradiographic studies in, 1027 (Abst.)

Triolein, ^{131}-iodine, and $^{131}BaSO_4$ estimation of fat absorption in man with use of double isotopes, 119

Triphosphatase, adenosine (ATPase), erythrocyte ghost, in Duchenne dystrophy, 103

Triphosphate, adenosine, formation, method for determination of 3', 5'-cyclic adenosine monophosphate based on, 682

Tuberculosis in man, pathogenesis of, implications of "experiment of nature" for, 1014 (Abst.)

Tubular balance, glomerulo-, influence of physical factors upon, in nonuremic dog with unilateral renal disease, 1022 (Abst.)

Tumor immunogenicity, changes in, 877 (Abst.)

particulate fraction, rat mammary, inhibition of binding of estradiol 6-7 H^3 to, by estriol and its epimers, 979 (Abst.)

Tyrosine aminotransferase, hepatic, diurnal rhythm of, is due to variable rate of synthesis, 879 (Abst.)

inhibition of iodotyrosine formation by analogs of, 257

Tyrosinemia, hereditary, studies on metabolism of phenolic acids in, by gas-liquid chromatographic method, 185

U

Ultraviolet (UV) irradiated normal and leukemic leukocytes, deoxyribonucleic acid (DNA) repair replication of, 109

Undernutrition, quantitative, normal rat liver, and cirrhosis, metabolic flow rate through phosphopyruvate hydratase and glucose phosphate isomerase steps of glycolysis in, 359

Uracil Mustard, dose-response evaluation of, in chronic lymphocytic leukemia, 984 (Abst.)

Urate reabsorption, altered renal, evidence for, during changes in volume of extracellular fluid, 288
Uremia, insulin effect in, 79
lipid defect in, 863 (Abst.)
Uremic man, humoral inhibitor of sodium transport in, 852 (Abst.)
patients, chronic, maintained with hemodialysis and renal allotransplantation, nucleic acid synthesis in lymphocytes from, 866 (Abst.)
thrombocytopathy and defective platelet aggregation, role of phenol and hydroxy phenolic acids in, 998 (Abst.)
Urinary calcium ($C_{Ca}V$) and magnesium ($U_{Mg}V$) excretion, separate effects of glucose ingestion and NH_4Cl acidosis on, 980 (Abst.)
cortisol excretion determined by competitive protein-binding radioassay: test of adrenal cortical function, 803
pigments, normal, fractional analysis of, 1008 (Abst.)
Urine of healthy male rats, specific antigens in—excretion of accessory genital glands, 31
determination of fluoride content of, by electrode potential measurements, 354
human, β-D-galactosidase in: deficiency in generalized gangliosidosis, 725
pH and acid excretion, relationship between—influence of urine flow rate, 757
plasma, and tissues, human, enzymatic assay for 3,4-dihydroxymandelic acid (DOMA) in, 672
protein excretion in climbers at high altitude, 1000 (Abst.)
serum and, identification and assay in: fibrinogen breakdown products, 586
Urticaria, cold, activation of complement by monoclonal cryoglobulin associated with, 902

V

Vaccination, attenuated rubella, in families: observations on lack of fluorescent antibody response and on use of blood collected on filter paper discs in hemagglutination-inhibition test, 98
Vascular and avascular basement membranes, immunochemical properties of collagen from, 868 (Abst.)
tissue, human, free carnitine content and carnitine acetyltransferase activity of, 892 (Abst.)
Vasoconstrictive, renal-, antinatriuretic substance of posterior pituitary origin, appearance of, following hemorrhage, 848 (Abst.)
Vasodepressor lipid resembling prostaglandin E_2 (PGE_2) in renal venous blood of hypertensive patients. 389
Vasodilatation, adenosine-induced coronary, mechanism of enhancement of, by Lidoflazine and Dipyridamole, 844 (Abst.)
coronary, produced by dopamine after adrenergic blockade, 1008 (Abst.)
Vena caval ligation, inferior, cardiac output response to exercise in patients with, 1021 (Abst.)
Venous blood, renal, of hypertensive patients, vasodepressor lipid resembling prostaglandin E_2 (PGE_2) in, 389
Ventricular pre-ejection period, left, correlation of, with left ventricular ejection fraction in patients with heart disease, 977 (Abst.)
volumes, abnormal left, in patients with mitral stenosis, 882 (Abst.)
Vertebrates, various, coagulation studies in, 982 (Abst.)
Virus B-3 myocardopathy, Coxsackie, adverse effect of exercise upon early infectious phase of, 875 (Abst.)
infection, parainfluenza 3, influence of host factors on intrahospital spread of, 991 (Abst.)
parainfluenza, antibody-induced cytopathic effects of, 859 (Abst.)
Vitamin B_6, altered phosphorylation of, in alcoholic patients induced by oral administration of alcohol, 882 (Abst.)
B_{12}, CO^{57}, plasma clearance of transcobalamin I– and transcobalamin II–bound, 574
(cyanocobalamin) and 5′deoxyadenosylcobalamin, response of small single doses of, in pernicious anemia, 881 (Abst.)
complex, intrinsic factor–, effects of calcium and pH on attachment of, to intestinal absorptive surface, 986 (Abst.)
serum, radioassay for, with use of saliva as vitamin B_{12} binder, 967
D, renal homotransplantation, and hemodialysis, effect of, on calcium malabsorption of chronic renal failure, 472
E, iron-dextran and, relationships between, in iron deficiency anemia in children, 789
K, coumadin and, effects of, on prothrombin metabolism in calves, 1019 (Abst.)

W

Water, bound, of connective tissue, changes in, during hemorrhagic shock, 976 (Abst.)
load test, abnormal, mechanism of, in patients with myxedema, 867 (Abst.)

Water—Cont'd
metabolism, sodium and, in isolated perfused dog kidney, studies of, 886 (Abst.)

X

Xanthine oxidase, tissue, serum and, sensitive and nonradioactive assay for, 828
^{133}Xenon, dynamic lung scanning with use of, 885 (Abst.)
X-ray given at varying times, single median lethal dose of total body, effect of, upon development of thymus of embryonic-pouch opossums, 1018 (Abst.)

Z

Zinc and collagen content of normal and cirrhotic liver, 853 (Abst.)
metabolism following acute tissue injury in man, 852 (Abst.)